Catalog 2026 English Metric Europe

CAMBRO 75



TRUSTED DURABILITY

www.cambro.com

TABLE of CONTENTS

EQUIPMENT

INSULATED TRANSPORT 8

Multi-Functional Box 10
Cam GoBoxes® 12
Insulated Food Servers (Non-Electric) 35
Camchiller®, Thermobarrier® & Camwarmer® 37
Temperature Maintenance 38
Transporter Capacity Guide 39
Insulated Front Loaders 40
Ultra Camcarts® 43
Camcarts® 45
Insulated Food Servers (Electric) 47
Insulated Beverage Containers 59
Beverage Service Cart 61
Handwashing Stations and Accessories 62

MERCHANDISING 65

CVC75 Mobile Food Vending Cart 65
Versa Food Service System 68
Food Bar Accessories 71
Table Top Food Bars 72
CamKiosk® System 73
Hand Sink Cart 75
Camcruiser® Vending Carts 76
Flex Station 78
Versa Organizers 81
Portable CamBars® 82
Ice Caddies 87

PERSONALIZATION
CVC75 66
CamKiosks® 74
Camcruisers® 76

WAREWASHING 88

Camrack® 4-in-1 System 88
Sizing & Reference Guide 94
Camdollies® 103
Tray & Dish/Silver Cart 106
R-Series Adjustable Dish Caddies 107
S-Series Adjustable Dish Caddies 108
Cambox® Bus Boxes 113
Service Cart Pro 114
KD Service Cart & KD Utility Cart 116

PERSONALIZATION
Camracks 101

CAMSHELVING® 117

Key Features 118
Buyers Guide 120
Free Design Service 121
Overall Length — Quick Reference Guide 122
Camshelving Premium® Series 124
Premium Series Weight Bearing Chart 125
Premium Series Configurations 128
Premium Series Accessories 130
High Density Storage System 131
Camshelving Elements® XTRA Series 136
Elements XTRA Series Weight Bearing Chart 137
Elements XTRA Series Configurations 139
Elements XTRA Series Accessories 141
Camshelving Basics® Plus Series 144
Basics Plus Series Weight Bearing Chart 145
Basics Plus Series Configurations 147
Basics Plus Series Accessories 151

SHELVING UTILITY 154

Camshelving® Wine Rack 154
Universal Storage Rack 156
Camshelving Ultimate #10 Can Rack System 157
The Ultimate Sheet Pan Rack 160
GN Food Pan Trolley 162
Pan Stops 164
Full Size Covers 164
Premium Series Full-Wrap Security Cage 165
Drying and Storage Rack 165
Elements Series 2-Shelf Vented Undercounter Units 167
Wall Shelves and Shelf Extenders 168
Dunnage Racks 169
Camlink® 169

SUPPLIES

HEALTHCARE

STORAGE 170

Food Storage Square Containers 170
Food Storage Round Containers 179
Food Storage Boxes & Lids 190
StoreSafe® Labels 194
Camwear® Food Pans & Lids 195
H-Pans™ High Heat Pans 199
High Heat H-Pan™ with Handle(s) 203
Translucent Food Pans 204
ColdFest® 207
Pizza Dough Boxes 208
Ingredient Bins & Scoops 209
Soak and Brine Tank & Camcrisper® 210
High Heat Measuring Cups & Camwear® Measuring Cups 211

PERSONALIZATION

CamSquare 185

TABLE SERVICE 212

Dinnerware 212
Camcovers® 214
Pitchers 216
Lido® Tumblers 217
Camwear® Tumblers 217
Huntington® and Newport Tumblers 218
Laguna® and Del Mar® Tumblers 219
Colorware Tumblers 220
Dessert Glass 220
Camliter® 221
Beverage Dispenser, Pail With Bail & Swirl Bowls® 222
Wine Buckets and Bud Vase 223

PERSONALIZATION

Dessert Glass, Tumblers, Camliters, Pitchers, and Wine Buckets 215

DISPLAY 224

Deli Crocks & Platter 224
Showfest® Display Bowls 225
Camwear® Bowls 226
Display Covers & Trays 229
Crocks & Ladles 230
Serving Spoons, Camtensils® & Turners 231
Lugano® Tongs 232
Shakers/Dredges & Condiment Jars 233

PERSONALIZATION

Shakers 233

TRAYS 234

Choose the right tray 234
Tray Product Guide 237
Century™ Trays 242
Polyester Versa Trays 244
Versa Lite Trays 247
Camtrays® 251
EpicTread™ Trays 255
Dietary & Camlite® Trays 256
Camwear® Trays 257
Camtread® Trays 258
Treadlite™ & Polytread Trays® 260
Wood Trays 262
Corfu, Capri, Mykonos, & Madeira Trays 262
Fast Food Trays 267
Compartment Trays 268
Market Trays & Pans 272

PERSONALIZATION

Camtray 235
Camtread Trays 236
Fast Food Trays 267

HEALTHCARE 273

Camduction® Complete Heat System 273
Meal Delivery Ware 276
Reusable CamLids® for Meal Delivery Systems 279
Camrack® Wash and Store Rack 279
Camshelving® Hygienic Drying Racks 280
Tablotherm 282
Versa Trays 286
Non-Slip Versa Trays 287
Camtrays® with Handles & Camwear Non-Slip Tray 290
Meal Delivery Carts 291
Roto Color Chart 297

The Trademarks of Cambro and product images are the property of Cambro and are subject to the control and ownership of Cambro. Any use thereof is only granted for the promotion and sales of Cambro products and subject to the control of Cambro Manufacturing Company.

New Product Introduction

The Pro Cart Ultra Pan Carriers

CamGoBox®

Camshelving® Universal Storage Rack

Pro Cart Ultra Stainless Steel GN Pan Carrier

Camshelving Elements XTRA Series



Camshelving® Wine Rack

FreshPro CamRounds™

Camshelving GN Food Pan Trolleys

Pan Stop

CamSquares® FreshPro

Translucent CamSquares® 0,47 and 0,95L

Service Cart Pro

Camliter® with Flip Lid

Meal Delivery Cart

the Cambro® story

When William and Argyle Campbell first opened the doors at Cambro Manufacturing in 1951, their goal was to make the highest quality hospital meal tray possible. Named the Camtray, it demonstrated that they were as committed to excellence in the foodservice industry as they were with their own products. As 2026, marked the company's 75th year of leadership in quality, innovation and customer service, today Cambro serves the world with the industry's most complete selection of products for widely diverse segments of the foodservice business. The future is certain to bring great changes to our industry. Yet one thing that will remain a constant is Cambro's tradition of continually developing new products that help foodservice operators save time and money, increase sales, reduce labor and improve service. In the years ahead, guided by the commitment of its founders to innovation, quality, and value, Cambro Manufacturing will still be the leader in serving the foodservice industry and you, our valued customer.

ICON DIRECTORY

Throughout the Cambro catalog, please use the following easy-to-identify icons to help explain Cambro product features or services.

Food Safety Matters

For 70 years, Cambro foodservice equipment and supplies have earned the trust and loyalty of customers and public health professionals alike because our products are designed with Food Safety in mind. At Cambro, every product design is based upon the core principle of food safety.

Look for the Cambro StoreSafe mark throughout the Cambro catalog to identify Cambro storage and transportation products that support safe food handling.

You can learn more about Cambro's Food Safety initiatives at **www.cambro.com/storesafe**

Many Cambro products may be recycled. For further information, please contact your Cambro representative.

Listed by NSF International, an independent, not-for-profit organization which certifies products that meet their criteria for sanitation and cleanability.

Cambro "Storage Select" BPA-Free (Bisphenol-A Free) products are available for customers who are interested in products deemed BPA-Free. Please contact your sales representative for more information.

Certifies products by Technischer Überwachungs-Verein. (Technical Inspection Association)

Fit for Food Products

New Product

Personalization Available Non-Food Contact Areas Only.

Dishwasher Safe

Stackable

Foam Insulation

Pro-Rated Warranty

Not For Use In Heated Carts

One carton of product is within the weight and cube requirements to be shipped by parcel carrier.

www.cambro.com

Visit www.cambro.com for a wide variety of information about our products, including new product updates, an interactive Camrack Glass to Rack Guide, consultant cut sheets and CAD drawings, care and maintenance product guides and more.

©Cambro Manufacturing Company. Printed in the U.S.A.

Ready to Deliver

Cambro offers the widest variety of delivery equipment options in the industry. We'll help you design the optimal system to grow your delivery business while maintaining the food safety, flavors and textures that built your loyal following.

Food Safety and Quality

From the time the food is prepped to the moment it reaches the customer's doorstep, every second counts. Keep food safely hot or cold every step of the way.

- At-counter holding for pick-up or takeout.
- Curbside pick-up.
- Delivery.

Employee Safety

High-tech materials and ergonomic design reduce the load for employees.

- Lightweight options.
- Secure carrying straps.
- Dollies for large catering orders.

Icon Directory

Lightweight – Made of EPP (Expanded Polypropylene) an eco friendly high performance insulation material.

Chemically Inert – unaffected by oil, grease and most chemicals.

Excellent Energy Absorption – can withstand substantial impact without damage.

Great Structural Strength – capable of handling significant loads while maintaining its shape and form.

Dishwasher safe.

Safe for food contact.

100% Recyclable.

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

Made of Expanded Polypropylene (EPP), an eco-friendly, high performance insulation material, Cam GoBoxes are incredibly lightweight, making delivery easy.

- Hold safe temperatures over four hours.
- Great for holding for pick-up.
- Good for multiple stops or large events.
- Stackable.
- Most economical option.

CAMBRO® GOBOX®

Multi-Functional Box

ONE SYSTEM

Endless Possibilities

4+ HOURS
of Temperature Retention

Take your business to new heights with 10 cm or 20 cm extenders.

Flip over lid and extender for easy loading with larger or heavier items like wedding cakes.

MORE INFO

Store Safe

CAMBRO® GOBOX® MULTI-FUNCTIONAL BOX

One System, Endless Possibilities!

EPPMFB

LID	1 EA
BASE	1 EA
EXTENDER 10 cm	—
EXTENDER 20 cm	—

EPPMFBE1

LID	1 EA
BASE	1 EA
EXTENDER 10 cm	1 EA
EXTENDER 20 cm	—

EPPMFBE2

LID	1 EA
BASE	1 EA
EXTENDER 10 cm	—
EXTENDER 20 cm	1 EA

EPPMFBE12

LID	1 EA
BASE	1 EA
EXTENDER 10 cm	1 EA
EXTENDER 20 cm	1 EA

EPPMFBE22

LID	1 EA
BASE	1 EA
EXTENDER 10 cm	—
EXTENDER 20 cm	2 EA

EPPMFBE122

LID	1 EA
BASE	1 EA
EXTENDER 10 cm	1 EA
EXTENDER 20 cm	2 EA

CODE	INT. DIMENSIONS W x L x H	EXT. DIMENSIONS W x L x H
EPP Multi-Functional Box		
EPPMFB	52 x 52 x 12,5 cm	64,1 x 64,1 x 25,4 cm
EPPMFBE1	52 x 52 x 25,2 cm	64,1 x 64,1 x 35,4 cm
EPPMFBE2	52 x 52 x 35,2 cm	64,1 x 64,1 x 45,4 cm
EPPMFBE12	52 x 52 x 45,2 cm	64,1 x 64,1 x 55,4 cm
EPPMFBE22	52 x 52 x 65,2 cm	64,1 x 64,1 x 65,4 cm
EPPMFBE122	52 x 52 x 75,2 cm	64,1 x 64,1 x 75,4 cm
Accessories		
EPPMFE1	10 cm Extender	64,1 x 64,1 x 10 cm
EPPMFE2	20 cm Extender	64,1 x 64,1 x 20 cm
EPPID5	Plastic ID Labels	—
CP2632	1/2 size Camchiller®	26,5 x 32,5 x 3 cm
HP2632	1/2 size Camwarmer®	26,5 x 32,5 x 3 cm
FR258	Full Flatware Rack	Inside height: 6,7 cm Outside height: 10,1 cm
EPP Adapter Only		
EPPMFBA	—	69,80 x 62,21 x 7,04 cm
CD4060 Dolly + EPP Adapter		
EPPMFBAPKG	—	—

Multi-Functional Box Case Pack: 1 **EPPMFBAPKG Dolly + Adapter Case Pack:** Ships in 2 boxes
Lid and Base Color: Black (110). **Extender Color:** Gray (107). **Camchiller Color:** Glacier Blue (443).
Camwarmer Color: Fire Red (444). **Flatware Rack Color:** Soft Gray (151).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES

MORE INFO

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

GN Top Loaders

A BUILT-IN LABEL AREA
Keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.

CAM GOBOXES
Inter-stack and also stack with major competitive brands.

LINE YOUR CAM GOBOX
With a Cambro GN Food Pan and Seal Cover for the ultimate food safety solution. Cambro GN pans protect food and carrier to support HACCP compliance.

CAM GOHEAT™
Warms to 75˚C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.

TEMPERATURE RETENTION
4+ hours

GN Top Loader – Large Handles

OPTIONAL INSERT KIT
For an additional cold boost, use with optional Camchiller® Insert Kit EPPCTLPKG. Built-in cut-outs support cold transfer while protecting food from condensation.

ERGONOMIC HANDLES
Comfortable handles allow easy and safe lifting of the EPP180LH GoBox.

EASY LOADING AND UNLOADING
Interior wall recesses make loading and unloading easy for both GN 1/1 as well as GN 1/2 Food Pans. Straight interior walls allow room for stacking pans inside carrier.

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS– GN TOP LOADERS

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
ALL CAM GOBOXES

For Half-Size (GN 1/2) Food Pans

EPP260
Holds 1 each 15 cm deep food pan*
EXTERIOR: L 39 x **W** 33 x **H** 25,7 cm
INTERIOR: L 33 x **W** 27 x **H** 19,3 cm
UNIT WEIGHT: 0,62 kg
VOLUME: 16,9 L
Case Pack: 1 **Color:** Black (110).

EPP280 without Strap
Holds 1 each 20 cm deep food pan*
EXTERIOR: L 39 x **W** 33 x **H** 31,6 cm
INTERIOR: L 33 x **W** 27 x **H** 25,3 cm
UNIT WEIGHT: 0,7 kg / 0,8 kg with strap
VOLUME: 22,3 L
Case Pack: 1 **Color:** Black (110).

EPP280BKST with Black Strap
EPP280RDST with Red Strap
Holds 1 each 20 cm deep food pan*
EXTERIOR: L 39 x **W** 33 x **H** 31,6 cm
INTERIOR: L 33 x **W** 27 x **H** 25,3 cm
UNIT WEIGHT: 0,7 kg / 0,8 kg with strap
VOLUME: 22,3 L
Case Pack: 1 **Color:** Black (110).

For Full-Size (GN 1/1) or Half-Size (GN 1/2) Food Pans

EPP140
Holds 1 each 10 cm deep food pan*
EXTERIOR: L 60 x **W** 40 x **H** 20,7 cm
INTERIOR: L 53,8 x **W** 33,8 x **H** 14,5 cm
UNIT WEIGHT: 0,91 kg
VOLUME: 26 L
Case Pack: 1 **Color:** Black (110).

EPP160 / EPP160CL with Color Lid
Holds 1 each 15 cm deep food pan*
EXTERIOR: L 60 x **W** 40 x **H** 25,7 cm
INTERIOR: L 53,8 x **W** 33,8 x **H** 19,5 cm
UNIT WEIGHT: 1,07 kg
VOLUME: 35,5 L
Case Pack: 1 **EPP160 Lid Color:** Black (110).
EPP160CL Lid Colors: Red (365), Orange (363), Yellow (361), Green (360), Blue (362).

EPP180 / EPP180CL with Color Lid
Holds 1 each 20 cm deep food pan*
EXTERIOR: L 60 x **W** 40 x **H** 31,6 cm
INTERIOR: L 53,8 x **W** 33,8 x **H** 25,4 cm
UNIT WEIGHT: 1,2 kg
VOLUME: 46 L
Case Pack: 1 **EPP180 Lid Color:** Black (110).
EPP180CL Lid Colors: Red (365), Blue (362).

EPP180S
Holds 1 each 20 cm deep food pan*
EXTERIOR: L 60 x **W** 40 x **H** 31,6 cm
INTERIOR: L 53,8 x **W** 33,8 x **H** 25,4 cm
UNIT WEIGHT: 1,13 kg
VOLUME: 43 L
Case Pack: 1 **Color:** Black (110).

EPP180XLT
Holds 1 each 20 cm deep food pan*
EXTERIOR: L 61 x **W** 43,1 x **H** 39,1 cm
INTERIOR: L 54,8 x **W** 36,8 x **H** 32 cm
UNIT WEIGHT: 1,45 kg
VOLUME: 64,5 L
Case Pack: 1 **Color:** Black (110).

EPP180LH
Holds 1 each 20 cm deep food pan*
EXTERIOR: L 68 x **W** 40 x **H** 32,1 cm
INTERIOR: L 53,8 x **W** 35,5 x **H** 25,5 cm
UNIT WEIGHT: 1,2 kg
VOLUME: 46 L
Case Pack: 1 **Color:** Black (110).

*Or equivalent

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS– GN FRONT LOADERS

4-SIDED HANDLING
Thoughtfully designed built-in handles along the top of front loading models allow them to be easily carried from all four sides.

A BUILT-IN LABEL AREA
Keeps plastic menu tags (included with EPP300 and EPP400) in place for easy content identification or routing. StoreSafe® labels can also be used with Cam GoBoxes.

DRIP-RESISTANT
Built-in condensation barrier helps front loaders to remain drip-resistant.

GENTLE OPEN AND CLOSE
Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.

STACKABILITY
Cam GoBoxes inter-stack.

FULL 270˚ ACCESS
Durable hinges and latches allow the door to open 270˚ and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.

TEMPERATURE MAINTENANCE TOOLS
Cam GoBox front loading carriers are designed with enough room to hold GN 1/1 Food Pans along with a Camwarmer® or Camchiller®, if desired.

TEMPERATURE RETENTION
4+ hours

Note: Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 120˚C will result in damage to the carrier.

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

GN FRONT LOADERS

For Full-Size (GN 1/1) Food Pans

EPP300

Holds 3 each 10 cm deep food pan*

EXTERIOR: L 64 x **W** 44 x **H** 47,5 cm

INTERIOR: L 53,5 x **W** 33 x **H** 37 cm

UNIT WEIGHT: 3,2 kg

VOLUME: 60 L

Case Pack: 1 **Color:** Black (110).

EPP400

Holds 4 each 10 cm deep food pan*

EXTERIOR: L 64 x **W** 44 x **H** 62,5 cm

INTERIOR: L 53,5 x **W** 33 x **H** 52,5 cm

UNIT WEIGHT: 3,9 kg

VOLUME: 86 L

Case Pack: 1 **Color:** Black (110).

*Or equivalent

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES

CAM GOBOX® CAPACITY GUIDE

EPP140 (GN 1/1)



EPP160 (GN 1/1) & EPP260 (GN 1/2)









EPP180 (GN 1/1) & EPP280 (GN 1/2)











EPP180S





Unique design allows inter-stacking, saving 30% storage space.





EPP300 (GN 1/1)



EPP400 (GN 1/1)



CAM GOBOX® GN ACCESSORIES

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
ALL CAM GOBOX GN ACCESSORIES

Camchillers®

Camchillers (Cold plates) are designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your carrier.



CP3253
Camchiller GN 1/1 for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400
L 53 x **W** 32,5 x **H** 3 cm
UNIT WEIGHT: 3,9 kg
Case Pack: 1 **Color:** Glacier Blue (443).

CP2632
Camchiller GN 1/2 for EPP260, EPP280, EPP280BKST, EPP280RDST
L 32,5 x **W** 26,5 x **H** 3 cm
UNIT WEIGHT: 1,75 kg
Case Pack: 1 **Color:** Glacier Blue (443).

Camwarmers®

Camwarmers (Hot plates) are designed to extend the hot holding time of your food. Place in a hot water bath for 40 minutes and place at the bottom of your carrier.

HP3253
Camwarmer GN 1/1 for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400
L 53 x **W** 32,5 x **H** 3 cm
UNIT WEIGHT: 3,9 kg
Case Pack: 1 **Color:** Fire Red (444).

HP2632
Camwarmer GN 1/2 for EPP260, EPP280, EPP280BKST, EPP280RDST
L 32,5 x **W** 26,5 x **H** 3 cm
UNIT WEIGHT: 1,75 kg
Case Pack: 1 **Color:** Fire Red (444).

Camchiller Inserts

Built-in cut-outs support cold transfer while protecting food from condensation.

EPPCTS
Camchiller Insert for Standard EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180LH, EPP300, EPP400
EXTERIOR: L 60 x **W** 40 x **H** 8,7 cm
INTERIOR: L 53,7 x **W** 33,7 x **H** 3,4 cm
UNIT WEIGHT: 0,37 kg
Case Pack: 1 **Color:** Black (110).

EPPCTL
Camchiller Insert for EPP180LH
EXTERIOR: L 68 x **W** 40 x **H** 8,7 cm
INTERIOR: L 53,7 x **W** 33,7 x **H** 3,4 cm
UNIT WEIGHT: 0,37 kg
Case Pack: 1 **Color:** Black (110).

Cam GoHeat™

Warms to 75˚C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.

CGH100WUK 100W, 230V* UK
CGH200WUK 200W, 230V* UK
CGH100WEU 100W, 230V* EU
CGH200WEU 200W, 230V* EU
CGH1W12VCAR 100W, 12V - 14,2V Auto
L 49,5 x **W** 28,5 x **H** 1,2 cm
UNIT WEIGHT: 1,1 kg
Case Pack: 1 **Color:** Silver (486).
*220-240 volt alternating current.

Camchiller Insert Kits

EPPCTSPKG110
Standard top loader Camchiller and Insert all in one package, available for EPP180 and EPP160.

EPPCTLPKG110
Large handle Camchiller and Insert all in one package, available for EPP180LH.

ThermoBarrier®

Designed to keep hot or cold air concentrated within your front-loading carrier. As food pans are being removed, use the Thermobarrier to close up any open space created.

EPP3253DIV
ThermoBarrier fits EPP300 and EPP400
L 53 x **W** 32,7 x **H** 3,7 cm
UNIT WEIGHT: 0,37 kg
Case Pack: 1 **Color:** Black (110).

CAM GOBOX® GN ACCESSORIES

Cam GoBox Rail Board and Divider



(2)EPP180RB +
(1)EPP180RBD

EPP180RB
Rail Board for EPP180
L 53,8 x **W** 25,4 x **H** 32,8 cm
UNIT WEIGHT: 3,9 kg
Case Pack: 1 **Color:** Black (110).

EPP180RBD
Divider for EPP180
L 30,6 x **W** 26,5 x **H** 1,9 cm
UNIT WEIGHT: 1,75 kg
Case Pack: 1 **Color:** Black (110).

Color Lids

Use lids to color code for quick content identification or routing.

EPP3253LID
Color lid for EPP140, EPP160, EPP160CL, EPP180, EPP180CL, EPP180S
L 60 x **W** 40 x **H** 3,4 cm
UNIT WEIGHT: 0,28 kg
Case Pack: 1 **Colors:** Cambro Red (365), Cold Blue (362), Black (110).

Cam GoBox GN Extender

EPPEXT
10 cm extender fits all GN 1/1 Top Loaders
EXTERIOR: L 59,4 x **W** 39,9 x **H** 9,9 cm
INTERIOR: L 53,8 x **W** 33,8 cm
UNIT WEIGHT: 0,24 kg
Case Pack: 1 **Color:** Black (110).

Add 10 cm to your top loader GoBox to fit oversized items.

Camdolly®

CD3253EPP
Camdolly fits GN 1/1 Cam GoBoxes 4 swivel casters, 2 with brake
EXTERIOR: L 69,2 x **W** 42,6 x **H** 16,7 cm
INTERIOR: L 61,8 x **W** 41 cm
UNIT WEIGHT: 4,5 kg
LOAD CAPACITY: 250 kg
OPTIONAL TRANSPORTING STRAP: 400STP, 381 cm long strap
Case Pack: 1 **Camdolly Color:** Hot Red (158).
400STP Color: Beige (000).

Flip Lid

The Flip Lid offers easy access while reducing points of cross-contamination.

EPPFLID
Flip Lid fits EPP140, EPP160/160CL, EPP180/180CL/180LH/180S
EXTERIOR: L 60 x **W** 40 x **H** 31,6 cm
INTERIOR: L 53,8 x **W** 33,8 x **H** 25,4 cm
UNIT WEIGHT: 1,2 kg
Case Pack: 1 **Color:** Black (110).

Plastic ID Labels

EPPID5
Plastic ID labels fits all Cam GoBoxes
Case Pack: 1 **Color:** (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
ALL CAM GOBOX ACCESSORIES

CAM GOBOX® 4060 PROFESSIONAL GRADE INSULATED CARRIERS–
MULTI-PURPOSE FRONT LOADER – 60 X 40 CM

STACKABILITY
Cam GoBoxes inter-stack and also stack with major competitive brands.

EASY IDENTIFICATION
A built-in label area keeps plastic menu tags in place for easy content identification or routing. Dissolvable StoreSafe® Labels can also be used with Cam GoBoxes.

FULL 270˚ ACCESS
Durable hinges and latches allow the door to open 270˚ and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.

4-SIDED HANDLING
Thoughtfully designed, built-in handles along the top of the front loader units allow them to be easily carried from all four sides.

UNIQUE DESIGN
Compartment for cold chiller plate or hot plate is located on the inner back wall to prevent overhead condensation drips and to evenly distribute temperature throughout the carrier.

GENTLE OPEN AND CLOSE
Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.

DRIP-RESISTANT
Built-in condensation barrier helps front loaders to remain drip-resistant.

Front Loaders With Built-In Rails

Front-loading carriers with built-in rails are designed to hold 60 x 40 cm pans, sheet pans and trays securely in place during transport.

EPP4060F6R
Carrier with 6 Built-in Rails
EXTERIOR: L 77 x **W** 54 x **H** 68,7 cm
INTERIOR: L 61,5 x **W** 41 x **H** 58,5 cm
RAIL SPACING: 6 cm
UNIT WEIGHT: 6,34 kg
VOLUME: 126 L
Case Pack: 1 **Color:** Black (110).

EPP4060F9R
Carrier with 9 Built-in Rails
EXTERIOR: L 77 x **W** 54 x **H** 68,7 cm
INTERIOR: L 61,5 x **W** 41 x **H** 58,5 cm
RAIL SPACING: 3,5 cm
UNIT WEIGHT: 6,6 kg
VOLUME: 126 L
Case Pack: 1 **Color:** Black (110).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
ALL CAM GOBOXES

TEMPERATURE RETENTION
4+ hours

Note: Best results will be achieved by loading pans between 82˚ to 88˚C. Loading metal pans over 120˚C will result in damage to the carrier.

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–
FRONT LOADER – 60 X 40 CM

Front Loader without Rails

Multi-purpose carrier with no molded-in rails is designed for transporting 60 x 40 cm crates filled with wrapped, prepackaged foods. This carrier can also be modified for versatility to include optional, stainless steel adjustable rails, EPP4060FPR1*, for transporting a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.

EPP4060FNR

EXTERIOR: L 77 x **W** 54 x **H** 68,7 cm

INTERIOR: L 61,5 x **W** 41 x **H** 58,5 cm

UNIT WEIGHT: 6,1 kg

VOLUME: 155 L

Case Pack: 1 **Color:** Black (110).
*Additional rails can be purchased separately. See accessories page.

Front Loader with Adjustable Rails

The multi-purpose carrier with adjustable rails is designed with 2 sets of stainless steel adjustable rails.* This exclusive design provides the operator with maximum flexibility to transport a combination of 60 x 40 cm crates, baking pans and trays all in the same carrier.

EPP4060FADJR

EXTERIOR: L 77 x **W** 54 x **H** 68,7 cm

INTERIOR: L 61,5 x **W** 41 x **H** 58,5 cm

UNIT WEIGHT: 8,17 kg

VOLUME: 155 L

Case Pack: 1 **Color:** Black (110).
*Additional rails can be purchased separately. See accessories page.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES

CAM GOBOX® 4060 PROFESSIONAL GRADE INSULATED CARRIERS–

TOP LOADERS FOR 60 X 40 CM CRATES

Top loading 60 x 40 cm carriers are lightweight and designed to keep hot or cold food out of the danger zone for 4+ hours. Designed to transport bakery crates and more, 60 x 40 GoBoxes even have room for a cold plate Camchiller® or hot plate Camwarmer® to enhance temperature retention. Ergonomic, recessed handles for convenient carrying and transporting.

Cam GoBoxes inter-stack and also stack with major competitive brands.

Recessed handles ease carrying and storage.

A built-in label area keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.

EPP4060T200

20 cm Deep Top Loader

EXTERIOR: L 69 x **W** 49 x **H** 27 cm

INTERIOR: L 62,5 x **W** 42,5 x **H** 20,5 cm

UNIT WEIGHT: 1,4 kg

VOLUME: 53 L

Case Pack: 1 **Color:** Black (110).

EPP4060T300

30 cm Deep Top Loader

EXTERIOR: L 69 x **W** 49 x **H** 37 cm

INTERIOR: L 62,5 x **W** 42,5 x **H** 30,5 cm

UNIT WEIGHT: 1,7 kg

VOLUME: 80 L

Case Pack: 1 **Color:** Black (110).

TEMPERATURE RETENTION

4+ hours

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES

5 EPP

CAM GOBOX® 4060 ACCESSORIES

Camchiller®

Camchiller (Cold plate) is designed to extend the cold holding time of your food. Simply freeze flat overnight and place at the top of your top-loading carrier or at the back of your front-loading carrier.

CP3253
Camchiller GN 1/1 fits all Cam GoBoxes 4060
L 53 x **W** 32,5 x **H** 3 cm
UNIT WEIGHT: 3,9 kg
Case Pack: 1 **Color:** Glacier Blue (443).



Camwarmer®

Camwarmer (Hot plate) is designed to extend the hot holding time of your food. Place in a hot water bath for 40 minutes and place at the bottom of your top-loading carrier or at the back of your front-loading carrier.

HP3253
Camwarmer GN 1/1 fits all Cam GoBoxes 4060
L 53 x **W** 32,5 x **H** 3 cm
UNIT WEIGHT: 3,25 kg
Case Pack: 1 **Color:** Fire Red (444).



Cam GoBox 60x40 Extender

Add 10 cm to your top loader GoBox to fit oversize items.

EPP4060EXT
10 cm Extender fits EPP4060T200, EPP4060T300
L 68,7 x **W** 48,7 x **H** 10,1 cm
UNIT WEIGHT: 0,30 kg
Case Pack: 1 **Color:** Black (110).

Cam GoHeat™

Warms to 75°C in just 10 minutes after plugging in. Place in the bottom of your insulated carrier or use to hold or display hot foods on a table top, counter or buffet.

CGH100WUK 100W, 230V* UK
CGH200WUK 200W, 230V* UK
CGH100WEU 100W, 230V* EU
CGH200WEU 200W, 230V* EU
CGH1W12VCAR 100W, 12V - 14,2V Auto
L 49,5 x **W** 28,5 x **H** 1,2 cm
UNIT WEIGHT: 1,1 kg
Case Pack: 1 **Color:** Silver (486)
*220-240 volt alternating current.

Kit of Rails for EPP4060FPR1

Kit of 2 adjustable stainless steel rails can be purchased separately to transport more items within the same carrier.

EPP4060FAR
Kit of 2 adjustable stainless steel rails
L 60 x **W** 3 x **H** 3 cm
UNIT WEIGHT: 0,42 kg
Case Pack: 1 **Color:** Silver (000).

Adjustable Rail Kit for EPP4060FNR

Stainless Steel frames and 2 sets of rails are designed to offer the operator the flexibility to adjust and create custom spaces as needed in-between the rails.

EPP4060FPR1
Stainless Steel frames and 2 sets of rails
L 60 x **W** 1 x **H** 58 cm
UNIT WEIGHT: 2,07 kg
Case Pack: 1 **Color:** Silver (000).

Camdolly® for Cam GoBoxes 4060

CD4060EPP
Camdolly fits Cam GoBoxes 4060
4 swivel casters, 2 with brake
EXTERIOR: L 71 x **W** 51 x **H** 16,7 cm
INTERIOR: L 70 x **W** 50 cm
UNIT WEIGHT: 5,27 kg
LOAD CAPACITY: 250 kg
Case Pack: 1 **Color:** Hot Red (158).

Plastic ID Labels

EPPID5
Plastic ID labels fits all Cam GoBoxes
Case Pack: 1 **Color:** (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
ALL CAM GOBOX ACCESSORIES

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

TOP-LOADING PIZZA CARRIER

Vent releases steam to keep crust crispy.

Holds 33 x 33 cm pizza boxes.

Available in four different heights that hold from two to eight pizzas.

EPPZ35100 without Strap

Cam GoBox Pizza Top Loading Carrier 10 cm Tall

EXTERIOR: L 41 x **W** 41 x **H** 17,4 cm

INTERIOR: L 35 x **W** 35 x **H** 10 cm

UNIT WEIGHT: 0,68 kg

CAPACITY*: 2 pizzas

Case Pack: 1 **Color:** Black (110).

EPPZ35175 without Strap
EPPZ35175BST with Black Strap
EPPZ35175RST with Red Strap

Cam GoBox Pizza Top Loading Carrier 17,5 cm Tall

EXTERIOR: L 41 x **W** 41 x **H** 24,9 cm

INTERIOR: L 35 x **W** 35 x **H** 17,5 cm

UNIT WEIGHT: 0,82 kg / 0,89 kg with Strap

CAPACITY*: 4 pizzas

Case Pack: 1 **Carrier Color:** Black (110).

EPPZ35265 without Strap
EPPZ35265BST with Black Strap
EPPZ35265RST with Red Strap

Cam GoBox Pizza Top Loading Carrier 26,5 cm Tall

EXTERIOR: L 41 x **W** 41 x **H** 33,9 cm

INTERIOR: L 35 x **W** 35 x **H** 26,5 cm

UNIT WEIGHT: 1 kg / 1,07 kg with Strap

CAPACITY*: 6 pizzas

Case Pack: 1 **Carrier Color:** Black (110).

EPPZ35330 without Strap
EPPZ35330BST with Black Strap
EPPZ35330RST with Red Strap

Cam GoBox Pizza Top Loading Carrier 33 cm Tall

EXTERIOR: L 41 x **W** 41 x **H** 40,4 cm

INTERIOR: L 35 x **W** 35 x **H** 33 cm

UNIT WEIGHT: 1,23 kg / 1,3 kg with Strap

CAPACITY*: 8 pizzas

Case Pack: 1 **Carrier Color:** Black (110).

TEMPERATURE RETENTION

4+ hours

*With 33 x 33 x 4 cm Pizza Box.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

BEVERAGE CARRIER, CUP HOLDER AND EPP280 WITH STRAP

Designed to hold 12-750 mL. tall items such as wine bottles or 12-1,5 liter plastic bottles.

EPPBEVBKST

EPPBEVRDST

Comes with convenient, plastic carrying strap.

EPP280RDST

Beverage Carrier

EPPBEVBKST with Black Strap
EPPBEVRDST with Red Strap

EXTERIOR: L 42 x **W** 33,5 x **H** 42 cm

INTERIOR: L 35,8 x **W** 27,3 x **H** 36,7 cm

UNIT WEIGHT: 1,02 kg

CAPACITY: 35 L

Case Pack: 1 **Carrier Color:** Black (110).

EPP280 with Strap

EPP280BKST with Black Strap
EPP280RDST with Red Strap

EXTERIOR: L 39 x **W** 33 x **H** 31,6 cm

INTERIOR: L 33 x **W** 27 x **H** 25,3 cm

UNIT WEIGHT: 0,8 kg

CAPACITY: 22,3 L

Case Pack: 1 **Carrier Color:** Black (110).

Beverage Cup Holder

Modular beverage holder for transporting hot or cold drinks with ease. Interlocking units connect to hold up to 15 drinks in an EPP180. Holds 350 to 750 mL hot or cold cups.

CODE	DESCRIPTION	DRINK CAPACITY
EPPBEVH1	single holder	3
EPPBEVH2	set of 2 holders	6
EPPBEVH5	set of 5 holders	15

Exterior Dim.: L 11,4 x **W** 32,5 x **H** 12,5 cm
Case Pack: 1 **Color:** Black (110).

GOBOX CODE	NUMBER OF DRINKS	NUMBER OF HOLDERS
EPP180	15 (single layer*) 30 (double layer**)	5 (single) 10 (double)
EPP160	15	5
EPP140	15	5
EPP280	6	2
EPP260	6	2

*Single layer only recommended for hot cups. Use with Beverage Plugs to prevent spilling during transport.
**Double layer possible only with 350 mL or smaller cups.

Compartments are tapered to fit multiple cup sizes: 7,1 cm at bottom graduates to 8,9 cm at the top.

TEMPERATURE RETENTION
4+ hours

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
ALL CAM GOBOXES

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

MULTIPURPOSE TOP LOADER

Designed to hold disposable dishware or 5 liter Gelato pans.

EASY LOADING AND UNLOADING
Interior wall recesses make loading and unloading easy for both GN 1/1 as well as GN 1/2 Food Pans. Straight interior walls allow room for stacking pans inside carrier.

A built-in label area keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.

Cam GoBoxes inter-stack and also stack with major competitive brands.

Recessed handles ease carrying and storage.

EPP180X

For Disposable Sealed Dishes and Gelato Pans
20,5 cm deep

EXTERIOR: L 61 x **W** 43 x **H** 27 cm

INTERIOR: L 54,8 x **W** 36,8 x **H** 20 cm

UNIT WEIGHT: 1,18 kg

VOLUME: 41 L

Case Pack: 1 **Color:** Black (110).

EPP180XL

For Disposable Sealed Dishes and Gelato Pans
25 cm deep

EXTERIOR: L 61 x **W** 43 x **H** 32 cm

INTERIOR: L 54,8 x **W** 36,8 x **H** 25 cm

UNIT WEIGHT: 1,33 kg

VOLUME: 50,5 L

Case Pack: 1 **Color:** Black (110).

EPP180XLT

For Disposable Sealed Dishes and Gelato Pans
32 cm deep

EXTERIOR: L 61 x **W** 43 x **H** 39 cm

INTERIOR: L 54,8 x **W** 36,8 x **H** 32 cm

UNIT WEIGHT: 1,45 kg

VOLUME: 64,5 L

Case Pack: 1 **Color:** Black (110).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAM GOBOXES

TEMPERATURE RETENTION

4+ hours

Gelato holds for 1 hour.

Disposable Dishes Holding Capacity

CAM GOBOXES	18 x 18 x 3 CM	19 x 20 x 6 CM	GN 1/1 FOOD PAN 10 CM DEEP
EPP180X	24	24	2
EPP180XL	30	42	3
EPP180XLT	42	48	4

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS

Four-Compartment Meal Delivery Box

Designed to accommodate two complete meals (including hot item, cold item, bread or fruit, drink and cutlery), the 4-Compartment Cam GoBox is ideal for senior feeding, schools, hospitals and catering.

Two-Compartment Meal Delivery Box

This 2-compartment box is ideal for delivering a single meal. Each compartment has its own lid to protect temperatures, whether hot or cold.

Excellent insulation keeps hot foods hot and cold foods cold.





EPPMD4835

EXTERIOR: L 48 x **W** 35 x **H** 16,7 cm

INTERIOR: L 40 x **W** 29 x **H** 11 cm

UNIT WEIGHT: 400 g

Case Pack: 1 **Color:** Blue (159).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

EPPMD4835, EPPMD4428: (159)

EPPMDB4428

EXTERIOR:L 43,7 x **W** 27,6 x **H** 17,5 cm

INTERIOR: L 18,3 x **W** 22,6 x **H** 10,9 cm Each Compartment

UNIT WEIGHT: 275 g

Case Pack: 1 **Color:** Blue (159).

Disposable Dishes Holding Capacity

CAM GOBOXES	18 x 18 x 3 CM	19 x 20 x 6 CM
EPPMD4835	4	2
EPPMDB4428	**3**	**2**

TEMPERATURE RETENTION

2+ hours

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

THE TABLOTHERM CAM GOBOX MEAL DELIVERY SYSTEM

Excellent insulation and temperature retention.

Made of expanded polypropylene.

Maintains hot and cold foods safe in one unit for up to 60 minutes.

Stackable, lightweight individual meal delivery system for easy transportation and storage.

122 401 118
Rectangular porcelain plate 11 x 18 cm

122 701 118
Transparent rectangular plate cover
BPA FREE

122 400 021
Round porcelain plate ø 21 cm

122 400 023
Two-Compartment round porcelain plate ø 23 cm

122 700 021
122 700 023
Transparent plate covers ø 21,5 cm ø 23,5 cm
BPA FREE

122 500 014
Round porcelain bowl 500 mL

122 700 014
Rubber hermetic system bowl cover ø 14,5 cm

MDSB16 (480)
Shoreline insulated bowl 500 mL

CLRSB16T (490)
Polypropylene bowl cover ø 14,5 cm

TEMPERATURE RETENTION

1 hour

CAM GOBOX® PROFESSIONAL GRADE INSULATED CARRIERS–

THE TABLOTHERM CAM GOBOX MEAL DELIVERY SYSTEM

Tablotherm Cam GoBox Only

ITENEPP

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 **Color:** Grey (107).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL TABLOTHERM CAM GOBOX

Tablotherm Cam GoBox with Accessories

ITENEPP1118

INCLUDED: 2 rectangular plates with covers, 2 round bowls with covers

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 **Color:** Grey (107).

ITENEPP21

INCLUDED: 1 round plate with cover, 2 round bowls with covers

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 **Color:** Grey (107).

ITENEPP23

INCLUDED: 1 two compartment plate with cover, 2 round bowls with covers

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 **Color:** Grey (107).

ITENEPP1118H

INCLUDED: 2 rectangular plates with covers, 2 round insulated bowls with covers

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 **Color:** Grey (107).

ITENEPP21H

INCLUDED: 1 round plate with cover, 2 round insulated bowls with covers

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 **Color:** Grey (107).

ITENEPP23H

INCLUDED: 1 two-compartment round plate with cover, 2 round insulated bowls with covers

EXTERIOR: L 37 x **W** 53 x **H** 11,8 cm

Case Pack: 1 **Color:** Grey (107).

TAKE
OUT/LUNCH
TAKE
OUT
LUNCH

CAMBRO

Bon Appetit

CAMBRO
CAMBRO

INSULATED TOP LOADING CAMCARRIERS® TO TRANSPORT GASTRONORM FOOD PANS

- Top-loading food pan carriers hold, transport and serve a single full-size pan of hot or cold food.
- Sturdy and durable, seamless polyethylene or polypropylene with thick foam insulation.
- Molded-in handles on all four sides for easy carrying and handling.
- Use with divider bars to hold multiple fractional pans.
- Pans are easy to remove using finger notches.
- Carriers interlock and stack for transporting and storing.

UPCS Colors: Dark Brown (131), Coffee Beige (157), Speckled Grey (480), Black (110).

MPC and MPCHL Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158).

UPC Colors: Slate Blue (401), Dark Brown (131), Black (110), Granite Grey (191), Granite Green (192).

Camdolly® Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Grey (180).

Divider Bar Colors: White (148), Clear (135).

See Food Pan Section for pricing and ordering information.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity.

Note: Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 121˚C may result in damage to the carrier.

UPC & MPC Models

Hot

UPC160	87˚C	85˚C	83˚C	81˚C	79˚C
UPCS160	87˚C	85˚C	83˚C	81˚C	79˚C
UPCSS160	87˚C	85˚C	83˚C	81˚C	79˚C
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

Cold

UPC160	0˚C	1˚C	2˚C	2˚C	2,5˚C
UPCS160	0˚C	1˚C	2˚C	2˚C	2,5˚C
UPCSS160	0˚C	1˚C	2˚C	2˚C	2,5˚C
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

UPC140

No divider bars available for UPC100.

UPC160

Shown with dividers and fractional sized food pans.

Camcarrier®

One-piece, seamless polyethylene construction, airtight removable gasket and sturdy plastic latches.

CODE	**240MPC**
COMPARTMENT CAPACITY	1 GN 1/2 – 10 cm deep pan
EXTERIOR DIMENSIONS W x D x H	42 x 35 x 19 cm

Case Pack: 1 240MPC No Divider Bar.

S-Series

Durable polypropylene construction, built in seal and wide, nylon latches.
Contemporary appearance and superior holding performance at an economical price.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPCS180: (480)

CODE	UPCS140	UPCS160*	UPCS180
COMPARTMENT CAPACITY	1 GN 1/1 – 10 cm deep pan	1 GN 1/1 – 15 cm deep pan	1 GN 1/1 – 20 cm deep pan
EXTERIOR DIM. W x D x H	64 x 43,5 x 22 cm	64 x 43,5 x 26 cm	64 x 43,5 x 30,5 cm
FITS CAMDOLLY®	CD160	CD160	CD160

Case Pack: 1 *UPCS160 Cannot be used with Camchiller.

Ultra Pan

One-piece, seamless polyethylene construction, airtight removable gasket and wide, nylon latches.

CODE	UPC140	UPC160	UPC180
COMPARTMENT CAPACITY	1 GN 1/1 – 10 cm deep pan	1 GN 1/1 – 15 cm deep pan	1 GN 1/1 – 20 cm deep pan
EXTERIOR DIM. W x D x H	63 x 44 x 21 cm	63 x 44 x 26 cm	63 x 44 x 30,5 cm
FITS CAMDOLLY	CD100H, CD1826HB, CD160	CD100H, CD1826HB, CD160	CD100H, CD1826HB, CD160

Case Pack: 1

100 Series

Store and stack food pans or place food directly in compartment. The 100MPCHL model has a hinged serving lid.

CODE	100MPC	100MPCHL	UPC100
COMPARTMENT CAPACITY	3 GN 1/1 – 6,5 cm deep pan or 2 GN 1/1 – 10 cm deep pans or 1 GN 1/1 – 15 or 20 cm deep pan	1 GN 1/1 – 20 cm deep pan	3 GN 1/1 – 6,5 cm deep pans or 2 GN 1/1 – 10 cm deep pans or 1 GN 1/1 – 15 cm or 20 cm deep pan
EXTERIOR DIM. **INTERIOR DIM.** W x D x H	68 x 45 x 38 cm 55 x 35 x 20,5 cm	68 x 45 x 39,5 cm 55 x 35 x 20,5 cm	68 x 46 x 40 cm 56,5 x 33 x 20,5 cm
BULK CAPACITY*	38 L	38 L	38 L
FITS CAMDOLLY	CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028	CD100, CD100H, CD100HB	CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028

Case Pack: 1 *Without using food pans. 100MPC, 100MPCHL and UPC100 No Divider Bar.

Accessories

CODE	DIMENSIONS	CASE PACK
Divider Bars for Food Pans		
DIV12	32,38 cm length	3
DIV20	53,02	3

*Not for use in UPCSS1600.

CAMCHILLER®, THERMOBARRIER® AND CAMWARMER®

Camchiller

- An easy-to-use, cold food holding temperature tool.
- Extend cold holding time or enhance safe holding below 5˚C when frequent access is required.
- Freeze first then use to pre-chill cabinet before loading.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CP3253, CP2632: (443)



CODE	CP3253 (GN FULL SIZE)	CP2632 (GN HALF SIZE)	CP814 (20 x 36 CAMCHILLER)
FITS INTO	UPCSS160, UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPC400SP, UPCS400, UPC600, UPC800, UPC800SP, UPC1200, UPC1600, CVC72, CVC724, all Combo Cart® Plus and CamKiosk®*	UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPCS400, UPC400SP, UPC600, UPC800, UPC800SP, UPCS140, UPCS160, UPCS180, CVC724*, CVC72* and all CamKiosks*	12186CW, 12186P, 12189CW, 12189P, CVC724, CVC72, CVC55, and all CamKiosks*
DIMENSIONS L x W x H	53 x 32,5 x 3 cm	32,5 x 26,5 x 3 cm	35,56 x 20,32 x 3,8 cm
COLOR	Glacier Blue (443)	Glacier Blue (443)	Cold Blue (159)
QUANTITY PER CAVITY	1 (*2 per cavity)	1 (*2 per top wells)	1

Case Pack: 1

ThermoBarrier

- Use to minimize empty space and food temperature loss within a partially loaded compartment.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

400DIV: (180)







CODE	UPC300DIV	300DIV	400DIV	1200DIV	1600DIV
FITS INTO	UPC300, 1318CC	300MPC, 1318MTC, UPC600	UPC400, UPC800, UPC400SP, UPCS400, UPC800SP	UPC1200, CVC72, CVC724	UPC1600, CamKiosk UPC1600SP
DIMENSIONS L x W x H	53 x 33 x 2,5 cm	53 x 33 x 2,5 cm	54 x 33 x 3,8 cm	53 x 33,5 x 3,5 cm	53 x 33,5 x 3,8 cm
COLOR	Charcoal Gray (615)	Coffee Beige (157)	Grey (180)	Dark Brown (131)	Slate Blue (401)
CASE PACK	1	1	1	2	2

Camwarmer

- Use for added insurance to keep hot foods hot during holding and transporting.
- Keep in cabinet with hot foods to extend holding time or enhance safe holding above 65˚C when frequent access is required.

UPC400 with Camwarmer.
Two Camwarmers recommended per cavity.

CODE	1210PW	HP2632
FITS INTO	UPC300, 300MPC, 1318CC, 1318MTC,UPC400, UPCS400, UPC600, UPC800	UPC300, 300MPC, 1318CC, 1318MTC, UPC400, UPCS400, UPC400SP, UPC600, UPC800, UPC800SP, UPCS140, UPCS160, UPCS180, CVC724, CVC72 and all CamKiosks
DIMENSIONS L x W x H	34 x 27,5 x 4 cm	32,5 x 26,5 x 3 cm
COLOR	Granite Grey (191)	Fire Red (444)

Case Pack: 1

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

HP2632: (444)

TEMPERATURE MAINTENANCE – OPTIMIZE FOOD HOLDING PERFORMANCE

Camchiller® – GN 1/1 Size and GN 1/2 Size

- Use to:
  - Pre-chill cabinet cavity.
  - Hold package food in food pan wells. (Half Size Only)
  - Maximize cold food holding.
  - Minimize open cavity space.
- Easy to use:
  1. Freeze 8 hours.
  2. Slide one or two on top rails and pre-chill cavity 15-20 minutes.
  3. Load in pans of pre-chilled food below Camchiller. (A)
  4. Move pans and Camchiller down as food is removed. (B)

COLD HOLDING



(A) (B)

ThermoBarrier® – GN 1/1 Size

- Use to:
  - Hold hot and cold food in same cabinet cavity.
  - Minimize open cavity space.
- Easy to use:
  1. Slide between hot food on top and cold food on bottom. (A)
  2. Slide under hot food loaded in upper cavity space. (B)
  3. Slide above cold food loaded into lower cavity space. (C)

HOT AND COLD HOLDING



(A) (B) (C)

Camwarmer® – GN 1/2 Size

- Use to:
  - Pre-heat cabinet cavity.
  - Maximize hot food holding.
  - Minimize open cavity space.
- Easy to use:
  1. Heat in 180˚C oven for 45 minutes.
  2. Slide two Camwarmers on bottom rails and pre-heat cavity 15-20 minutes. (or place on high heat food pan lid or sheet pan)
  3. Load in pans of pre-heated food above Camwarmers. (A)
  4. Move pans and Camwarmers up as food is removed. (B)

HOT HOLDING



(A) (B)

TRANSPORTER CAPACITY GUIDE

Loading Examples for Cambro® Insulated Transporters

TOP LOADERS
UPC140-UPC180
UPCS140-UPCS180
UPCSS160





For a 3-course meal:
2 x GN 1/4
1 x GN 1/2
1 DIV12 divider bar
(approx. 14 meals)



For a 4-course meal:
2 x GN 1/6
2 x GN 1/3
2 DIV12 divider bars
(approx. 14 meals)

TOP LOADERS
100 series
100MPC
UPC100



3 x 6,5 cm



2 x 10 cm

1 x 15 cm
or 1 x 20 cm

100MPCHL
or 1 x 20 cm

FRONT LOADERS
UPC300
1318CC
UPC600 (x2)
UPC1200 (x4)



4 x 6,5 cm



3 x 10 cm



2 x 15 cm



1 x 20 cm
and 1 x 6,5 cm

FRONT LOADERS
UPC400
UPCS400
UPCH400(2)
UPC800 (x2)
UPCH800(2) (x2)
UPC1600 (x4)
UPCH1600(2) (x4)



6 x 6,5 cm



4 x 10 cm



3 x 15 cm



2 x 20 cm

CAMCARRIERS® AND CAMCARTS® FOR SHEET PANS



1318CC
1/2 size (x8)
sheet pans



1826MTC
full-size (x6)
sheet pans
1826DTC (x4)



1826LTC3
full-size (x7)
sheet pans



Camtherm Low
full-size (x11)
sheet pans
Camtherm Tall (x2)



1826LTC
full-size (x13)
sheet pans

SUMMARY OF GN CONTAINER SIZES





INSULATED FRONT LOADING UPC300 TO TRANSPORT GASTRONORM FOOD PANS

- Holds GN 1/1, GN 1/2 and GN 1/3 pans.
- One-piece seamless construction for great durability.
- Thick polyurethane insulation safely keeps cold food below 4˚C, hot food above 64˚C for 4+ hours.
- Fully removable, door.
- Labeling area on door for adhering ID or routing labels.
- Light weight.

Colors: Black (110), Dark Brown (131), Hot Red (158), Navy Blue (186), Slate Blue (401), Charcoal Gray (615).

UPC300 is covered by US Patent D786,607 S.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPC300: (401), (110)
CP3253: (443), **HP3253:** (444)
CD300: (401) **CP3253:** (443)
HP3253: (444)

Recommended labeling with:
23SLINB250
5 x 7,6 cm
StoreSafe® Labels.

CODE	UPC300
EXTERIOR DIM. W x D x H	43,2 x 65,4 x 56,8 cm
INTERIOR DIM. W* x D x H	33,7 x 53,3 x 35,5 cm
UNIT WEIGHT	10,5 kg

Case Pack: 1 *Rail to Rail.



Optional Accessories



CODE	1210PW	HP3253	UPC300DIV	CP3253	CD300*
DESCRIPTION	Camwarmer®	Camwarmer	ThermoBarrier®	Camchiller®	Camdolly®
EXTERIOR DIM. (CM)	34,9 x 27,6 x 4	53 x 32,5 x 3	53 x 33 x 2,5	53 x 32,5 x 3	49 x 65 x 26,5
INTERIOR DIM. (CM)	—	—	—	—	43 x 59
COLOR	Granite Grey (191)	Fire Red (444)	Charcoal Gray (615)	Glacier Blue (443)	▲

Case Pack: 1 *Also available CD300H and CD300HB. See Camdolly section. ▲**Camdolly Colors:** Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110).

INSULATED FRONT LOADING UPC400 TO TRANSPORT GASTRONORM FOOD PANS

- Durable and dependable front-loading food pan carriers.
- Hold multiple pans of hot or cold food at safe temperatures for hours.
- Seamless polyethylene with thick foam insulation.
- Airtight removable gasket provides a secure seal.

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity. Please use specified food pan sizes.

See Food Pan section for pricing and ordering information.

Note: Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 121˚C may result in damage to the carrier or cart.

UPC400 is covered by US Patent D 392,158.
Venting plug is covered by US Patent D 553,717 S.

HOLDING CAPACITY:

Pan Depth	Number of GN 1/1 pans
6,5 cm	6
10	4
15	3
20	2

Also holds GN 1/2 and 1/3 size pans.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPC400, CD400: (401), (110)
400DIV: (180)
CP3253: (443)
HP3253: (444)

ERGONOMIC DESIGN
Unbreakable, ergonomic, molded-in handles for comfortable two-person carrying.

PRESSURE AND HUMIDITY CONTROL
Pop-up vent.

REMOVABLE GASKET
Provides an airtight seal.



TEMPERATURE RETENTION
Polyurethane insulation keeps hot food hot and cold food cold.

QUICK ACCESS
Single, 23 cm nylon latch for quick and secure opening and closing.



CODE	UPC400 (UPC400SP**)
EXTERIOR DIM. W x D x H	42,5 x 62 x 62 cm
INTERIOR DIM. W* x D x H	34 x 53,5 x 49 cm
UNIT WEIGHT	14,3 kg (16,33 kg)

Case Pack: 1 *Rail to Rail. **Security Package (SP) Model.

Optional Accessories



CODE	1210PW	HP3253	400DIV	CP3253	CD400	400STP
DESCRIPTION	Camwarmer®	Camwarmer	ThermoBarrier®	Camchiller®	Camdolly®	Strap
EXTERIOR DIM. (CM)	34,9 x 27,6 x 4	53 x 32,5 x 3	54 x 33 x 3,8	53 x 32,5 x 3	71 x 53 x 23	381 cm long
INTERIOR DIM. (CM)	—	—	—	—	63,5 x 46	—
COLOR	Granite Grey (191)	Fire Red (444)	Grey (180)	Glacier Blue (443)	▲	Beige (000)

Case Pack: 1 ▲**CD400 Colors:** Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

UPCS400 ULTRA PAN CARRIER® S-SERIES TO TRANSPORT GASTRONORM FOOD PANS

- Ultra dependable, ultra durable front-loading pan carrier.
- Holds multiple pans of hot or cold food for hours.
- Durable polyethylene shell and thick, polyurethane foam insulation.

Colors: Slate Blue (401), Speckled Grey (480), Dark Brown (131).

Note: Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 121˚C may result in damage to the carrier or cart.

HOLDING CAPACITY:

Pan Depth	Number of GN 1/1 pans
6,5 cm	6
10	4
15	3
20	2

Also holds GN 1/2 and 1/3 size pans.

Stacks with both UPCS400. Fits on CD400 Camdolly, or optional casters may be added for smooth ground transport.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPCS400: (480), (401), **CD400:** (401), (110)
400DIV: (180), **CP3253:** (443), **HP3253:** (444)

CONVENIENT
Integrated pan-staging area eases service (not for use during transport).

EASY TO CLEAN
Door removes for easy cleaning.

TEMPERATURE RETENTION
Polyurethane insulation keeps hot food hot and cold food cold.

EASY CONTENT AND ROUTING LABELING
Menu clip reduces need to open door.

ERGONOMIC DESIGN
Unbreakable, ergonomic, molded-in handles for comfortable two-person carrying.

QUICK ACCESS
Single, 23 cm nylon latch for quick and secure opening and closing.

PRESSURE CONTROL
Built-in vent equalizes pressure and releases steam.

BUILT-IN SEAL
Built-in seal eliminates need for removable gasket.



CODE	UPCS400
EXTERIOR DIM. W x D x H	63,5 x 46 x 63 cm
INTERIOR DIM. W x D x H	53,5 x 33,5 x 48,6 cm
UNIT WEIGHT	21,1 kg

Case Pack: 1

Optional Accessories



CODE	UPCS400CK	1210PW	HP3253	400DIV	CP3253	CD400	400STP
DESCRIPTION	Caster Kit*	Camwarmer®	Camwarmer	ThermoBarrier®	Camchiller®	Camdolly®	Strap
EXTERIOR DIM. (CM)	ø 12,7	34,9 x 27,6 x 4	53 x 32,5 x 3	54 x 33 x 3,8	53 x 32,5 x 3	71 x 53 x 23	381 cm long
INTERIOR DIM. (CM)	—	—	—	—	—	63,5 x 46	—
COLOR	—	Granite Grey (191)	Fire Red (444)	Grey (180)	Glacier Blue (443)	▲	Beige (000)

Case Pack: 1 ***Optional Caster Kit for UPCS400:** 2 fixed, 2 swivel, 1 w/ brake. **▲CD400 Colors:** Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

ULTRA CAMCARTS® TO TRANSPORT GASTRONORM FOOD PANS

- Double-compartment, high-capacity carts hold and transport hot or cold food.
- Tough, polyethylene shell and thick foam insulation throughout cabinet and between compartments.
- Airtight removable gaskets maintain safe food temperatures for hours.
- Easy to maintain and won't dent, crack, rust, chip or break.
- Durable nylon door latches open easily and close securely.
- Full-swing doors open to the side of the cart for easy loading and unloading.
- Molded-in handles ensure easy maneuvering.
- Molded-in bumpers minimize damage to walls, furniture and other equipment.

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158), Granite Grey (191), Granite Green (192), Granite Sand (194).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

Note: Best results will be achieved by loading food pans between 82˚ to 88˚C. Loading metal food pans over 121˚C may result in damage to the carrier or cart.

Venting plug is covered by US Patent D 553,717 S.

Polyurethane insulation keeps hot food hot and cold food cold.

Shown with optional HD casters.

Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper resistant fasteners.
- Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- Heavy duty (HD) casters with chassis plates mounted with tamper resistant bolts.

Marine rail is designed for use during service, not transport.

TOTAL CART HOLDING CAPACITY	UPC600	UPC800	UPC1200	UPC1600
Full Size Food Pans				
6,5 cm deep	8 pans	12 pans	16 pans	24 pans
10 cm deep	6 pans	8 pans	12 pans	16 pans
15 cm deep	4 pans	6 pans	8 pans	12 pans
20 cm deep	2 pans + 2 each 10 cm pans	4 pans	4 pans	8 pans
Camtray®*				
3253	12 trays	24 trays	24 trays	48 trays
2632	24 trays	48 trays	—	—
2025	—	—	12 trays	24 trays

See Food Pan and Camtray Section for ordering information.
*Based on 3,8 cm spacing between trays.

Hot

	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.
UPC600	86,8˚C	84,3˚C	82,5˚C	80,8˚C	79,3˚C
UPC800	87,7˚C	85,5˚C	84,2˚C	82,9˚C	81,7˚C
UPC1200	85,6˚C	82,1˚C	80,1˚C	78,3˚C	77,2˚C
UPC1600	87,1˚C	85,9˚C	85,1˚C	84,3˚C	83,7˚C

Cold

	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.
UPC600	0,6˚C	1,1˚C	1,4˚C	1,8˚C	2,1˚C
UPC800	0,3˚C	0,8˚C	0,9˚C	1,2˚C	1,4˚C
UPC1200	0,5˚C	0,9˚C	1,1˚C	1,3˚C	1,4˚C
UPC1600	0,6˚C	1,0˚C	1,2˚C	1,5˚C	1,5˚C

UPC600

CODE	UPC600
DESCRIPTION	Base model
EXTERIOR DIM. W x D x H	52 x 69 x 114,5 cm
COMPARTMENT DIM.	34 x 54 x 35,5 cm

Case Pack: 1 **Casters:** 12,7 cm, 2 fixed, 2 swivel, 1 with brake.

UPC800

CODE	UPC800	UPC800SP
DESCRIPTION	Base model	Security package
EXTERIOR DIM. W x D x H	52 x 69 x 137 cm	52 x 69 x 137 cm
COMPARTMENT DIM.	33 x 54,5 x 48,5 cm	33 x 54,5 x 48,5 cm

Case Pack: 1 **Casters:** 15,2 cm, 2 fixed, 2 swivel, 1 with brake.
Heavy Duty (HD) Casters: 15,2 x 3,8 cm, 2 fixed, 2 swivel with brake casters.

UPC1200

CODE	UPC1200
DESCRIPTION	Base model
EXTERIOR DIM. W x D x H	72,5 x 82 x 116 cm
COMPARTMENT DIM.	54 x 66,5 x 34,5 cm

Case Pack: 1 **Casters:** 15,2 cm, 2 fixed, 2 swivel, 1 with brake.

STOCK PRODUCTS & COLORS
AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPC800: (401), (192), (194), (110), **UPC1200:** (401)
UPC1600: (401), (194), (110), **400DIV:** (180), **CP3253:** (443), **HP3253:** (444)

UPC1600

CODE	UPC1600	UPC1600HD	UPC1600SP*	UPCGL1600SP*
DESCRIPTION	Base model	Base model with HD casters	Security package	Security package, gasketless
EXTERIOR DIM. W x D x H	71,5 x 82 x 135 cm	73 x 84,7 x 138,4 cm	71,5 x 82 x 135 cm	71,5 x 82 x 135 cm
COMPARTMENT DIM.	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm

Case Pack: 1 **Casters:** 15,2 cm, 2 fixed, 2 swivel, 1 with brake. **Heavy Duty (HD) Casters:** 15,2 x 5,08 cm 2 fixed, 2 swivel with brake casters.
*Security Package (SP) have lock-in hinge pins and latches and wheels are attached with tamper resistant screws.

Optional Accessories

CODE	300DIV	400DIV	1200DIV	1600DIV	CP3253	HP3253	1210PW
DESCRIPTION	ThermoBarrier®	ThermoBarrier	ThermoBarrier	ThermoBarrier	Camchiller®	Camwarmer®	Camwarmer
DIMENSIONS (CM)	53 x 33 x 2,5	54 x 33 x 2,5	53 x 33,5 x 3,5	53 x 33,5 x 3,8	53 x 32,5 x 3	53 x 32,5 x 3	34 x 27,5 x 4
FITS	UPC600	UPC800, UPC800SP	UPC1200	UPC1600	UPC600, UPC800, UPC800SP, UPC1200, UPC1600, UPC1600SP	UPC600, UPC800 UPC800SP	UPC600, UPC800 UPC800SP
COLOR	Coffee Beige (157)	Grey (180)	Dark Brown (131)	Slate Blue (401)	Glacier Blue (443)	Fire Red (444)	Granite Grey (191)

Case Pack: 1 **1200DIV / 1600DIV Case Pack:** 2

INSULATED FOOD SERVERS

CAMCARTS®

Reimagined

For Trays and Sheet Pans

1826DTC
L 54,6 x **W** 84,5 x **H** 162 cm

For Food Boxes

1826DBC
L 54,6 x **W** 84,5 x **H** 162 cm

IMPROVED ERGONOMICS
with two molded-in vertical handles for easy maneuvering

ROBUST
Stainless Steel Hinges

MORE INFO

CAMCARRIERS® & CAMCARTS®

Camcarriers

- Holds 32,5 x 53 cm trays, sheet pans and GN food pans.
- One piece seamless construction with molded-in handles.

Colors: Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Navy Blue (186), Charcoal Gray (615). 1318CC also available in Hot Red (158).

Note: Cool metal sheet pans to 121˚C before placing onto tray supports.

Venting plug is covered by U.S. Patent D 553,717S.

Combo Carrier

1318CC

Holds half-size sheet pans, trays and a variety of food pan sizes. Safely keeps cold food below 4˚C, hot food above 63˚C for 4+ hours. Interstacks with UPC300, 300MPC, 1318MTC

EXTERNAL DIM. W x D x H*:
43,2 x 65,4 x 56,8 cm

INTERIOR DIM. W x D x H:
33,7 x 53,3 x 35,5 cm

FITS CAMDOLLY:
CD300, CD300H, CD300HB

Case Pack: 1 *With Handle.

Camcarrier

1826MTC

Holds up to 6 each 46 x 66 cm sheet pans. Six tray supports on 5,4 cm centers

EXTERNAL DIM. W x D x H*:
55 x 74,5 x 57 cm

INTERIOR DIM. W x D x H:
46,7 x 66,4 x 35,9 cm

FITS CAMDOLLY:
CD1826MTC, CD1826MTCHB

Case Pack: 1 *With Handle.

1826HAR

Lifting harness

DIMENSION: 360,68 cm long

Color: Beige (000).

Camcarts

- Holds 46 x 66 cm trays, sheet pans and food boxes.
- Includes removable cutting board on top.
- Security Package (SP)* features tamper-resistant hardware to protect both cart and contents. Includes chassis plates with 15,2 x 3,8 cm HD Casters.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Navy Blue (186), Charcoal Gray (615).

Standard Casters: 15,2 x 3,2 cm, 2 fixed, 2 swivel, 1 with brake.
Heavy Duty (HD) Casters: 15,2 x 5 cm, 2 fixed, 2 swivel, no brake.

Note: Cool metal sheet pans to 121˚C before placing onto tray supports.

Venting plug is covered by U.S. Patent D 553,717S.

Camcart for Food Storage Boxes

1826LBC / 1826LBCSP*

Holds 46 x 66 cm Food Storage Boxes. Capacity: 13 supports on 4,45 cm centers

EXTERNAL DIM. W x D x H:
55 x 81,5 x 95,5 cm

INTERIOR DIM. W x D x H:
46 x 66,4 x 65,7 cm

Case Pack: 1

Camcart for Trays and Sheet Pans

1826LTC / 1826LTCSP*

Holds up to 13 each 46 x 66 cm trays or sheet pans. Thirteen tray supports on 4,45 cm centers

EXTERNAL DIM. W x D x H:
55 x 81,5 x 95,5 cm

INTERIOR DIM. W x D x H:
46 x 66,4 x 65,7 cm

Case Pack: 1

Camcart for Trays and Sheet Pans

1826LTC3

Holds up to 7 each 46 x 66 cm trays or sheet pans. Seven tray supports on 9,5 cm centers for 7,62 cm clearance between trays

EXTERNAL DIM. W x D x H:
55 x 81,5 x 95,5 cm

INTERIOR DIM. W x D x H:
46 x 66,4 x 65,7 cm

Case Pack: 1

ULTRA PAN CARRIER® AND ULTRA CAMCART® H-SERIES

- Designed for both electric hot holding and non-electric transport.
- Gentle, 65˚ to 74˚C non-radiant heat will not cook food and maintains food moisture.
- Holds a wide variety of foods such as pasta, bone-in fried chicken, and double-crusted pies.
- One hour preheat time from room temperature and three minute recovery.
- Energy consumption is substantially less than comparable metal cabinets.
- Will not rust or dent like metal cabinets, is more economical, and is easy to maneuver.
- All UPCH models have been tested to maintain safe, hot food temperatures, for up to 4 hours when unplugged.
- Models with only the top heated door offer unique versatility with an electric hot holding cabinet on top and passive hot or cold food holding on the bottom.
- Heated door kits also sold separately to retrofit UPC400, UPC800 and UPC1600.

Colors: Granite Gray (191), Black (110), Granite Green (192), Slate Blue (401), Dark Brown (131).

Casters: 15,2 cm 2 fixed, 2 swivel, 1 with brake.

Power On and Heat On Indicators

Communicate the Power and Heating status of the UPCH1600 unit. Know instantly when the compartment has reached target temperature.

Vents

Consistent heating throughout the compartment is generated by vents that constantly circulate heat from front to back.

Tough Exterior

All UPCH units are made of tough, polyethylene with polyurethane foam insulation to keep heat in while keeping the exterior cool to the touch. Will not crack, dent, chip, rust or break.



Insulation

Foamed-in place polyurethane foam insulation will hold temperature above 64˚C for up to 4 hours when used unplugged.

ULTRA PAN CARRIER® AND ULTRA CAMCART® H-SERIES

Marine rail is designed for use during service, not transport.

MODEL	UPCH4002	UPCH8002	UPCH16002
Electrical Specifications			
REQUIRED VOLTAGE	200 – 230 VAC	200 – 230 VAC	200 – 230 VAC
MAXIMUM AMP.	1,2a	1,2a	2,3a
WATTS	265w	265w	506w
HERTZ	50/60	50/60	50/60
PLUG TYPE	Euro plug, CEE7	Euro plug, CEE7	CEE7/7 to C15RA
POWER CORD LENGTH	2,7 m	2,7 m	2,7 m

Hot Holding When Unplugged



HOT HOLDING	65°– 74°C
WARM UP TIME (from ambient to temperature)	1 hour
RECOVERY TIME* (time to recover to temperature after door is held open for 30 seconds)	3 minutes
TRANSPORT TIME* (after reaching temperature, amount of time unit can be held passively/ unplugged until contents reach 65°C.)	4 hours+

*Based on test with 6 each, 15,24 cm deep H-pans with GripLids® filled with approx 14,2 L of 87,7°C water. (Temperatures are of the water not the air in the cart).

Capacity Guide

UPCH4002
UPCH8002 (x2)
UPCH16002 (x4)



Food Pan Portion Guide

GN 1/1 Food Pan				
DEPTH	20 cm	15 cm	10 cm	6,5 cm
SERVING PORTIONS PER PAN (1 CUP)	80	60	40	30

ULTRA PAN CARRIER® AND ULTRA CAMCARTS® H-SERIES

- Enables HACCP compliance by maintaining safe, hot food temperatures.
- UPCH400(2) models stack for storage or transporting on a Camdolly® with securing strap.

Colors: Granite Grey (191), Granite Green (192), Slate Blue (401), Black (110), Dark Brown (131).

CD400 Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Grey (180).

Casters: 15,2 cm 2 fixed, 2 swivel, 1 with brake.

Note: If using metal food pans, cool to 120˚C before placing onto rails.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

Vent Cap Patent Pending.

Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners.
- Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- Heavy duty (HD) casters with chassis plates mounted with tamper-resistant bolts.

CODE	DESCRIPTION	EXTERIOR DIMENSIONS W x D x H	COMPARTMENT DIMENSIONS W x D x H
UPCH1600SP	110V, Both doors heated	73 x 84,7 x 138,4 cm	53,5 x 66,5 x 53,5 cm
UPCH16002SP	220V, Both doors heated	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPCH4002UK, UPCH8002UK: (401)
UPCH4002, UPCH8002, UPCHT8002, UPCH16002, UPCH16002UK,
CD400: (401), (110)

CODE	DESCRIPTION	EXTERIOR DIMENSIONS W x D x H	COMPARTMENT DIMENSIONS W x D x H
1-Compartment Ultra Pan Carriers 110V			
UPCH400	No casters	46 x 67 x 63 cm	33,5 x 53,3 x 48,6 cm
UPCHW400	With casters	46 x 67 x 79,4	33,5 x 53,3 x 48,6
220V			
UPCH4002	No casters	46 x 67 x 63	33,5 x 53,3 x 48,6
UPCH4002UK	UK plug, no casters	46 x 67 x 63	33,5 x 53,3 x 48,6
UPCHW4002	With casters	46 x 67 x 79,4	33,5 x 53,3 x 48,6
2-Compartment Ultra Camcarts 110V			
UPCH800	Both doors heated	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCHT800	Top door heated only	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCH1600	Both doors heated	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCH1600HD	Both doors heated, HD casters	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5
UPCHT1600	Top door heated only	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCHT1600HD	Top door heated only, HD casters	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5
220V			
UPCH8002	Both doors heated	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCH8002UK	UK plug, both doors heated	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCHT8002	Top door heated only	52 x 69 x 137,2	33 x 54,5 x 48,5
UPCH16002	Both doors heated	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCH16002UK	UK plug, both doors heated	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCH16002HD	Both doors heated, HD casters	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5
UPCHT16002	Top door heated only	73 x 84,7 x 137,5	53,5 x 66,5 x 53,5
UPCHT16002HD	Top door heated only, HD casters	73 x 84,7 x 138,4	53,5 x 66,5 x 53,5
Accessories			
CD400	Camdolly®	53 x 70 x 23	—
400STP	Strap, 4 m long	—	—

UPCH Case Pack: 1 **Also Available:** Top and Bottom Replacement/Retrofit Doors for 110V and 220V (non-interchangeable).
Standard Casters: 15,2 x 3,2 cm – 2 fixed, 2 swivel, 1 with brake. **Heavy Duty (HD) Casters:** 15,2 x 5 cm – 2 fixed, 2 swivel with brake.

Plug In to the Future of HOT and COLD

THE PRO CART ULTRA® PAN CARRIERS

Power ON, set the Temp and *Go!*

Energy EFFICIENT

Hot & Cold Food IN A SINGLE CART

Interchangeable MODULES

Store Safe · NSF · c UL us LISTED

THE PRO CART ULTRA® – PAN CARRIERS

PCUL1000
10, 10 cm deep
GN Food Pans

PCU800
8, 10 cm deep
GN Food Pans

PCU1000
10, 10 cm deep
GN Food Pans

PCU1600
16, 10 cm deep
GN Food Pans

PCU2000
20, 10 cm deep
GN Food Pans

ELECTRIC HOT

Adjustable temperature
from 21,1˚ to 85˚C,
heat up to 73,9˚C in 15 min.

Recovery Time:
Average 20 sec.

ELECTRIC COLD

Adjustable temperature
from 0,3˚ to 21,1˚C
without a compressor.

Recovery Time:
PCU1000 / Average 23 sec.
PCU2000 / Average 30 sec.

(Recovery time based on ambient temp.
of 23,33˚C) Empty Compartments

MORE INFO

Electrical Cord Storage

PCU1000 / PCU2000 ONLY

THE PRO CART ULTRA®– PAN CARRIERS

Holding Capacity

FOOD PAN DEPTHS

GN FOOD PANS	6,5 cm					10 cm					15 cm					20 cm				
GN 1/1	12	14	24	28	14	8	10	16	20	10	6	6	8	12	6	4	4	4	8	4
GN 1/2	24		28			16		20			12		12			8		8		
GN 1/3	36		36			24		24			18		18			12		12		

PCU800 PCU1000 PCU1600 PCU2000 PCUL1000

CODE	DESCRIPTION	DIMENSIONS W x D x H	PRODUCT WEIGHT
PCU800			
PCU800HH	2 active hot compartments	55,63 x 86,36 x 150,1 cm	46,24 kg
PCU800HC	1 active hot compartment (top), 1 active cold compartment (bottom)		50,21
PCU800CC	2 active cold compartments		54,18
PCU1000			
PCU1000HH	2 active hot compartments	55,88 x 86,36 x 170,18 cm	65,1
PCU1000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		69,06
PCU1000CC	2 active cold compartments		73,03
PCU1600			
PCU1600HH	2 active hot compartments	76,2 x 96,52 x 149,86 cm	73,6
PCU1600HC	1 active hot compartment (top), 1 active cold compartment (bottom)		77,57
PCU1600CC	2 active cold compartments		81,31
PCU2000			
PCU2000HH	2 active hot compartments	76,20 x 96,52 x 172,72 cm	86,16
PCU2000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		90,12
PCU2000CC	2 active cold compartments		94,1
PCUL1000			
PCUL1000H New!	1 active hot compartment	(76,2 x 96,52 x 100,33 cm)	53.30
PCUL1000C New!	1 active cold compartment		57.27
PCUL1000P New!	1 passive compartment		50.58
Modules*			
PCMCX	Cold Module	—	9,42
PCMHX	Hot Module	—	5,44

Case Pack: 1 **Color:** Charcoal Gray (615). Other configurations and Security Package available.
Tow Hitch Package Available for PCU2000 Only. ***220V Models – Add your country code to any part number:**

3	CAN	7	SA
4	EU	8	JAPAN
5	UK	9	CHINA
6	AU		

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PCU1000HH, PCU2000CC: (615)

Pro Cart Ultra®
STAINLESS STEEL
GN Pan Carrier

- Total Capacity: 8, 10 cm deep GN 1/1 Food Pans
- Interchangeable Modules with Thermoelectric Cooling
- Corrosion-Free 304 Stainless Steel Cabinet

Save Up to
30%
on energy cost
vs. other electric cabinets.

Rust-Free and Quiet Nylon Casters

2x **Swivel** with Brake

2x **Rigid** with Brake

MODULE ONLY

HOT & COLD
in the same cart, at the same time

Holding Capacity

GN FOOD PANS	FOOD PAN DEPTH 6,5 cm	10 cm	15 cm	20 cm
GN 1/1	12	8	6	4
GN 1/2	24	16	12	8
GN 1/3	36	24	18	12

CODE	DESCRIPTION	DIMENSIONS W x D x H
PCUS800HH	Hot/Hot Unit	59,2 x 81,2 x 165,2 cm
PCUS800HC	Hot/Cold Unit	59,2 x 81,2 x 165,2
PCUS800CC	Cold/Cold Unit	59,2 x 81,2 x 165,2
PCMCX	Cold Module	–
PCMHX	Hot Module	–

Case Pack: 1 **Cabinet Color:** Stainless Steel (000). **Module Color:** Charcoal Gray (615).
Voltage/Phase: 220V/Single, EU/UK Plug Cord.
Modules transition to standby mode when optimal temperature is reached, saving energy.

Customize Your Food Pan Transporter to Match Your Needs

Hot Module PCMHX

- Safely maintain food temperatures between 65,6˚C to 73,9˚C with gentle, non-radiant heat
- Adjustable temperature to maximum of 85˚C
- Heats from room temperature to 73,9˚C in 15 minutes

20 sec RECOVERY*

Cold Module PCMCX

- Thermoelectric cooling technology is safe for transport
- Cools down to 0,3˚C without a compressor
- Adjustable temperature to 0,3˚C

23 sec RECOVERY*

***Average recovery time based on ambient temperature of 23,3˚C, empty compartments - Door open for 30 seconds.**

Electrical Specifications
(Per Compartment)

	HOT MODULE	COLD MODULE
REQUIRED VOLTAGE	115-230 VAC	115-230 VAC
AMPS	3.19a @ 115v 2.17a @ 220v	3.6a @ 115v 1.7a @ 230v
WATTS	450w @ 115v 500w @ 230v	414w @ 115v 393w @ 230v
HERTZ	50/60	50/60
PHASE	Single	Single
PLUG BODY FOR THESE COUNTRIES ADD COUNTRY CODE TO PRODUCT CODE WHEN ORDERING	4:Europe 5:UK	

If country is not listed, please call Cambro Customer Service for details.

PRO CART ULTRA®– ELECTRIC & NON-ELECTRIC

INSULATED HOLDING & TRANSPORT CABINETS

The Pro Cart Ultra is the ultimate food transport cart that can hold all your hot and cold menu items in the same cart, at the same time—without a compressor!

- Hold and transport hot and cold foods in a single cart.
- Maintains food quality and moisture.
- Keep food safe while unplugged 4 hours.
- Change hot to cold or cold to hot with a simple hardware change.
- Universal rails fit food pans, sheet pans and more.

Color: Charcoal Gray (615).

Multiple International Certifications available.

Passive and/or Hot Models

ELECTRIC
HOT
Hot holding cycles between 65,5˚- 74˚C.

NON-ELECTRIC
PASSIVE
Holds hot or cold foods for 4 + hours.

ELECTRIC
COLD
Cold holding cycles between 0,3˚- 4,4˚C without a compressor.

Hot, cold and passive modules are also sold separately to quickly outfit the cart to suit your menu.

Temperature Retention of Passive and Unplugged Electric Models

Hot — temperature loss averaging 1,5˚C/hour.

Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
87,8˚C	85,6˚C	84,5˚C	82,8˚C	81,7˚C

Cold — temperature gain averaging 0,4˚C/hour.

Starting Temp.	1 hr.	2 hrs.	3 hrs.	4 hrs.
0,33˚C	0,78˚C	0,94˚C	1,2˚C	1,4˚C

Capacity per Compartment

TYPE OF CONTAINER	STANDARD CAPACITY	STANDARD CAPACITY RAIL SPACING
45,7 x 66 CM FULL SIZE SHEET PANS	5	7,62 cm
33 x 45,7 CM HALF SIZE SHEET PANS	10	7,62
GN 1/1 HOTEL PANS (6,5 CM DEEP)	10	11,43
GN 1/1 HOTEL PANS (10 CM DEEP)	10	11,43
60 x 40 CM EURO BAKING SHEETS	5	7,62
54,6 x 33,6 x 6,35 CM BASKETS	10	7,62
40,6 x 40,6 x 5,1 CM PIZZA BOXES	5	7,62

Standard rails: 5 rails / compartment *Additional rails required.

Adjustable rails can be set in any position and easily changed when needed.

PRO CART ULTRA®– FEATURES AND TOW HITCH KIT

GASKET-FREE DOOR
For easy cleaning and fewer replacement parts. Door opens full 270˚.

INSULATION
CFC-free, polyurethane insulation throughout the body and doors maximizes heat or cold retention for 4 hours or more with no electricity needed.

SOLAR DIGITAL THERMOMETER
Monitor internal cabinet temperature at a glance.

10 CM NYLON LATCHES AND ADJUSTABLE HINGES
For easy opening and closing and to secure contents during transport. (Door is lockable).

12,7 x 20,3 CM MENU POCKET
Allows for easy product ID with either an index card or by writing directly onto smooth surface with a grease pencil.

STAINLESS STEEL HINGE
For long term durability.

STANDARD 15 x 5 CM HEAVY DUTY CASTERS
Two non-marking, high-performance, all swivel casters with brakes in the front and two rigid casters in the back for smooth positioning and navigation.

POLYETHYLENE EXTERIOR
Keeps food moist naturally and remains cool to the touch during operation, unlike metal cabinets.

Pro Cart Ultra Tow Hitch Kit

Tow your Pro Cart Ultra to your loading dock, serving location and back to your kitchen with the Cambro Tow Hitch Kit. The tow hitch is designed to securely connect your Pro Cart Ultra to any service vehicle with towing capability.

- Fits all Pro Cart Ultra models, low and tall.
- Kit available with standard or security hardware.
- Maximum tow capacity 907 kg.

CODE	DESCRIPTION	UNIT WEIGHT
PCUTOW	Pro Cart Ultra Tow Hitch	15,87 kg
PCUTOWSP	Pro Cart Ultra Tow Hitch Security Package	15,87

Case Pack: 1 **Color:** (000). SP package includes tamper-resistant screws.

PRO CART ULTRA®– ELECTRIC

Powerful Performance, Low Power Consumption

- Energy efficient, active modules draw less than 5 amps each.
- Cold module uses environmentally friendly, thermoelectric technology.
- Plugs into a standard outlet.

COLD

Digital controller allows cold to be set from 0,3˚ to 4,4˚C.

Thermoelectric Cooling Down to 0,3˚C

Cool without a compressor for the ultimate in cold mobility and food safety on the go.
Note: Operate in 90˚F or less ambient temperature for best results.

Pre-chill time:
90 minutes to 4,4˚C.
(Tested at 23˚C ambient.)

Recovery time:
10 minutes after door open for 30 seconds.

Interior with Cold module

Exterior back with Cold module

HOT

Keeps food safely between 65,5˚ to 74˚C with convenient, pre-set, gentle, non-radiant heat.

Energy-Saving Heater Less Than 5 Amps

Gentle, non-radiant heat circulates consistently from front to back of the cabinet.

Pre-heat time:
45 minutes.

Recovery time:
3 minutes after door open for 30 seconds.

Interior with Hot module

Exterior back with Hot module

Just 5 Minutes to Change Module

- Seasonal menus
- Menu changes
- Additional budget availability
- Different location or facility
- New trends

Electrical Specifications (Per Compartment)

	HOT 110V	HOT 220V	COLD
REQUIRED VOLTAGE	100-125 VAC	200-230 VAC	100-230 VAC
MAXIMUM AMP	4.6a	2.3a	3.26a, 1.42a
WATTS / HEATER OR COOLER	529w	506w	326.6w
HERTZ	50/60	50/60	50/60
PHASE	Single	Single	Single
ALTERNATE PLUG TYPES FOR INTERNATIONAL	US, Canada, Mexico, Europe, UK, Ireland, Australia, South Africa, China, Japan		
POWER CORD LENGTH	2,7 m	2,7 m	2,7 m

PRO CART ULTRA®– MODEL SPECIFICATIONS

	CODE	DESCRIPTION	UNIT WEIGHT
TALL PROFILE	**Both compartments non-electric / passive**		
	PCUPP	Both compartments non-electric / passive	106,7 kg
	Both Compartments Hot		
	PCUHH	110V	121,3
	PCUHH*	220V	121,7
	Both Compartments Cold		
	PCUCC	110V	126,3
	PCUCC*	220V	128,7
	Combination Hot & Cold		
	PCUHC	Top compartment hot, bottom cold. 110V	122,9
	PCUCH	Top compartment cold, bottom hot. 110V	122,9
	PCUHC*	Top compartment hot, bottom cold. 220V	123,1
	PCUCH*	Top compartment cold, bottom hot. 220V	123,1
	Combination Passive & Hot or Cold		
	PCUPH	Top compartment passive, bottom hot. 110V	155,8
	PCUPC	Top compartment passive, bottom cold. 110V	188,3
	PCUPH*	Top compartment passive, bottom hot. 220V	116
	PCUPC*	Top compartment passive, bottom cold. 220V	119,5
LOW PROFILE	PCULP	Non-electric / passive	63,5
	PCULH	Hot Cart, 110V	68,5
	PCULC	Cold Cart, 110V	70,8
	PCULH*	Hot Cart, 220V	68,5
	PCULC*	Cold Cart, 220V	70,8

Case Pack: 1 **Color:** Charcoal Gray (615). **Standard Railing Includes:** 5 pairs of stainless steel Universal rails/compartment.
Includes Standard Casters: 15 x 5 cm heavy duty swivel with brake in front, rigid in back.

3	US/CAN/MEX
4	EU
5	UK
6	AU
7	SA
8	JAPAN
9	CHINA

*Use number to select plug for your country's electrical requirement.

Unit Dimensions

UNIT	EXTERIOR DIM. W x D x H	COMPARTMENT DIM. W x D x H
Tall Profile		
COLD	71,1 x 92,7 x 167,6 cm	53,7 x 66,7 x 64,8 cm
HOT / PASSIVE	71,1 x 90,8 x 167,6	53,7 x 68,6 x 64,8
Low Profile		
COLD	71,1 x 92,7 x 101,6	53,7 x 68,6 x 64,8
HOT / PASSIVE	71,1 x 90,8 x 101,6	53,7 x 68,6 x 64,8

Optional Accessories

CODE	DESCRIPTION
PCMH*	Hot module unit 110V / 220V
PCMC*	Cold module unit 110V / 220V
SSR1	1 Pair of Rails
SSR5	5 Pairs of Rails

Case Pack: 1 **Module Unit Color:** Charcoal Gray (615).

Security Package (SP)

Specially designed for operations where safety and security are a top priority. To order add SP after the product code or visit cambro.com for a listing of codes.

- Tamper resistant fasteners secure side column panels to the cart.
- Cross locking rods behind column panels lock 5 rails in place.
- Each compartment holds ten 10 cm deep hotel pans.
- Passive and electrical modules and cord strap keepers are secured in place with tamper resistant fasteners.
- Non removable doors. Lockable hasp secures both doors at once. (Lock not included).
- Heavy duty casters mounted with tamper resistant fasteners.

INSULATED BEVERAGE CONTAINERS

- Use to hold, transport and serve hot or cold beverages.
- One piece, seamless double-wall polyethylene with thick foam insulation.
- Sturdy latches secure lids tightly and will never rust.
- Drip-proof recessed spigot for easy self-serve access.
- Stack units on riser to fill large cups or coffee pots.
- Sta-stack interlocking ensures stable stacking during transport and storage.

Easy Serve Dispenser Color:
Black (110).

UC1000 covered by U.S. Patent D 403,916.

Vent Cap patent pending.

Camtainer Cover

Durable and attractive covers extend the life of your Camtainers and fit in any serving environment.

Personalization available. Contact your Cambro representative for details.

Stack beverage servers during storage and transporting to save space.

Stacking options:

- 100LCD with 100LCD
- All 250, 350 and 500 units
- UC1000 and 1000LCD

Hot

	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.
250LCD	87˚C	84,5˚C	82˚C	79˚C	77˚C
UC250	88˚C	85,5˚C	84˚C	82˚C	80˚C

Cold

	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.
250LCD	1˚C	1,5˚C	2˚C	3˚C	4˚C
UC250	0,5˚C	1˚C	1˚C	1,5˚C	2˚C

Vent Cap
Equalizes pressure. Makes the opening of the container much easier.

E-Z Grip Molded-in Handles
For comfortable, safe transporting.



Recessed Faucet
Accommodates larger cups. Allows even dispensing and eliminates drips. Two positions: One for continuous pouring and one for individual dispensing.

Molded-in Metal Backing Plates
Prevents latches from breaking away from the container.



Ultra Camtainers®
Feature wide nylon latches which are easy to open and close with one hand.

Camtainers®
Feature sturdy plastic latches that secure lids tightly and will never rust.

Ultra Camtainers®

Choose from three sizes for beverage service. A contemporary line, featuring two wide nylon latches per unit that are easy to open and close.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UC250, UC500: (401), (191), (110)
UC1000: (401), (110)

CODE	UC250	UC500	UC1000
CAPACITY	10,4 L	19,9 L	39,7 L
210 ML. CUPS	50	96	192
EXTERIOR DIMENSIONS D x W x H	42,5 x 30 x 50 cm	42,5 x 30 x 68 cm	52 x 41,5 x 65,5 cm
FITS CAMDOLLY	CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100	CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100	CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020
CAMTAINER COVER	UC250CVR	UC500CVR	UC1000CVR

Case Pack: 1 **Colors:** Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194). **Cover Color:** Black (110). Venting plug is covered by US Patent D 553,717 S.

Camtainers®

The standard for many caterers, choose from four sizes for beverage service and one model without a spigot for soup service. Four sturdy plastic latches on each unit open and close easily and will never rust.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

250LCD, 350LCD, 500LCD: (157), (401)
100LCD: (401)

CODE	100LCD	250LCD	500LCD	1000LCD	350LCD (SOUP)
CAPACITY	5,7 L	9,5 L	17,9 L	44,5 L	12,7 L
210 ML. CUPS	27	45	85	214	60
SPIGOT	YES	YES	YES	YES	—
EXTERIOR DIMENSIONS D x W x H	29 x 26,5 x 44 cm	42 x 23 x 46,7 cm	42 x 23 x 62 cm	53 x 41,5 x 63 cm	42 x 23 x 46,7 cm
FITS CAMDOLLY	CD1420	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020	CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020
CAMTAINER COVER	—	250LCDCVR	500LCDCVR	1000LCDCVR	—

Case Pack: 1 **Colors:** Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158).
Cover Color: Black (110). Venting plug is covered by US Patent D 553,717 S.

Camserver®– Holds The Heat for Hours.

- A front-of-house beverage server for hot or cold beverages that does not require canned heating.
- Double-wall polyethylene shell with thick foam insulation retains temperatures for hours.

Colors: Black (110), Dark Taupe (417), Granite Grey (191).

Convenient top-fill opening for fast replenishment without removing lid.

CSR3 Shown in Dark Taupe Height is approximate 18 cm from counter to spigot.

CSR5 Shown in Black

CODE	EXTERNAL DIM. H x W x D	CAPACITY	210 ML CUPS	CASE PACK
CSR3	60 x 34 x 46,5 cm	11,5 L	54	1
CSR5	71 x 34 x 46,5	19	91	1

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UC250, UC500: (110), (191), (401)
UC1000: (110), (401)
100LCD (401)
250LCD, 500LCD, 350LCD: (157), (401)

BEVERAGE SERVICE CARTS

- Ideal for breakfast, coffee or snack service.
- Use top counter to hold Cambro Beverage Servers, Versa Organizer Bins or Display Trays with Covers for food.
- Store drinkware, additional food items or other supplies in open compartment.
- Insulated cabinets hold hot or cold food in 1/1, 1/2 or 1/3 size food pans or on Cambro Metric Camtrays® (3253).

Beverage Service Cart is designed to hold Beverage Containers at point of service only. A dolly or hand truck with safety strap is recommended for moving Beverage Containers over longer distances or uneven surfaces.

Colors: Slate Blue (401), Granite Grey (191), Granite Green (192).

See Organizer section for more information on Organizer Bins.

See Camtainer section for more information on Camtainers.

Wire Rack Color: Silver (000).

See Cold Pack section for more information on Cold Packs.

15,2 cm Casters: 2 fixed, 2 swivel, 1 with brake.

For complete specifications, call or write Cambro.

MDC24F

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

5412CBP: (131), (480)
100LCD: (401)
CP3253: (443)

MDC24 has recessed top that holds 3 each 3,8 Liters 100LCD Camtainers and stacked Condiment Bins & Wire Rack with 3253 trays.

CODE	EXTERIOR DIM. L x W x H	CASE PACK
MDC24	113 x 76 x 112 cm	1
MDC24F	113 x 76 x 112	1
OPTIONAL ACCESSORIES		
Organizer Bin		
5412CBP	30,5 x 13 x 11	12
Camtainer®		
100LCD	26,5 x 30 x 44	1
Wire Rack		
MDC24R	58,4 x 43,2 x 35,5	1
Camchiller®		
CP3253	53 x 32,5 x 3	1

The use of racks in the MDC24 and MDC24F carts will allow the following configuration of pans or trays, per compartment:

DESCRIPTION	GN 1/1	GN 1/2	GN 1/3
6,5 cm Pans	(4) 12CW	(8) 22CW	(12) 32CW
10 cm Pans	(3) 14CW	(6) 24CW	(9) 34CW
15 cm Pans	(2) 16CW	(4) 26CW	(6) 36CW
20 cm Pans	(1) 18CW**	(2) 28CW**	(3) 38CW**

**With room for 6,5 cm or 10 cm pan above 15 cm pan.
10 each 3253 Metric Camtrays®.

Compartment Dimensions

Shelf Compartment	**W** 96,5 cm	**D** 64 cm	**H** 25,4 cm
Holding Compartments	**W** 44,5 cm	**D** 60,3 cm	**H** 36 cm

Venting plug is covered by US Patent D 553,717 S.

MDC24R Wire Rack

Wire Rack (sold separately) to organize pans and trays in the cart. Rack holds 1/1, 1/2 and 1/3 size Food Pans and 3253 trays. When placed in cart's core area, the rack allows room on either side of pan positions for Cambro's CP3253 Camchillers® one on each side.



MOBILE HANDWASH STATION

Approx.
200
handwashings
per tank

Completely Hands-Free Operation

Requires
NO plumbing or electricity
to operate.

MHWS18
53,5 x 48 x 161,5 cm

MHWS18PER100 (with graphics wrap)

3-IN-1
HANDWASHING STATION

Paper towel and soap dispenser | 100 Liter Camtainer® with Easy Serve Dispenser | Riser

HWS31

MORE INFO



HAND SINK CART

With electric water pump and heater

KSC402 (110 volt only)
103 x 84 x 116 cm

MORE INFO

HANDWASH ACCESSORY –

FOR CAMTAINERS® AND ULTRA CAMTAINERS®

- Set up a Handwashing Station quickly and easily on or off premise.
- Convenient and economical way to meet health department hand washing requirements.
- Attaches to Camtainers 250LCD, 500LCD or Ultra Camtainers UC250, UC500.
- Includes four Handwash Only labels and an Easy Serve Dispenser lever.

Handwash Accessory Stocking Colors: Dark Brown (131), Black (110).

Easy Serve Dispenser Color: Black (110).

Riser Colors: See optional accessories with Camtainers.

Pail with Bail Color: White (148).

Handwash Accessory is covered by the following U.S. Patent D 506,634 S & D 506,899 S.

CODE	HWAPR	HWATD
DESCRIPTION	With paper towel roll holder	With multi-fold paper towel dispenser
FITS	250LCD, 500LCD, UC250, UC500	250LCD, 500LCD, UC250, UC500

Shown with 500LCD Camtainer.

Optional Accessories

CODE	R500LCD	R1000LCD	LCDCH	LCDCH10
DESCRIPTION	Riser	Riser	Condiment Holder	Condiment Holder
EXTERIOR DIM. D x W x H	41,5 x 23 x 12 cm	49,5 x 39 x 11,5 cm	42 x 22 x 13 cm	51 x 41 x 12 cm
FITS	250LCD, 500LCD, UC250, UC500	1000LCD, UC1000	250LCD, 500LCD UC250, UC500	1000LCD, UC1000

Case Pack: 1 **Colors:** Coffee Beige (157), Dark Brown (131), Black (110).

CODE	PWB22	LCDES
DESCRIPTION	Pail with Bail	Easy Serve Dispenser
FITS	—	LCD Spigots UC Spigots
CASE PACK	6	1

CVC75 MOBILE FOOD VENDING CART

with

Safety-First Design

Versatile and durable mobile solution provides maximum menu flexibility, indoors and outdoors.

CVC75
MOBILE FOOD VENDING CART

Requires minimum ← 85,4 cm → Doorway

3 Open Storage Compartments
Perfect for restock with Cambro EPP GoBoxes

Open well design — configure your ingredients and menu items for peak serving efficiency

Add optional levels to the standard 30 cm Safety Barrier increase merchandising space and operator safety

End Table available
facilitate a fast service

Build Your Own Cart

All Weather Vinyl Wrap





* All CVC75 carts come with a vinyl wrap

Let's Get Personal!

Whether it's your logo on one of our standard wraps or a fresh new design, wrap customization is available - consult your local Cambro representative

MORE INFO

CVC75 MOBILE FOOD VENDING CART

Dimensions and Product Codes

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H	FULL PAN SIZE CAPACITY
CVC75	Vending base unit with safety barrier	190,5 x 85 x 135 cm	5
CVC75B	Vending base unit only	190,5 x 85 x 95 cm	5
Optional Accessories*			
CVC75DC6	15,2 cm tall merchandising display	—	—
CVC75DC12	30,3 cm tall merchandising display	—	—
CVC75DCE6	15,2 cm tall merchandising display extender	—	—
CVC75DCE12	30,5 cm tall merchandising display extender	—	—
CVC75LET	40,6 cm left side end table	—	—
CVC75RET	40,6 cm right side end table	—	—
CVC75LSRL	Set of two adjustable lower cabinet shelves	—	—

Case Pack: 1 **Color:** Black (110). *All accessories only available in Black (110).

VERSA FOOD SERVICE SYSTEM

The Versa Food Service System provides custom design without the custom price. This non electric, versatile, portable system keeps food cold for hours with either ColdFest® pans or Buffet Camchillers®. The system is made of durable all-weather material and is easy to clean. The Versa Food Service System offers countless configurations to fit any foodservice need.

- Ergonomic, molded-in handles on both sides ensure easy maneuvering.
- Versa Food Bar and Work Table both include a drain faucet that can be connected to a hose for drainage and easy cleaning.
- Add an end table to a Food Bar or Work Table to hold trays, condiments, or paper goods.

Versa Cart

- Join a Versa Cart with a Food Bar or Work Table for fast check-out and improved traffic flow.
- The Versa Cart includes an adjustable shelf, standard lockable drawer and convenient electrical access through the top of the cart and front design panel.
- Optional Tray rails easily adjust to a lower height.
- Optional pull-out keyboard tray fits inside the drawer.

All components are fully compliant with NSF requirements.

Versa Food Service System is covered under U.S. Patent 9,084,498 B2.

Versa Straight Connector and Versa Corner Connector

Easily and safely attach multiple components together to create a contiguous system and maximize space and merchandising options.

Buffet Camchillers

Extend safe, cold holding time without ice. Dual-sided Buffet Camchillers hold 6,5 cm and 10 cm pans. Fits in the Versa Food Bar, Versa Work Table and Table Top Food Bars.

VERSA FOOD SERVICE SYSTEM

Whether you're looking to maximize space, improve traffic flow, add merchandising space or create an upscale salad bar, the Versa Food Service System has you covered.

NSF BPA FREE
All components are fully compliant with NSF requirements.

Versa Food Bar®

As Shown: VBR5 shown with optional 2-VCS32R, 1-VBRTBL.

VBRT5

Versa Work Table

- Perfect for a prep table, display, self-serve station or back bar.
- Attach a Work Table to a Food Bar to merchandise snacks and beverages.
- Matching well covers are included with each Versa Work Table.

Standard height model.

VERSA BAR AND VERSA WORK TABLE

- Now available with two secure storage cabinets that can hold up to 22,7 kg per compartment of non-perishable items.

Scan QR code for package product code.

VBRUT5

VBRTBL

VCS32R

NSF BPA FREE
All components are fully compliant with NSF requirements.

VRB6 with optional 2-VBRR6, 2-VBRTBL

Storage Dimensions:
L 54,61 x **W** 44,45 x **H** 45,72 cm per cabinet.
Each cabinet is 0,11 M^3.

VERSA FOOD SERVICE SYSTEM

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H	FULL PAN SIZE CAPACITY	WELL INTERIOR DIMENSIONS L x W x H
Versa Food Bars® – Standard Height				
VBR5	152 cm with standard casters	175,3 x 108 x 159,4 cm	4	132,8 x 53,3 x 18 cm
VBRHD5	152 cm with heavy duty casters	175,3 x 108 x 159,4	4	132,8 x 53,3 x 18
VBR6	183 cm with standard casters	208,3 x 108 x 159,4	5	165,4 x 53,3 x 18
VBRHD6	183 cm with heavy duty casters	208,3 x 108 x 159,4	5	165,4 x 53,3 x 18
Versa Food Bars Ultra Series – Standard Height				
VBRU5	152 cm with standard casters and storage	175,3 x 108 x 159,4	4	132,8 x 53,3 x 18
VBRUHD5	152 cm with heavy duty casters and storage	175,3 x 108 x 159,4	4	132,8 x 53,3 x 18
VBRU6	183 cm with standard casters and storage	208,3 x 108 x 159,4	5	165,4 x 53,3 x 18
VBRUHD6	183 cm with heavy duty casters and storage	208,3 x 108 x 159,4	5	165,4 x 53,3 x 18
Versa Food Bars – Low Height				
VBRL5	152 cm with standard casters	175,3 x 108 x 141,6	4	132,8 x 53,3 x 18
VBRLHD5	152 cm with heavy duty casters	175,3 x 108 x 141,6	4	132,8 x 53,3 x 18
VBRL6	183 cm with standard casters	208,3 x 108 x 141,6	5	165,4 x 53,3 x 18
VBRLHD6	183 cm with heavy duty casters	208,3 x 108 x 141,6	5	165,4 x 53,3 x 18
Versa Work Tables – Standard Height				
VBRT5	152 cm with standard casters	175,3 x 68,6 x 92,1	4	132,8 x 53,3 x 18
VBRTHD5	152 cm with heavy duty casters	175,3 x 68,6 x 92,1	4	132,8 x 53,3 x 18
VBRT6	183 cm with standard casters	208,3 x 68,6 x 92,1	5	165,4 x 53,3 x 18
VBRTHD6	183 cm with heavy duty casters	208,3 x 68,6 x 92,1	5	165,4 x 53,3 x 18
Versa Work Tables Ultra Series – Standard Height				
VBRUT5	152 cm with standard casters and storage	175,3 x 68,6 x 92,1	4	132,8 x 53,3 x 18
VBRUTHD5	152 cm with heavy duty casters and storage	175,3 x 68,6 x 92,1	4	132,8 x 53,3 x 18
VBRUT6	183 cm with standard casters and storage	208,3 x 68,6 x 92,1	5	165,4 x 53,3 x 18
VBRUTHD6	183 cm with heavy duty casters and storage	208,3 x 68,6 x 92,1	5	165,4 x 53,3 x 18
Versa Work Tables – Low Height				
VBRTL5	152 cm with standard casters	175,3 x 68,6 x 74,3	4	132,8 x 53,3 x 18
VBRTLHD5	152 cm with heavy duty casters	175,3 x 68,6 x 74,3	4	132,8 x 53,3 x 18
VBRTL6	183 cm with standard casters	208,3 x 68,6 x 74,3	5	165,4 x 53,3 x 18
VBRTLHD6	183 cm with heavy duty casters	208,3 x 68,6 x 74,3	5	165,4 x 53,3 x 18

Case Pack: 1

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H
Versa Cart		
VCSWR	With dual tray rails and standard casters	134 x 81,9 x 109,2 cm (with tray rails up)
VCSWRHD	With dual tray rails and heavy duty casters	134 x 81,9 x 109,2 (with tray rails up)
VCS	With standard casters and no tray rails	81,3 x 81,9 x 109,2
VCSHD	With heavy duty casters and no tray rails	81,3 x 81,9 x 109,2
Connectors		
VBRC	Straight connector - food bar to food bar	68,6 x 48,3 x 10,8
VBRC90	Corner connector - food bar to food bar	91,4 x 91,4 x 10,8
VCS32CNT	Straight connector - cart to standard height food bar / work table	68,6 x 51,75 x 8,26
VCSCNL	Straight connector - cart to low height food bar / work table	68,6 x 51,75 x 21,59

Case Pack: 1 **Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover Colors:** Black (110), *Hot Red (158), *Navy Blue (186), *Kentucky Green (519).
Tray Rail and End Table Colors Only: Granite Gray (191), **Black (110).
*Made to order colors for Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover, Tray Rail and End Table.
**Made to order color for Tray Rail and End Table only. Made to order items not carried in stock, non-returnable.

FOOD BAR ACCESSORIES

Every Accessory You Need

- Crock and Salad Bowl Holders highlight and organize salads, condiments and dressings.
- Tray Rails offer convenience for your patrons.

See Camwear® Food Pans and Crocks section for more information.

Versa Cart with Dual Tray Rails (VCSWR & VCSWRHD)**:** All orders receive the tray rails in Granite Gray (191). To choose a different color tray rail you must order the Versa Cart Without Rails (VCS or VCSHD) and the tray rails (VCS32R) separately.

Connector Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519).

Vinyl Cover Color: Opaque (000).

Sign Holder Color: Clear (152).

Buffet Camchiller® Color: Cold Blue (159).

Divider Bar Colors: White (148), Clear (152).

Well Cover Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519).

Keyboard Tray Color: Black (110).

Crock, Salad Bowl Holders Colors: White (148), Granite Gray (191).

Versa Food Bar is covered under U.S. Patent D 615,323 S and D 620,730. Versa Food Bar Ultra Series is covered under U.S. Patent D702,066 S. Versa Cart is covered under U.S. Patent D 653,830 S. Buffet Camchiller is covered under U.S. Patent D 618,4765 S. All other parts patent pending.

*Items are not NSF Listed.

COMPONENT

183 cm

– 183 cm models hold 5 full size Pans with Divider Bars.

– 152 cm models hold 4 full size Pans with Divider Bars.

152 cm

– Fractional Size Pans can be used in many variations with Divider Bars. Mix and match sizes to fit your needs.

Two Salad Bowl Holder models available, SBH18 and SBH15. Crock Holder, CPH3, holds 1,4 and 2,6 L crocks.

152 cm



183 cm

152 cm



183 cm

– 183 cm models hold a Salad Bowl Holder and 3 ea. Crock Holders.

– 152 cm models hold a Salad Bowl Holder and 2 ea. Crock Holders.

CODE	DESCRIPTION	OVERALL EXTERIOR DIMENSIONS L x W x H	CASE PACK
VBRR5	Tray rail for 152 cm - Versa Food Bar / Versa Work Table	134,6 x 29,2 x 11,6 cm	1
VBRR6	Tray rail for 183 cm - Versa Food Bar / Versa Work Table	167,6 x 29,2 x 11,6	1
VCS32R	Tray rail for - Versa Cart	71,12 x 29,7 x 12,7	1
VBRTBL	End table for Versa Food Bar and work table	68,6 x 55,88 x 11,43	1
VBRCVR5*	Vinyl cover for 152 cm Versa Food Bar	185,4 x 110,5 x 116,8	1
VBRCVR6*	Vinyl cover for 183 cm Versa Food Bar	210,8 x 110,5 x 116,8	1
VBRTCVR5*	Vinyl cover for 152 cm Versa Work Table	177,8 x 85,1 x 53,3	1
VBRTCVR6*	Vinyl cover for 183 cm Versa Work Table	210,8 x 85,1 x 53,3	1
VCSCVR*	Vinyl cover for Versa Cart	106,7 x 83,8 x 91,4	1
VBRSHTS*	Versa Food Bar sign holder	91,4 x 15,2 x 23,5	1
DIV12	30,5 cm divider bars	32,39	3
DIV20	51 cm divider bars	53,02	3
CPH3	Crock holder holds 1,4 & 2,6 L	**L** 33 x **W** 53	1
SBH15	Salad bowl holder holds a 38,1 cm bowl and 3 crocks	**L** 65,5 x **W** 53	1
SBH18	Salad bowl holder holds an 45,7 cm bowl	**L** 65,5 x **W** 53	1
CPB1220	Buffet Camchiller for Versa Food Bars, Work Tables and table top food bars	46,99 x 32,07 x 10,16	1
VBRWC	Versa well cover for Versa Food Bar/Work Table	53,02 x 33,02 x 5,08	1
VCS32KEYT	Versa Cart keyboard tray	52,4 x 25,71 x 5,08	1

Versa Food Bar includes Versa Food Bar with and without cabinet.

TABLE TOP FOOD BARS, BUFFET BARS & SNEEZE GUARDS

Table Top Food Bars

- Turn a 122-183 cm table into a double-sided self service buffet or beverage station.
- Thick, foam-insulated well keeps food cold for hours with Buffet Camchillers or ice.
- Drain plug allows for quick and easy clean-up.

Buffet Bars

- Ideal for holding snacks and cold beverages.
- The Buffet Bar with Sneeze Guard is perfect for single-sided, self-serve buffets.

Food Bar Colors: Black (110), Navy Blue (186), Kentucky Green (519), Hot Red (158).

Crock Holder and Salad Bowl Holders available in White (148), Granite Gray (191), Sandstone (614).

BUF48 and BUF72 are NSF listed.

NSF listed for non-direct food contact only.

4FBRTT Table Top Food Bar
Buffet Camchiller® available.

BUF48 Buffet Bar Base
Merchandises soft drinks on ice to increase beverage sales.

BBR480 Buffet Bar with Sneeze Guard

CODE	OVERALL EXTERIOR DIMENSIONS L x W x H	FULL SIZE PAN CAPACITY	WELL INTERIOR DIMENSIONS L x W x D
Table Top Food Bars			
6FBRTT	181,6 x 84,5 x 68,6 cm	5	159,7 x 51,1 x 16,5 cm
5FBRTT	161,3 x 84,5 x 68,6	4	127,2 x 51,1 x 16,5
4FBRTT	129,5 x 84,5 x 68,6	3	94,6 x 51,1 x 16,5
Buffet Bars			
BUF72	171,5 x 61 x 17,8	5	159,7 x 51,1 x 12,7
BUF48	106,2 x 61 x 17,8	3	94,6 x 51,1 x 12,7
Buffet Bars w/Sneeze Guard			
BBR720	187,6 x 61,3 x 62,2	5	159,7 x 51,1 x 12,7
BBR480	121,9 x 61,3 x 62,2	3	94,8 x 51,1 x 12,7

Case Pack: 1

CAMKIOSK® SYSTEM – EVERY EVENT OR LOCATION IS AN OPPORTUNITY FOR PROFITS

- Build sales off premise and in non-traditional locations.
- Two insulated food storage cabinets maintain safe hot or cold food and/or beverage temperatures for hours.
- Use optional well covers to cover food pan wells and increase countertop space.
- Durable, all-weather polyethylene exterior with foam insulation will not crack, dent, bubble, chip, rust or break.
- Heavy duty 15,2 cm casters roll smoothly from kitchen to location then lock in place.

CAMKIOSK® CARTS

Telescoping poles enable canopy to lower 30,5 cm for quick and easy storage.

KVC854C Cart with 4 pan wells & canopy.

Camchillers® keep cold packaged foods cold during transport and service when placed directly on top of food pan wells or at the top of the CamKiosk's insulated holding cabinet.

Cart Colors

- 186 Navy Blue
- 158 Hot Red

Canopy Color

- 157 Beige

Cart Colors

- 191 Granite Grey
- 192 Granite Green
- 519 Kentucky Green
- 426 Black Base with Granite Grey Top & Doors

Canopy Color

- 519 Kentucky Green

Personalize your CamKiosk Cart to promote your brand.

CANOPY TRIM AND TOP PANEL
(Charges per side)

One Color	**
Two Color	**
Three Color	**

FRONT DISPLAY PANEL
(Cruising Café® panel standard)

Set Up Charge per Panel	**
Charge per Color	**

**Contact your Cambro representative for pricing.

4 well top

6 well top

Well Cover Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519), Granite Grey (191), Granite Green (192).

15,24 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Cutting Board Color: White (148).
Camchiller Color: Glacier Blue (433).
ThermoBarrier Color: Slate Blue (401).

Camchiller & ThermoBarrier

CODE	FULL SIZE PAN WELLS	OVERALL DIMENSIONS L x W x H
CamKiosk Carts		
KVC854	4	216 x 85 x 179 cm
KVC854C	4	216 x 85 x 239
KVC856	6	216 x 85 x 179
KVC856C	6	216 x 85 x 239

C: Canopy

Holding Capacity Per Compartment

Two holding cabinets store hot or cold food in Gastronorm Food Pans with Covers.
12 GN 1/1 full size 6,5 cm deep pans or
8 GN 1/1 full size 10 cm deep pans or
6 GN 1/1 full size 15 cm deep pans or
4 GN 1/1 full size 20 cm deep pans.
4 each 2025 Camtrays or
8 each 3253 Camtrays.

CODE	DESCRIPTION	DIMENSIONS L x W x H	CASE PACK
Optional Accessories			
CB1220	Cutting board	53,5 x 33,5 x 1,3 cm	1
CP814	20,32 x 35,56 cm Camchiller	3,81 x 20,32 x 35,56	1
CP3253	Camchiller®	53 x 32,5 x 3	1
WCR1220	Well cover	53,5 x 33 x 5	1
1600DIV	ThermoBarrier® insulated shelf	53 x 33,5 x 3,8	2

CAMKIOSK® HAND SINK CART, WORK STATION & EQUIPMENT STAND

Hand Sink Cart

- Self-contained, electric hand washing system can be used alone or with CamKiosk Cart.
- Run hot and cold water for up to 70 hand washings.
- Includes: double sink, two 19 L fresh water tanks, two 28,5 L waste-water bins, hand soap dispenser and paper towel roll holder.
- Durable polyethylene will not crack, dent, bubble, chip or break.
- Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.
- Faucet is compliant with lead-free regulations.

Colors: Granite Grey (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Grey Top & Doors (426).

15,2 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Hand Sink Cart is covered by U.S. Patent 6,173,458 B1.

NSF (Water pump only.) | (Hand Sink Water Pump, UL & CE approved.) | BPA FREE

Water heater and water pump draw a maximum of 11,25 amps and 0,7 amps, respectively. Hand Sink Cart electrical system runs on an average 10 amps.

ADA faucet available. Contact Cambro Customer Service for information.

Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.

Store Safe

CODE	VOLTAGE	DIMENSIONS L x W x H
KSC402	110V	103 x 84 x 116 cm

Case Pack: 1

Work Station

- Use to merchandise menu items, additional work space or to complete sales transactions.
- Large dry storage cabinet below is perfect for holding supplies.
- Extremely durable all-weather polyethylene will not crack, dent, bubble, chip, rust or break.

Colors: Granite Grey (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Grey Top & Doors (426).

15,2 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Top work area dimensions: 57,2 x 66 cm

BPA FREE

Shown with optional cutting board and paper towel roll dispenser.

Store Safe

CODE	DESCRIPTION	DIMENSIONS L x W x H
KWS40	Work station	103 x 84 x 116 cm
CB1220	Cutting board	53,5 x 33,5 x 1,3

Case Pack: 1

Equipment Stand

- Perfect for self-serve stations, prep areas or cash register service.
- Counter and side openings for electrical cords and cables.
- Durable, lightweight polyethylene will not crack, dent, bubble, chip, rust or break.
- No assembly required.

Color: Black (110).

12,7 Casters: 2 fixed, 2 swivel with brake.

*Special order item not carried in stock – non-returnable.

NSF | BPA FREE

Cutaway chair area gives ample space for comfortable seating.

CODE	DESCRIPTION	OVERALL DIM. W x D x H**
ES28	Stand only	71 x 71 x 99 cm
ES28RL*	Stand w/rails on right and left sides of drawer	112 x 71 x 99

**Width includes tray rails. Height includes casters.

CAMCRUISER® VENDING CARTS

- Add revenue opportunities away from the kitchen or cafeteria and reduce wait times.
- Durable polyethylene will not crack, dent, bubble, chip, rust or break.
- Display panel can be personalized with a custom logo or message.
- Larger models CVC724 & CVC72 have insulated food storage compartments and full-size food pan wells.
- Compact model CVC55 has two open storage compartments, a single food pan well, cutting board and umbrella.

Cart Colors	Umbrella Colors
Black (110)	
Hot Red (158)	
Kentucky Green (519)	
Granite Gray (191)	
Granite Green (192)	

CVC724

OPEN COMPARTMENT DIMENSIONS:
W 33,5 x **D** 61,5 x **H** 34 cm

CVC72

CVC72 & CVC724

CVC724 Four full size food pan wells. Replace with cutting boards or well covers to create additional work space.



CVC72 One full size food pan well and 2 larger merchandising wells.

Open holding compartment conveniently stores cash box and tray.

CODE	CVC724	CVC72	CVC55
OVERALL DIMENSION* L x W x H	189 x 81 x 239 cm	189 x 81 x 239 cm	140 x 80 x 238 cm
WORK COUNTER HEIGHT	93 cm	93 cm	101 cm
COUNTER WELLS HOLD	4 GN 1/1	Center well, 1 GN 1/1 2 outer wells, **L** 56 x **W** 39 x **D** 15 cm	1 GN 1/1
CLOSED COMPARTMENT CAPACITY (EACH)	2 GN 1/1-20 cm + 2 GN 1/1-6,5 cm deep pans or 4 GN 1/1-15 cm deep pans or 6 GN 1/1-10 cm deep pans or 8 GN 1/1-6,5 cm deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays	2 full size 20 cm + 2 GN 1/1-6,5 cm deep pans or 4 GN 1/1-15 cm deep pans or 6 GN 1/1-10 cm deep pans or 8 GN 1/1-6,5 cm deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays	—
OPEN COMPARTMENT CAPACITY	1 cash drawer and 1 GN 1/1-15 cm deep pan or 2 GN 1/1-10 cm deep pans or 3 GN 1/1-6,5 cm deep pans	1 cash drawer and 1 GN 1/1-15 cm deep pan or 2 GN 1/1-10 cm deep pans or 3 GN 1/1-6,5 cm deep pans	—
UMBRELLA DIAMETER	183 cm	183 cm	152 cm
CASTERS	20,3 cm - 4 swivel with brake	20,3 cm - 4 swivel with brake	15,2 cm - 2 fixed, 2 swivel with brake
CASH DRAWER	Yes	Yes	—
MENU BOARD	Yes	Yes	—
DISPLAY PANEL	Yes	Yes	Yes
MOLDED IN HANDLES	2	2	1

*Includes Umbrella. Serving counter height is 130 cm.

CAMCRUISER® VENDING CARTS

CVC55

Unit ships with umbrella and cutting board.
Front display panel can be personalized.

Pizza Camcruiser

Sandwich Camcruiser

Hot Dog Camcruiser

Soft Drink Camcruiser

Display Panel Personalization

Provide complete, finished, camera-ready artwork and indicate positioning on display panel.

Ink colors must be specified. Choose 1-4 colors.

Size of imprinting area:
CVC72 and CVC724
W 53,5 x **H** 74,5 cm
CVC55 **W** 112,5 x **H** 74,5 cm.

Artist's fee of **net/hour will be charged to any order submitted without camera-ready artwork.

Cambro will contact you prior to completing any work if this fee will be charged.

Set up charge of **net per design, plus **net per color.

Allow for three week production lead time once final proofs are approved.

CVC72 and CVC724 - Campus Cuisine display panel standard with all orders unless custom personalization requested.

**Contact your Cambro representative for pricing.

Cutting Board Color: White (148).
Camchiller Color: Glacier Blue (443).
Divider Bar Colors: White (148), Clear (135).
Retainer Strap Color: Black (110).
ThermoBarrier® Color: Slate Blue (401).

Well Cover Color matches cart.

CVC55 is covered by U.S. Patent D 362,102.

Camchiller, ThermoBarrier, and Divider Bar.

Compartments are open for storage and easy access to equipment and supplies for your vending operations. Optional retainer strap is sold separately.

LEFT COMPARTMENT DIMENSIONS:
W 61,5 x **D** 72,5 x **H** 70 cm

RIGHT COMPARTMENT DIMENSIONS:
W 54,5 x **D** 72,5 x **H** 70 cm

CVC55

Set up with full and fractional size food pans and divider bars to increase product offerings.

Electrical or soda line conveniently drops through 10 x 17 cm opening in counter. Cover is standard with cart.

CODE	DESCRIPTION	FITS	OVERALL DIM. L x W x H
Optional Accessories			
CB1220	Cutting board	CVC724, CVC72, CVC55	53,5 x 33,5 x 1,3 cm
CP3253	Camchiller®	CVC724, CVC72	53 x 32,5 x 3
DIV12	Divider bar	CVC724, CVC72, CVC55	32,5 long
WCR1220	Well cover	CVC724, CVC72, CVC55	53,5 x 33 x 5
730STP	Retainer strap	CVC55	—

DIV12 Case Pack: 3 **730STP Case Pack:** 2 **All Others Case Pack:** 1
Camchiller, ThermoBarrier & Divider Bar are NSF listed.

CAMSHELVING PREMIUM® SERIES

FLEX STATION SYSTEM

Grab-N-Go solution for K-12 schools

Promote healthy eating habits

CPM244867FX1

Setup anywhere in school

Reduces serving time

CAMSHELVING PREMIUM® SERIES

FLEX STATION SYSTEM

Ideal for takeout, delivery or curbside staging needs

Customize as needed for holding or storing inside or outside

CAMSHELVING PREMIUM® SERIES FLEX STATIONS

CPM244867FX3 (1700 mm H)
CPM244875FX4 (1910 mm H)

CPM244875FX5

MERCHANDISERS

CODE	DESCRIPTION	DIMENSIONS D x L x H
Premium® Series Flex Stations		
CPM244867FX1	4 Tiers with Angled Divider Bars	610 x 1220 x 1700 mm
CPM244867FX2	1 Solid Shelf, 3 Tiers with Angled Divider Bars	610 x 1220 x 1700
CPM244867FX3	4 Solid Shelves with Divider Panels	610 x 1220 x 1700
CPM244875FX4	4 Solid Shelves with Divider Panels	610 x 1220 x 1910
CPM244875FX5	2 Solid Shelves, 3 Tiers with Angled Divider Bars	610 x 1220 x 1910
Merchandiser Kits		**W x H**
CSFLEXMERCH	Fast & Fresh Full Kit – 2 side panels, 1 top panel	58,42 x 142,24 cm Side 122 x 20,32 cm Header
CSFLEXMERCH2	Pickup & Go Full Kit – 2 side panels, 1 top panel	58,42 x 142,24 cm Side 122 x 20,32 cm Header
CSFLEXMERCH3	Fast & Fresh Top Panel Kit	122 x 20,32 cm
CSFLEXMERCH4	Pickup & Go Top Panel Kit	122 x 20,32 cm

Case Pack: 1 **Premium Flex Station Color:** Speckled Gray (480). Made in USA only.

NSF COMPONENT Shelving and divider panels

CA PROP 65

Store Safe

camguard ANTIMICROBIAL SHELF PLATES

KD Ships knockdown

EASY TO Assemble

MORE INFO

VERSA ORGANIZERS

- Use to store non-perishable condiments, disposable ware and napkins.
- Hold bins in 2 x 3, 2 x 4, 3 x 3, or 3 x 4 arrangements.
- Made of seamless, one-piece polyethylene.
- Set on flat surface or wall mount each bin holds up to 4,5 kg.
- Easy to assemble and easy to clean.

Bins only colors: Dark Brown (131), Black (110), Slate Blue (401), Speckled Grey (480).

Versa line combined pack bins & racks.

Colors: Black (110), Speckled Grey (480).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

5412CBP: (131), (480)
6RS6: (480)

12RS12 Versa Organizer shown mounted on wall.

Bins sold separately (5412CBP) or as combined packs.

12RS12

9RS9

8RS8

6RS6

CODE	DESCRIPTION	PRODUCT DIMENSIONS	CASE PACK
		W x D x H	
5412CBP	Bin only	13 x 30,5 x 11 cm	12
Versa Line Combined Pack		**L x D x H** (complete unit)	
12RS12	Rack w/12 bins	64,8 x 54,3 x 36,2	1
9RS9	Rack w/9 bins	51,1 x 54,3 x 36,2	1
8RS8	Rack w/8 bins	64,8 x 48,8 x 24,1	1
6RS6	Rack w/6 bins	51,1 x 48,8 x 24,1	1

PORTABLE CAMBARS®

A BAR FOR ALL OCCASIONS.

Portable and versatile, the CamBar makes outfitting events an opportunity rather than a hassle. CamBars deliver function and style whether you're pouring a drink from a bottle or creating a wide-variety of on-demand beverages.

BUILD YOUR CAMBAR®

SIZE Cambars® come in three sizes

SMALL

DIMENSIONS
Length: **137,2 cm**
Width: **65,7 cm**
Height: **117,2 cm**

MEDIUM

DIMENSIONS
Length: **171,5 cm**
Width: **72,4 cm**
Height: **120,7 cm**

LARGE

DIMENSIONS
Length: **184,8 cm**
Width: **66 cm**
Height: **121,2 cm**

DESIGN Select from a variety of colors and decors Click to enlarge the images

STANDARD DECOR

Black
110

Charcoal Gray
615

Dark Brown
131

Slate Blue
401

Black Base with Granite Gray
420

DESIGNER DECOR

Chicago
770

Carmel
669

BAR540

Highly portable, compact beverage bar for limited space.

FEATURES

- 5-bottle speed rail
- Four 12,7 cm swivel casters, 2 with brake
- Vinyl cover

AVAILABLE IN THESE COLORS

Black
110

Dark Brown
131

Slate Blue
401

Granite Gray
191

Granite Sand
194

Charcoal Gray
615

Click to enlarge the images

OPTIONAL ACCESSORIES

BAR54SR	730SR
5 Bottle Speed Rail for BAR540 and BAR540DS	7 Bottle Speed Rail for BAR540DS

	BAR540	BAR540DS
DECOR	Standard	Designer
ICE SINK AND COVER	Sink only	Sink only
VINYL COVER	Yes	Yes
UNIT WEIGHT	55,6 kg.	65,8 kg.

All BAR540 models include four 12,7 cm swivel casters, two with brake.

BAR650

Mid-size beverage bar that fits standard elevators, ideal for off-premises catering.

FEATURES

- 7-bottle speed rail
- 36,3 kg capacity ice sink
- Vinyl cover
- Ice sink and cover
- Waste-water bin
- Retainer Strap

AVAILABLE IN THESE COLORS

Black
110

Granite Gray with Black Base
420

Chicago
770

Carmel
669

Click to enlarge the images

	BAR650	BAR650DS
DECOR	Standard	Designer
ICE SINK AND COVER	Yes	Yes
RETAINER STRAP	1	1
WASTE WATER BIN	Yes	Yes
VINYL COVER	Yes	Yes
UNIT WEIGHT	98 kg.	98,5 kg.

All BAR650 models include four 12,7 cm swivel casters, two with brake.

OPTIONAL ACCESSORIES

650WS	730SR
Wire Shelf	7 Bottle Speed Rail

BAR730

Spacious rolling bar for banquets and large events.

FEATURES

- 7-bottle speed rail
- 36,3 kg capacity ice sink
- 6 & 8-button soda gun
- Vinyl cover
- Ice sink and cover
- Waste-water bin
- Retainer Strap

AVAILABLE IN THESE COLORS

Black
110

Granite Gray with Black Base
420

Chicago
770

Carmel
669

Click to enlarge the images

	BAR730	BAR730DS
DECOR	Standard	Designer
ICE SINK AND COVER	Yes	Yes
RETAINER STRAP	2	2
WASTE WATER BIN	Yes	Yes
VINYL COVER	Yes	Yes
UNIT WEIGHT	103,8 kg.	133,9 kg.

All BAR650 and BAR730 models include four 15,24 cm swivel casters, two with brake.

OPTIONAL ACCESSORIES

730SR	730WS
7 Bottle Speed Rail	Wire shelf

SLIDINGLID™ ICE CADDIES

- Polyethylene body and thick foam insulation hold ice for days.
- Rugged, all-weather exterior will not crack, dent, bubble, chip, rust or break.
- Unique sliding lid slides back and under during use, reducing risk of cross-contamination.
- Recessed well and drain shelf keep ice out of water, extending holding times.
- Recessed, molded-in handles ease lifting and maneuvering.
- Slant top sliding lid units fit under prep/catering tables and counters.

Colors: Black (110), Slate Blue (401), Dark Brown (131), Coffee Beige (157), Granite Grey (191).

SlidingLid Ice Caddies ICS125L, ICS125L4S, ICS125LB are covered by US Patent D 468,071 S. SlidingLid Ice Caddies ICS100L and ICS100L4S are covered by US Patent D 424,883.

STOCK PRODUCTS & COLOR AVAILABLE IN OUR EUROPEAN WAREHOUSE

ICS100L, ICS125L: (191)

ICS175LB
(Short) Shown with Rear Easy Wheels.

ICS125L
(Short)

ICS100L
(Short)

ICS175T
(Tall)

ICS175TB
(Tall) Shown with Rear Easy Wheels.

Caster Descriptions

Refers to caster type in chart.
All casters are 12,7 cm.

A:	2 fixed, 2 swivel, 1 with brake
A1:	2 swivel, 2 with brakes
B:	4 swivel, 1 with brake
C:	2 swivel, 1 with brake, 2 20,3 cm Easy Wheels
D:	2 swivel, 1 with brake, 2 25,4 cm Easy Wheels
E:	2 swivel, 1 with brake, 2 25,4 cm Wide Easy Wheels

ICS200TB
(Tall) Shown with Rear Wide Easy Wheels.

CODE	CAPACITY	EXTERIOR DIMENSIONS W x D x H	CASTER TYPE
Short			
ICS100L	46 kg	57 x 77 x 73 cm	A1
ICS100L4S	46	57 x 77 x 73	B
ICS125L	57	58,5 x 80 x 74,5	A
ICS125LB	57	58,5 x 80 x 74,5	C
ICS175L	80	61 x 95,5 x 74,5	A
ICS175LB	80	61 x 95,5 x 74,5	D
Tall			
ICS125T	57	58,5 x 80 x 88	A
ICS175T	80	58,5 x 86,5 x 95,5	A
ICS175TB	80	58,5 x 86,5 x 95,5	D
ICS200TB	91	58,5 x 86,5 x 100,5	E

Case Pack: 1

CAMRACK® 4-IN-1 WAREWASHING SYSTEM

The Camrack System will protect glassware and keep it clean until the next event, eliminating the need for rewashing.

Camrack Cover Seals from the Top and Camdolly® Seals from the Bottom.

Camracks interstack with racks from major manufacturers.

Efficient Washing



Open inside compartments provide thorough circulation of water and cleaning solutions and promote quick and thorough drying.

Long-lasting polypropylene Camracks are built to withstand chemicals and high temperatures up to 93˚C.

Sanitary Storage

Closed outer walls keep fingers and contaminants out and reduce risk of breakage and injury. The Camrack cover and Camdolly make this system completely enclosed. Glassware stays clean in storage, eliminating rewashing.

Inventory Control

A variety in base rack colors help identify at a glance both contents and quantity per rack. Available in 10 colors.

Content labeling options include one-color custom hot stamping or pre-printed clips.

Safe, Sanitary Transportation

Camracks can be transported across large campuses or to off-site locations in one single unit.

Easy to grip handles and smooth overlapping sides facilitate safe handling.

HACCP NSF BPA FREE

Camracks are covered by one or more of the following patents: Full Base Dish Rack D 412,607. Half Base Dish Rack D 404,176. Half Dish Rack Extender D 400,321. Enlarged Dish Rack Extender D 399,614. Dish Rack with Extender 5,934,486 Utility Patent. Pronged Base Dish Rack D 403,472.

FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

These racks offer complete protection for all your delicate and valuable stemware and tumblers, from washing and handling to stacking, storing and transporting.

Choose the correct dishrack:

1. Measure the maximum diameter of your glass (stemware or tumbler) to determine the number of compartments.
2. Measure the maximum height of your glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.



25S534

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)

9 COMPARTMENT

14,9 cm
MAXIMUM DIAMETER

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	9S318	9S434	9S638	9S800	9S958	9S1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

16 COMPARTMENT

11,11 cm
MAXIMUM DIAMETER

MAXIMUM HEIGHT	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	16S318	16S418**	16S434	16S534**	16S638	16S738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	16S800	16S900**	16S958	16S1058**	16S1114	16S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

Base Rack Colors:

110 Black
119 Sherwood Green
151 Soft Gray
163 Red
167 Brown
168 Blue
184 Beige
186 Navy Blue
414 Teal
416 Cranberry

Extender Color: Soft Grey (151). **Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page.
For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

9,84 cm
MAXIMUM DIAMETER

20 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	20S318	20S418**	20S434	20S534**	20S638	20S738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	**21,5 cm**	**23,8 cm**	**25,7 cm**	**27,9 cm**	**29,8 cm**	**32 cm**
CODE	20S800	20S900**	20S958	20S1058**	20S1114	20S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

**Compartment Extenders cannot be added.

8,7 cm
MAXIMUM DIAMETER

25 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	25S318	25S418**	25S434	25S534**	25S638	25S738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	**21,5 cm**	**23,8 cm**	**25,7 cm**	**27,9 cm**	**29,8 cm**	**32 cm**
CODE	25S800	25S900**	25S958	25S1058**	25S1114	25S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

**Compartment Extenders cannot be added.

7,94 cm
MAXIMUM DIAMETER

30 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	30S318	30S434	30S638	30S800	30S958	30S1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)

FULL SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

36 COMPARTMENT

7,3 cm
MAXIMUM DIAMETER

MAXIMUM HEIGHT	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	36S318	36S418**	36S434	36S534**	36S638	36S738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	**21,5 cm**	**23,8 cm**	**25,7 cm**	**27,9 cm**	**29,8 cm**	**32 cm**
CODE	36S800	36S900**	36S958	36S1058**	36S1114	36S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

49 COMPARTMENT

6,2 cm
MAXIMUM DIAMETER

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	49S318	49S434	49S638	49S800	49S958	49S1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)

Base Rack Colors:

110 Black
119 Sherwood Green
151 Soft Gray
163 Red
167 Brown
168 Blue
184 Beige
186 Navy Blue
414 Teal
416 Cranberry

Extender Color: Soft Grey (151). **Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page.
For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

HALF SIZE CAMRACKS® FOR STEMWARE & TUMBLERS

- Very effective for carrying less weight and for storing drinkware in space-restricted locations.
- Ideal for small under-counter glasswashers.



10HS434

8 COMPARTMENT

10,3 cm
MAXIMUM DIAMETER

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	8HS318	8HS434	8HS638	8HS800	8HS958	8HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

10 COMPARTMENT

8,7 cm
MAXIMUM DIAMETER

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	10HS318	10HS434	10HS638	10HS800	10HS958	10HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

17 COMPARTMENT

7,3 cm
MAXIMUM DIAMETER

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	17HS318	17HS434	17HS638	17HS800	17HS958	17HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

Base Rack Colors:

Sherwood Green



Soft Grey

Brown

Beige



Navy Blue

Cranberry

Extender Color: Soft Grey (151). Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

CAMRACK® FULL & HALF SIZE CUP RACKS

- Tilt feature drains water from mug or cup bases for quick and sanitary drying.



16C414

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

16C258, 16C414, 16C578, 20C258: (151)
20C414: (151), (167)

16 COMPARTMENT

11,1 x 10,95 cm
COMPARTMENT DIMENSIONS

MAXIMUM HEIGHT	6,6 cm	10,7 cm	14,9 cm
CODE	16C258	16C414	16C578
CASE PACK	6	5	4
EXT. RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm

20 COMPARTMENT

11,1 x 8,73 cm
COMPARTMENT DIMENSIONS

MAXIMUM HEIGHT	6,6 cm	10,7 cm
CODE	20C258	20C414
CASE PACK	6	5
EXT. RACK HEIGHT	10,1 cm	14,3 cm

8 COMPARTMENT

10,4 x 11,1 cm
COMPARTMENT DIMENSIONS

MAXIMUM HEIGHT	6,6 cm	10,7 cm
CODE	8HC258	8HC414
CASE PACK	6	5
EXT. RACK HEIGHT	10,1 cm	14,3 cm

10 COMPARTMENT

10,4 x 8,73 cm
COMPARTMENT DIMENSIONS

MAXIMUM HEIGHT	6,6 cm	10,7 cm
CODE	10HC258	10HC414
CASE PACK	6	5
EXT. RACK HEIGHT	10,1 cm	14,3 cm

Glass and Cup Keepers

- Raised ribs for easy draining and drying.
- Holds 20 glasses or 12 cups per layer.

Color: Beige (133).

Max. Glass Inside Rim Diameter:
GK2000: 6,6 cm

Max. Cup Inside Rim Diameter:
KK1200: 7,4 cm

CODE	SIZE	CASE PACK
Glass Keepers		
GK2000 (Regal)	35,6 x 45,7 cm	12
Cup Keepers		
KK1200 (Regal)	35,4 x 45,4	12

Base Cup Rack Color: Soft Grey (151). **Extender Color:** Soft Grey (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders.

STEMWARE AND GLASS SIZING REFERENCE GUIDE



To Determine Compartment Size

- **Half Size Racks:** Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.
- **Full Size Racks:** Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.

Use the vertical guide marks at right to determine item height and appropriate rack number.





CAMRACK® CUP RACK REFERENCE GUIDE

To determine Cup compartment size:
Turn cup or coffee mug upside down and place diagonally in square. Align handle with arrow in square. Cup or mug and handle must fit completely within boundaries of a square in order to ensure the right rack.

16 FULL RACK

COMPARTMENT
11,1 x 11,1 cm

QUICK GUIDE
Full Size Cup Racks (C)

Maximum Cup Width	Number of Compartments	Maximum Cup Height		
		6,6 cm	10,7 cm	14,9 cm
11,1 cm	16	16C258	16C414	16C578
8,8 cm	20	20C258	20C414	20C578

20 FULL RACK

COMPARTMENT
11,1 x 8 cm

10 HALF RACK

COMPARTMENT
10,4 x 8,8 cm

8 HALF RACK

COMPARTMENT
11,3 x 10,4 cm

QUICK GUIDE
Full Size Cup Racks (C)

Maximum Cup Width	Number of Compartments	Maximum Cup Height	
		6,6 cm	10,7 cm
10,4 cm	8	8HC258	8HC414
8,8 cm	10	10HC258	10C414

To Determine Cup Height:
Place base of cup or coffee mug on flat surface hold ruler vertically next to it to determine height in inches or millimeters. If the height is greater than 108 mm, additional 41 mm E2 and HE2 extenders may be ordered.

STORE AND TRANSPORT GLASSES & DISHES

Camrack® Cover & Camdolly®

- Use to cover and protect full size Camrack dishracks filled with clean dishware.
- When used with a Camdolly, creates a portable sanitary storage system that protects contents between uses.
- Eliminates the use of messy, wasteful plastic wrap or vinyl covers.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

DRC2020: (180)
CDR2020, CDR2020H: (151)
25SWGF: (110)

	FULL RACK COVER
CODE	DRC2020
EXTERIOR DIMENSIONS	50 x 50 x 2,4 cm

Case Pack: 1 **Color:** Grey (180).

	CAMDOLLY	CAMDOLLY WITH HANDLE
CODE	CDR2020	CDR2020H
INTERIOR DIMENSIONS	53 x 53 cm	53 x 53 cm
EXTERIOR DIMENSIONS	54,5 x 54,5 x 20,5 cm	54,5 x 59,5 x 94 cm
LOAD CAPACITY	159 kg	159 kg

Case Pack: 1 **Color:** Soft Grey (151). **Casters:** 10 cm casters, 4 swivel, no brakes.

Camrack IceExpress Glass Filler

- Dramatically reduces banquet set-up time.
- Fills 25 glasses with ice all at once.
- Reduces breakage and risk of contamination.
- Ice falls directly into glasses with no spills or drips.

CODE	EXTERIOR DIM. W x D x H
25SWGF	50,8 x 50,8 x 3,18 cm

Case Pack: 1 **Color:** Black (110).

SELECTING THE RIGHT CAMRACK

Cambro offers multiple ways to help you quickly find the right Camrack:

1. apps.cambro.com/Camracks

Select the item you are sizing, enter the measurements and quantity of the item, and the right Camrack will appear on the page.

2. Cambro Catalog

Flip to the back of the catalog for a convenient stemware, glass and cup sizing reference guide.

3. Cambro Sales Representatives

Contact your local Cambro representative or call Cambro Customer Service at 49-7022-90-100-0 to assist with specifying Camracks, dollies and covers that will fit your glasses and dishware.

4. Cambro App

Find the right Camrack for your glassware by entering the height and maximum diameter of your glass.

Choose the correct Camrack:

1. Measure the **maximum diameter** of the glass (stemware or tumbler) to determine the number of compartments.
2. Measure the **maximum height** of the glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.



Download the app at www.cambro.com/app or

GET IT ON Google play

Download on the App Store

CAMRACK® BASE RACKS

- For pots, pans, bowls and large prep, service and display items.
- Half racks work well for storing items at a wait station.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

BR258, BR414, BR578, BR712: (110), (119), (151), (163), (184), (167), (168), (186), (414), (416)
CRPHDG2878: (000)

BR578

FULL SIZE BASE RACKS



	FULL BASE RACK	WITH 1 EXTENDER	WITH 2 EXTENDERS	WITH 3 EXTENDERS
CODE	BR258	BR414	BR578	BR712
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	16,5 cm	20,6 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm	22,5 cm
CASE PACK	6	5	4	3

HALF SIZE BASE RACKS



	HALF BASE RACK	WITH 1 EXTENDER	WITH 2 EXTENDERS	WITH 3 EXTENDERS
CODE	HBR258	HBR414	HBR578	HBR712
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	16,5 cm	20,6 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm	22,5 cm
CASE PACK	6	5	4	3

Hold Down Grid

Keeps lightweight smallwares in place during wash cycle. Use on full size Camrack base or Flatware rack.

BR414 with CRPHDG2878

	FULL SIZE HOLD DOWN GRID
CODE	CRPHDG2878

Case Pack: 6 **Color:** Gray (000).

Base Rack Colors:

110 Black*

119 Sherwood Green

151 Soft Gray

163 Red*

167 Brown

168 Blue*

184 Beige

186 Navy Blue

414 Teal*

416 Cranberry

***Full size only.** **Extender Color:** Soft Grey (151). Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

CAMRACK® FULL SIZE PEG RACKS & TRAY RACK

Standard 9 x 9 Peg Rack

- Designed to wash varying sized plates, bowls, trays and plate covers.
- Standard peg racks hold:
  – Eighteen 25,4 cm plates
  – Twelve 30,5 cm plates
  – Twenty-seven 19 cm plates
  or
  – Nine 36 x 46 cm trays.

Versatile 5 x 9 Peg Rack

- Holds standard plates in one direction or deep plates, bowls and plate covers in the other direction.
- 5 spacing configuration holds up to ten 25,4 cm bowls, deep plates, platters or plate covers.
- 9 spacing configuration holds up to:
  – Eighteen 25,4 cm plates
  – Twelve 30,5 cm plates
  – Twenty-seven 19 cm plates
  or
  – Nine 36 x 46 cm trays.

Open End Tray Rack

- Holds cafeteria trays or full-size sheet pans.
- Open-ended on one side for easy placement and removal of trays of all lengths.
- Holds up to nine trays upright.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PR59314, PR59500, PR314, OETR314: (151)
PR500: (151)
OETR314: (151)

	9 X 9 PEG RACK	9 X 9 PEG RACK WITH 1 EXTENDER	5 X 9 PEG RACK	5 X 9 PEG RACK WITH 1 EXTENDER	OPEN END TRAY RACK
CODE	PR314	PR500	PR59314	PR59500	OETR314*
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	8,3 cm	12,4 cm	8,3 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	10,1 cm	14,3 cm	10,1 cm
CASE PACK	6	5	6	5	6

Color: Soft Gray (151). **Extender Color:** Soft Gray (151). **InStock Color:** Soft Gray (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. *Extenders may be added to all Peg Racks except the OETR314.

CAMRACK FULL & HALF SIZE FLATWARE RACKS & CYLINDER

- 8 Compartment Basket fits into a Full or Half Size Base Rack. Wire handles slide down for easy storage.
- Flatware Cylinder fits into 9-Compartment Full Size Camrack and the Cambro Tray and Dish Cart, model TDCR12.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

FR258, 8FB434, 8FBNH434: (151)

	FULL FLATWARE RACK	HALF FLATWARE RACK	8 COMPARTMENT HALF FLATWARE BASKET	8 COMPARTMENT HALF FLATWARE BASKET	FLATWARE CYLINDER
CODE	FR258	HFR258	8FB434* With Handles	8FBNH434* No Handles	FWC56
INSIDE RACK HEIGHT	6,7 cm	6,7 cm	12 cm	12 cm	Wide 11,4 cm
OUTSIDE RACK HEIGHT	10,1 cm	10,1 cm	18,4 cm	18,4 cm	High 14 cm
CASE PACK	6	6	6	6	12

Color: Soft Gray (151). **Extender Color:** Soft Gray (151). **InStock Color:** Soft Gray (151). **Flatware Cylinder Color:** White (148).
Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. *Extenders cannot be added.

THE CAMRACK® COMPONENT SYSTEM

The Camrack System offers several choices for ordering the right Camracks now and as your needs change. Please consult with your sales representative or Cambro Customer Service for all special ordering and assembly directions.

Choose Between:

1. A complete selection of pre-assembled, ready to use Camracks listed in our catalog; or
2. Custom built special order Camracks for specific needs; or
3. Individual Camrack components for distributors to stock and build racks as needed.

Base Rack Colors:
Sherwood Green (119), Soft Grey (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*.
Base Cup Rack Color: Soft Grey (151).
Flatware Rack Color: Soft Gray (151).
Extender Color: Soft Grey (151).

Personalization available.

Full Base Racks are covered by U.S. Patent D 412,607.
Half Base Racks are covered by U.S. Patent D 404,176.

*Full size only.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

9E1, 9E2, 16E1, 16E2, 16E4, 16E5, 20E2, 20GE1, 20GE2, 20GE4, 20GE5, 25E1, 25E2, 25E4, 25E5, 30GE1, 30GE2, 36E1, 36E2, 36E4, 36E5, 49E1, 49E2, 16C258, 20C258: (151)
BR258: (110), (119), (151), (163), (184), (167), (168), (186), (414), (416)
E3: (151)



BR = Full Size Base Rack

HBR = Half Size Base Rack

E1 = Full Size Full Drop Compartment Extender

HE1 = Half Size Full Drop Compartment Extender

E2 = Full Size Half Drop Compartment Extender

HE2 = Half Size Half Drop Compartment Extender

E3 = Full Size Open Extender

HE3 = Half Size Open Extender

E4 = Full Size Full Drop Compartment Extender

E5 = Full Size Half Drop Compartment Extender

Only E3 extenders may be added to E4's and E5's.

Camracks Components

CODE	DESCRIPTION	EXTERIOR DIMENSIONS	COMPARTMENT	INSIDE RACK HEIGHT	CASE PACK
Full Size Base Racks					
BR258*	Full Base Rack	500 x 500 x 101 mm	457 x 457 mm	67 mm	6
Half Size Base Racks					
HBR258	Half Base Rack	500 x 250 x 101	464 x 213	67	6
Full Size Base Cup Racks					
16C258	16-Compartment Full Cup Rack	500 x 500 x 101	111 x 111	67	6
20C258	20-Compartment Full Cup Rack	500 x 500 x 101	111 x 89	67	6
Half Size Base Cup Racks					
8HC258	8-Compartment Half Cup Rack	500 x 250 x 101	105 x 113	67	6
10HC258	10-Compartment Half Cup Rack	500 x 250 x 101	105 x 89	67	6
Full Size Full Drop Extenders – E1 and GE1					
9E1	9-Compartment Full Drop Extender	499 x 499 x 51	150 x 150	41	12
16E1	16-Compartment Full Drop Extender	499 x 499 x 51	111 x 111	41	12
20GE1	20-Compartment Full Drop Extender	499 x 499 x 51	98 x 98	41	12
25E1	25-Compartment Full Drop Extender	499 x 499 x 51	89 x 89	41	12
30GE1	30-Compartment Full Drop Extender	499 x 499 x 51	79 x 79	41	12
36E1	36-Compartment Full Drop Extender	499 x 499 x 51	73 x 73	41	12
49E1	49-Compartment Full Drop Extender	499 x 499 x 51	62 x 62	41	12

THE CAMRACK® COMPONENT SYSTEM

CODE	DESCRIPTION	EXTERIOR DIMENSIONS	COMPARTMENT	INSIDE RACK HEIGHT	CASE PACK
Full Size Half Drop Extenders – E2 and GE2					
9E2	9-Compartment Half Drop Extender	499 x 499 x 51 mm	150 x 150 mm	41 mm	12
16E2	16-Compartment Half Drop Extender	499 x 499 x 51	111 x 111	41	12
20E2	20-Compartment Half Drop Extender (for cups only)	499 x 499 x 51	111 x 89	41	12
20GE2	20-Compartment Half Drop Extender	499 x 499 x 51	98 x 98	41	12
25E2	25-Compartment Half Drop Extender	499 x 499 x 51	89 x 89	41	12
30GE2	30-Compartment Half Drop Extender	499 x 499 x 51	79 x 79	41	12
36E2	36-Compartment Half Drop Extender	499 x 499 x 51	73 x 73	41	12
49E2	49-Compartment Half Drop Extender	499 x 499 x 51	62 x 62	41	12
Full Size Open Extender – E3					
E3	Open Extender	499 x 499 x 51	457 x 457	41	12
Full Size Full Drop Extenders – E4					
16E4	16-Compartment Full Drop Extender	499 x 499 x 51	111 x 111	41	12
20GE4	20-Compartment Full Drop Extender	499 x 499 x 51	98 x 98	41	12
25E4	25-Compartment Full Drop Extender	499 x 499 x 51	89 x 89	41	12
36E4	36-Compartment Full Drop Extender	499 x 499 x 51	73 x 73	41	12
Full Size Half Drop Extenders – E5					
16E5	16-Compartment Half Drop Extender	499 x 499 x 51	111 x 111	41	12
20GE5	20-Compartment Half Drop Extender	499 x 499 x 51	98 x 98	41	12
25E5	25-Compartment Half Drop Extender	499 x 499 x 51	89 x 89	41	12
36E5	36-Compartment Half Drop Extender	499 x 499 x 51	73 x 73	41	12
Half Size Full Drop Extenders – HE1					
8HE1	8-Compartment Full Drop Extender	502 x 252 x 51	105 x 113	41	12
10HE1	10-Compartment Full Drop Extender	502 x 252 x 51	105 x 89	41	12
17HE1	17-Compartment Full Drop Extender	502 x 252 x 51	74 diameter	41	12
Half Size Half Drop Extenders – HE2					
8HE2	8-Compartment Half Drop Extender	502 x 252 x 51	105 x 113	41	12
10HE2	10-Compartment Half Drop Extender	502 x 252 x 51	105 x 89	41	12
17HE2	17-Compartment Half Drop Extender	502 x 252 x 51	74 diameter	41	12
Half Size Open Extender – HE3					
HE3	Open Extender	502 x 252 x 51	464 x 213	41	12

Base Rack Colors: Sherwood Green (119), Soft Gray (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*. **Base Cup Rack Color:** Soft Gray (151). **Extender Color:** Soft Gray (151). *Color available in full size only. All extenders are available in Soft Gray (151). All pre-assembled racks ship with Soft Gray (151) extenders. **PlateSafe Grid Color:** Gray (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

9E1, 9E2, 16E1, 16E2, 16E4, 16E5, 20E2, 20GE1, 20GE2, 20GE4, 20GE5, 25E1, 25E2, 25E4, 25E5, 30GE1, 30GE2, 36E1, 36E2, 36E4, 36E5, 49E1, 49E2, 16C258, 20C258: (151)
BR258: (110), (119), (151), (163), (184), (167), (168), (186), (414), (416)
E3: (151)

PERSONALIZED CAMRACKS®

- Personalize Camracks to identify contents at a glance for accurate inventory control and selection.
- Hot stamp a custom logo, information or standard content symbols, and/or descriptions on two opposite, diagonal sides of any rack.
- Pre-printed clips (up to 4 per rack) can be ordered factory installed for an additional charge.

IMPRINT COLOR-WHITE

HOW TO ORDER A SAMPLE

1. Contact your local Cambro rep to complete and submit a sample request form to Cambro.
2. Select rack size, code and color. Imprint color - white only.
3. Choose process A) Hot Stamp or B) Camrack Clips
4. Indicate location of hot stamp and or clip on rack. Maximum hot stamp imprint size is W 102 x H 31,7 mm. Maximum hot stamp imprinting thickness per solid letter or logo should be no more than 102 mm wide.
5. If selecting process A with a custom hot stamp, provide ready to use artwork, digital format only. Sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available for **per hour.
6. **Submit Artwork**
   E-mail artwork to your Cambro Rep or direct to Cambro at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info.
   File dimensions: 100% reproduction size, 300dpi resolution.
   File type:
   Adobe® Illustrator®, Photoshop®.
   File format: jpeg, tiff, and eps.
   Or mail digital artwork to:
   CEL - Attn: C.E.L. Customer Service. Kelterstrasse 51
   72669 Unterensingen, Germany.
7. Questions regarding artwork?
   Tel: (49)7022-90-100-0;
   Ireland Tel: 1800 509 046;
   for UK Tel: 0800 587 0057 or
   Fax: (49)7022-90-100-19.
8. **Sample Approval**
   Signed approval form must be included with purchase order for processing. This form is included with each sample.

PERSONALIZATION CHARGES

One Time Plate Charge	**for custom hot stamp only
Set-Up Charge	**
Sample Charge	**
Imprint Charge	**per side, 2 sides max.

FOR CLIPS

Drinkware or PlateSafe®, pre-printed **each

**Contact your Cambro representative for pricing.

STANDARD HOT STAMP SYMBOLS AND/OR DESCRIPTIONS

Step 1. Choose a symbol and corresponding letter that best fits your glassware.



Step 2. Choose the verbiage and corresponding number that best describes your glassware. **Available in English Only.**

1. Beer
2. Beer Mug
3. Pilsner
4. Brandy
5. Champagne
6. Champagne Flute
7. Coffee Mug
8. Collins
9. Cordial
10. Creamer
11. Cup
12. Decanter
13. Flatware
14. Goblet
15. Grande
16. Hi-Ball
17. Hurricane
18. Iced Tea
19. Irish Coffee
20. Juice
21. Margarita
22. Martini
23. Old Fashion
24. Rocks (Footed Style)
25. Rocks (Tumbler Style)
26. Sherry
27. Shot Glass
28. Sorbet
29. Water (Footed Style)
30. Water (Tumbler Style)
31. White Wine
32. Wine
33. Red Wine
34. Port

Step 3. Select hot stamp color. Choose from white, black, red or blue.

HOT STAMP OPTIONS

CUSTOM LOGO AND/OR TEXT

STANDARD SYMBOL AND DESCRIPTION

STANDARD SYMBOL ONLY

STANDARD DESCRIPTION ONLY

CAMRACK® EXTENDER ID CLIP

- The industry's only 4-in-1 glassware management system makes inventory management quick and easy.
- Made of ABS, these clips are virtually unbreakable, and designed to withstand the high heat of commercial dishwashers.
- An economical and sustainable solution to discarding existing racks or labeling with markers, tape or wall placards.
- Snap ID clips onto existing racks or have factory installed with new Camrack orders, up to 4 per rack, placed on the left only on each side as shown in image. Contact your Cambro representative for pricing.



PRE-PRINTED CLIPS* (Available in 6-packs only, no broken bags.)
FACTORY INSTALLED CLIPS*
*Contact your Cambro representative for pricing.

	CODE
Beer	CECBE6000
Beer Mug	CECBM6000
Brandy	CECBR6000
Champagne	CECCH6000
Champagne Flute	CECCF6000
Coffee Mug	CECCM6000
Collins	CECCL6000
Cordial	CECCO6000
Creamer	CECCR6000
Cup	CECCP6000
Decanter	CECDC6000
Flatware	CECFL6000

	CODE
Goblet	CECGO6000
Grande	CECGR6000
Hi-Ball	CECHB6000
Hurricane	CECHU6000
Iced Tea	CECIT6000
Irish Coffee	CECIC6000
Juice	CECJU6000
Margarita	CECMG6000
Martini	CECMT6000
Old Fashion	CECOF6000
Pilsner	CECPI6000
Red Wine	CECRW6000

	CODE
Rocks (Footed Style)	CECRF6000
Rocks (Tumbler Style)	CECRT6000
Sherry	CECSH6000
Shot Glass	CECSG6000
Sorbet	CECSB6000
Water (Footed Style)	CECWF6000
Water (Tumbler Style)	CECWT6000
White Wine	CECWW6000
Wine	CECWI6000
Port	CECPO6000
	CECBL6000 Blank Clip

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CECGO6000, CECJU6000, CECMG6000, CECMT6000, CECOF6000, CECRW6000, CECWW6000, CECBE6000, CECCF6000, CECBL6000

(Available in English Only)

CAMDOLLIES®

- Use to easily transport multiple products in house and/or off site.
- Reduce employee lifting and carrying, reducing possible injury.
- Made of extremely durable plastic that will not dent, crack, rust or corrode.
- Heavy-duty casters maneuver easily over all types of terrain.
- For heavy transport needs, select models with handles and rear Big Wheels.

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).
CDR2020, CDR2020H Color: Soft Gray (151).

Caster Type
A: 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.
B: 7,6 cm Casters: 4 swivel, no brakes.
C: 25,4 cm Rear Big Wheels, 2 front 12,7 cm swivel casters, 1 with brake.
D: 8,9 cm Casters: 4 swivel, no brakes.

Available Parcel Carrier Delivery: CDR2020, CDR2020H, CD2020, CD1420, CD2028, CD1313, CD1327, CD100, CD160, CD200, CD300, CD400, CD1826PDB, 2030UT & 400STP.

Camdollies Case Pack: 1

*CDR2020H Not NSF Listed.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CDR2020, CDR2020H: (151)

For Dish Racks

EXTERNAL DIM. W x D x H 54,5 x 53 x 18,7 cm
INTERIOR DIM. W x D 53 x 53 cm

159 kg CAPACITY	D CASTER TYPE

CDR2020

EXTERNAL DIM. W x D x H 53 x 64,1 x 92,7 cm
INTERIOR DIM. W x D 53 x 53 cm

159 kg CAPACITY	D CASTER TYPE

CDR2020H*
With powder coated handle.

For 46 x 66 cm Trays and Sheet Pans

EXTERNAL DIM. W x D x H 50,8 x 80 x 97,2 cm
INTERIOR DIM. W x D 46 x 66 cm
Holds: UPC101

136 kg CAPACITY	A CASTER TYPE

CD1826H

EXTERNAL DIM. W x D x H 57 x 57 x 21 cm
INTERIOR DIM. W x D 51,1 x 51,1 cm
Also Holds: 500LCD, 350LCD, 250LCD, 1000LCD, UC1000

136 kg CAPACITY	B CASTER TYPE

CD2020

EXTERNAL DIM. W x D x H 59,7 x 82,6 x 93 cm
INTERIOR DIM. W x D 47 x 66 cm
Holds: UPC101

136 kg CAPACITY	C CASTER TYPE

CD1826HB

EXTERNAL DIM. W x D x H 56,5 x 65,7 x 93,7 cm
INTERIOR DIM. W x D 51,5 x 51,5 cm
Also Holds: 250LCD, 350LCD, 500LCD, 1000LCD

159 kg CAPACITY	B CASTER TYPE

CD2020H

For Pizza Dough Boxes

Also See Pizza Dough Boxes page 167

EXTERNAL DIM. W x D x H 50,5 x 71 x 26 cm
INTERIOR DIM. W x D 44,5 x 64,5 cm
Holds: DB18263CW, DB18266CW, DB18263P

136 kg CAPACITY	A CASTER TYPE

CD1826PDB
Optional strap available.

EXTERNAL DIM. W x D x H 66,7 x 67,3 x 93 cm
INTERIOR DIM. W x D 52 x 52,5 cm
Also Holds: 250LCD, 350LCD, 500LCD

159 kg CAPACITY	C CASTER TYPE

CD2020HB

CAMDOLLIES®

For Camcarriers® and Camtainers®

EXTERNAL DIM. W x D x H 50 x 73 x 27 cm
INTERIOR DIM. W x D 44 x 66,5 cm
Holds: 100MPC, UPC100, UC250, UC500, 250LCD, 350LCD, 500LCD.

136 kg CAPACITY	A CASTER TYPE

CD100

EXTERNAL DIM. W x D x H 50 x 84 x 92 cm
INTERIOR DIM. W x D 45 x 67,5 cm
Holds: 100MPC, UC250, UC500, 250LCD, 350LCD, 500LCD.

159 kg CAPACITY	A CASTER TYPE

CD100H

EXTERNAL DIM. W x D x H 60 x 83,5 x 93 cm
INTERIOR DIM. W x D 44,5 x 68 cm
Holds: 100MPC, UPC100, UC250, UC500, 250LCD, 350LCD, 500LCD.

159 kg CAPACITY	C CASTER TYPE

CD100HB

EXTERNAL DIM. W x D x H 42 x 62 x 26,5 cm
INTERIOR DIM. W x D 36 x 56 cm
Holds: UPC140, UPC160, UPC180, UPCS140, UPCS160, UPCS180, UPCSS160.

136 kg CAPACITY	A CASTER TYPE

CD160

EXTERNAL DIM. W x D x H 49 x 65 x 26,5 cm
INTERIOR DIM. W x D 43 x 59 cm
Holds: 300MPC, 1318MTC, UC1000, 1000LCD, UPC300, 1318CC.

159 kg CAPACITY	A CASTER TYPE

CD300

EXTERNAL DIM. W x D x H 61 x 89,5 x 93 cm
INTERIOR DIM. W x D 56 x 72,5 cm
Holds: 1826MTC.

159 kg CAPACITY	A CASTER TYPE

CD1826MTC

EXTERNAL DIM. W x D x H 70 x 88,5 x 93,5 cm
INTERIOR DIM. W x D 55,5 x 72,5 cm
Holds: 1826MTC.

159 kg CAPACITY	C CASTER TYPE

CD1826MTCHB

EXTERNAL DIM. W x D x H 48,5 x 76,5 x 92 cm
INTERIOR DIM. W x D 43 x 59 cm
Holds: 300MPC, 1318MTC, UC1000, 1000LCD, UPC300, 1318CC.

159 kg CAPACITY	A CASTER TYPE

CD300H

EXTERNAL DIM. W x D x H 60 x 76 x 92 cm
INTERIOR DIM. W x D 44 x 60 cm
Holds: 300MPC, 1318MTC, UC1000, 1000LCD, UPC300, 1318CC.

159 kg CAPACITY	C CASTER TYPE

CD300HB

EXTERNAL DIM. W x D x H 53 x 70 x 23 cm
INTERIOR DIM. W x D 46 x 63,5 cm
Holds: UPC400, UPCS400, UPCH400.

136 kg CAPACITY	A CASTER TYPE

Shown with Optional Strap.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CD300: (401)
CD400: (110), (401)

CAMDOLLIES®

for Milk Crates and #10 Can Cases

EXTERNAL DIM. W x D x H	41,28 x 55,25 x 21,11 cm
INTERIOR DIM. W x D	35,24 x 49,05 cm

Holds: 35,6 x 48,3 cm Milk Crates and #10 Can Cases

159 kg CAPACITY	B CASTER TYPE

CD1420

EXTERNAL DIM. W x D x H	56,6 x 77 x 21 cm
INTERIOR DIM. W x D	49,5 x 71 cm

Holds: 35,6 x 48,3 cm Milk Crates, #10 Can Cases and UPC101, UPC400, 100MPC, UPC100, UPC300

159 kg CAPACITY	B CASTER TYPE

CD2028



EXTERNAL DIM. W x D x H	41 x 41 x 21 cm
INTERIOR DIM. W x D	35 x 35 cm

Holds: 30 x 30 cm Milk Crates

114 kg CAPACITY	B CASTER TYPE

CD1313

EXTERNAL DIM. W x D x H	40,6 x 73,7 x 21 cm
INTERIOR DIM. W x D	34,6 x 67,6 cm

Holds: 30 x 30 cm Milk Crates and #10 Can Cases

136 kg CAPACITY	B CASTER TYPE

CD1327

UTILITY TRUCKS

- Use for transporting loads up to 272 kg.
- Large platforms for convenient loading and built-in handles for easy maneuvering.
- All models feature 12,7 cm heavy-duty casters bolted into molded-in metal backing plates.

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

Casters: 12,7 cm, 2 fixed, 2 swivel, 1 with brake.

Utility Trucks Case Pack: 1

EXTERNAL DIM. W x D x H	50 x 81,5 x 98 cm
LOAD PLATFORM	50 x 75 cm

272 kg CAPACITY

2030UT
With chrome handle.

EXTERNAL DIM. W x D x H	63,2 x 106 x 93,3 cm
LOAD PLATFORM	60 x 90,5 cm

272 kg CAPACITY

2436UTH

EXTERNAL DIM. W x D x H	63,2 x 106 x 93,3 cm
LOAD PLATFORM	60 x 90,5 cm

272 kg CAPACITY

2436UTHS
Includes two straps.
UTHSTP

Camdolly® Strap for CD400 and CD1826PDB Camdollies

CODE	DESCRIPTION	EXTERNAL DIM.
400STP	Strap	381 cm long

Case Pack: 1

TRAY & DISH CARTS / TRAY & SILVERWARE CART

Tray & Dish Cart

- Open storage compartment holds a wide variety of plates and trays.
- Use with or without detachable cutlery rack. Cutlery rack includes 12 each flatware cylinders.
- Made of easy-to-clean polyethylene that won't rust, peel or corrode.
- Molded-in handles and heavy-duty swivel casters ease maneuvering.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Gray (191), Granite Green (192), Black (110).

15,2 cm Casters: All swivel, 2 with brake.

Maximum load capacity: 227 kg.

Vinyl cover included. Not NSF listed.

TDCR12

CODE	DESCRIPTION	EXTERIOR DIM. L x W x H
TDCR12	Cart & rack combination	97 x 58 x 105 cm
TDC2029*	Cart only	97 x 56,5 x 87
CR12	Cutlery rack only	84 x 58 x 23
FWC56	Flatware cylinder	**W** 11,4 x **H** 14

Case Pack: 1 **FWC56 Case Pack:** 12
*TDC2029 is not available in Black (110).

Adjustable Tray & Dish Cart

- Use to store a wide variety of plates and trays.
- Move two adjustable dividers into position easily to secure trays and plates.
- Made of durable polyethylene that cushions plates and trays to prevent chipping.
- Easy to clean and won't dent, rust, chip or break.

Colors: Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Grey (191), Granite Green (192).

15,2 cm Casters: All swivel, 2 with brake.

Maximum load capacity: 227 kg.

Vinyl cover included. Not NSF listed.

TDC30

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

TDC30: (191)

CODE	DESCRIPTION	EXTERIOR DIMENSIONS L x W x H	NUMBER OF DIVIDERS	PLATES PER COLUMN	TRAYS PER COLUMN
TDC30	Adjustable cart	59 x 99 x 88 cm	2	Approximately 45-60	80 Trays: 36 x 46 cm

Case Pack: 1

Tray & Silverware Cart

- Use to neatly organize trays and accessories for self-service.
- Includes 4 each 1/3 size and 4 each 1/6 size, 10 cm deep, clear Camwear® food pans to hold flatware, napkins and non-perishable condiments. 1/3 size, 10 cm deep holds 100 knives, 100 spoons or 80 forks.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Gray (191), Granite Green (192), Black (110).

15,2 cm Casters: All swivel, 2 with brake.

Maximum load capacity: 227 kg.

Vinyl cover included. Not NSF listed.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

TC1418: (401)

TC1418

CODE	DESCRIPTION	EXTERIOR DIM. L x W x H	MAXIMUM TRAY SIZE	TRAY CAPACITY
TC1418	Cart w/pans	82 x 54 x 116 cm	36 x 46 cm	180-200 in two stacks

Case Pack: 1

COMPACT ADJUSTABLE DISH CADDY R-SERIES

Securely Store & Transport Round Dishes From 11,7 to 33 cm†

† Note: Cannot be used to store square, rectangular or oval plates.

Storage Capacities

Unit holds between 45 & 60 dishes per stack, based on dish size

Compared to the Cambro ADC33 Model



Adjustable Towers
can accommodate almost any configuration, keeping your dishware secure during transport.

CODE	DESCRIPTION	PLATE SIZE	DIMENSIONS W x D x H	UNIT WEIGHT
ADCRC	Adjustable Dish Caddy R-Series, 4 Towers	24 cm - 33 cm	76 x 76 x 84 cm	27 kg
ADCRC8PKG*	Adjustable Dish Caddy R-Series, 8 Towers	15,24 - 23,5	—	31,3
ADCRC12PKG**	Adjustable Dish Caddy R-Series, 12 Towers	11,75 – 14,6	—	35,6
ADCRCT1	Tower - 1	—	8 x 14 x 50	1,07
ADCRCT4	Towers - 4 Each	—	—	4,31

Case Pack: 1 **Colors:** Black (110), Slate Blue (401), Dark Brown (131) * Ships in 2 separate cartons. ** Ships in 3 separate cartons.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ADCRC, ADCRC8PKG, ADCRC12PKG: (401)
ADCRCT4: (110), (401)

COMPACT ADJUSTABLE DISH CADDY S-SERIES

- Space saving design holds dishes of various sizes without compromising capacity.
- Lightweight, easy to maneuver and access from all four sides.

Color: Speckled Gray (480).

12,7 cm Casters: 2 rigid, 2 swivel with brake.

Note: Cannot be used to store square, rectangular or oval plates.

Compact Adjustable Dish Caddy is covered by U.S. Patent 10,321,778 B2. CamLever™ Tower is covered by U.S. Patent D844, 928 S and D852,450 S.

Vinyl cover included. Not NSF listed.

Holds plates and bowls from 11,7 to 30,5 cm

Conveniently move and secure CamLever Towers from the top.

Column storage height - 52,1 cm.

Maximum load capacity: 227 kg.

Molded-in handles on 4 sides.

Single molded body made of heavy-duty, durable polyethylene won't rust, crack, dent or chip.

Holds 11,7-30,5 cm round plates/bowls only.

Smooth surface with rounded corners is easy to keep clean.

Includes protective storage cover with 7,6 x 12,7 cm inventory and/or event identification top pocket.

Gain 30% More Floor Space

Compact Adjustable Dish Caddy compared to Standard Adjustable Dish Caddy S-Series.



CamLever Tower

ADCSCT4

DESCRIPTION:
CamLever Tower - 4 Each

OVERALL DIMENSIONS W x D x H:
6,7 x 11,1 x 59,7 cm

Case Pack: 4

Conveniently install additional CamLever Towers to convert the ADCSC to an ADCSC8PKG (8-tower) or an ADCSC12PKG (12-tower) model, holding new dish sizes.

COMPACT ADJUSTABLE DISH CADDY S-SERIES

ADCSC

DESCRIPTION:
Adjustable Dish Caddy, 4 Towers

PLATE SIZE RANGE (ROUNDS):
22,9-30,5 cm

OVERALL DIMENSIONS W x D x H:
68,6 x 68,6 x 80,7 cm

Case Pack: 1 Ships in 1 box.

ADCSC8PKG

DESCRIPTION:
Adjustable Dish Caddy, 8 Towers

PLATE SIZE RANGE (ROUNDS):
14,6-22,2 cm

OVERALL DIMENSIONS W x D x H:
68,6 x 68,6 x 80,7 cm

Case Pack: 1 Ships in 2 boxes.

ADCSC12PKG

DESCRIPTION:
Adjustable Dish Caddy, 12 Towers

PLATE SIZE RANGE (ROUNDS):
11,7-14 cm

OVERALL DIMENSIONS W x D x H:
68,6 x 68,6 x 80,7 cm

Case Pack: 1 Ships in 3 boxes.

Model: ADCSC, 4 Towers



Plate sizes:
23,5 to 30,5 cm diam.
Stacks of Plates: 4
Total Capacity: 280



Plate sizes:
22,9 cm diam.
Stacks of Plates: 5
Total Capacity: 350

Model: ADCSC8PKG, 8 Towers



Plate sizes:
19,7 to 22,2 cm diam.
Stacks of Plates: 5
Total Capacity: 350



Plate sizes:
14,6 to 19,1 cm diam.
Stacks of Plates: 8
Total Capacity: 560

Model: ADCSC12PKG, 12 Towers



Plate sizes:
11,7 cm diam.
Stacks of Plates: 16
Total Capacity: 1,120



Plate sizes:
12,1 to 13,3 cm diam.
Stacks of Plates: 13
Total Capacity: 910



Plate sizes:
14 cm diam.
Stacks of Plates: 13
Total Capacity: 910

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ADCSC, ADCSC8PKG, ADCSC12PKG, ADCSCT4: (480)

STANDARD ADJUSTABLE DISH CADDY S-SERIES

- Store one size dish or a combination of different sizes in a single caddy.
- Features easy-to-adjust column towers.

Colors: Black (110), Slate Blue (401), Speckled Grey (480), Dark Brown (131).

Casters: Two 12,7 cm, swivel with brakes and two 25,4 cm easy wheels.

Vinyl cover included. Not NSF listed.

Holds plates and bowls from 11,7 to 33 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ADCS: (110), (401), (480)

Single Size Plate Storage



Plate sizes: ø 23,5 cm to 33 cm
4 Columns (60 each)
Total Capacity: 240



Plate sizes: ø 18,42 cm to 23,5 cm
6 Columns (60 each)
Total Capacity: 360



Plate sizes: ø 13,79 cm to 18,42 cm
6 Columns (45 each)
Total Capacity: 270

Plate sizes: 11,75 to 13,34 cm
10 columns: (45 each)
Total Capacity: 450

Mixed Size Plate Storage



2 Columns: ø 23,5 cm to 33 cm (60 each)
5 Columns: ø 11,75 to 13,34 cm (45 each)
Total Capacity: 345



3 Columns: ø 18,42 cm to 23,5 cm (60 each)
5 Columns: ø 11,75 to 13,34 cm (45 each)
Total Capacity: 405



2 Columns: ø 18,42 cm to 23,5 cm (60 each)
2 Columns: ø 14,6 cm to 18,42 cm (45 each)
4 Columns: ø 11,75 to 13,34 cm (45 each)
Total Capacity: 390

MAXIMUM LOAD CAPACITY
227 kg.

STABLE & SECURE
1,27 cm rod from top to bottom of divider.

EASY TO MANEUVER
Ergonomic molded-in handles on both ends.

HOLDING CAPACITY
49,5 cm storage columns hold 45-60 plates per stack.

EXTREMELY DURABLE
Heavy duty polyethylene construction protects china from chipping. Won't chip, crack or rust.

REAR WHEELS
25,4 cm non-marking Easy Wheels.

TOWERS
Adjust from the bottom.

FRONT CASTERS
12,7 cm swivel with brake.



Vinyl cover included with every dolly for sanitary storage.

CODE	ADCS
NUMBER OF TOWERS	6
PLATES PER COLUMN	Approximately 45-60
OVERALL DIMENSIONS W x L x H	73 x 96 x 81 cm

Case Pack: 1 Plate size range from 11,7 to 33 cm.

ADC33 ADJUSTABLE DISH CADDY

- Unlimited versatility with fully adjustable tower dividers.
- Safely store plates, bowls, platters and trays of assorted shapes and sizes.
- Ergonomic, durable and easy to maneuver.

Colors: Dark Brown (131), Slate Blue (401).

15 cm Casters: 4 swivel with brake and 1 center rigid.

Sanitary vinyl cover included. Cover not NSF listed.

NSF BPA FREE

ADC33 is not available from City of Industry, California U.S.A.



Holds dinnerware from 11 to 33 cm

CODE	ADC33
NUMBER OF DIVIDERS	6
PLATES PER COLUMN	Approximately 45-60
OVERALL DIMENSIONS W x L x H	76,2 x 98,43 x 90,17 cm

Case Pack: 1

Ergonomic handles built flush into either side wall make the ADC33 compact and comfortable to handle.

ADC33

15,24 cm swivel casters with brakes at each corner.

Rigid caster in center of the unit makes maneuvering a breeze, even when fully loaded.



6 Dividers:
4 stacks (11-33 cm) Rounds



6 Dividers:
4 stacks (11-33 cm) Rounds + 1 stack (17.5-30 cm) Rounds



6 Dividers:
6 stacks (20,3-29,2 x 12,7-21,9 cm) Ovals



4 Dividers:
4 stacks (25-28,8 cm) Squares



6 Dividers:
5 stacks (24-27,9 cm) Squares



12 Dividers:
6 stacks (15,2-20,3 cm) Squares or Rounds



4 Dividers:
1 stack (35-73,6 cm) long x up to (59,9 cm) wide Oval trays



6 Dividers:
4 stacks Ovals (29,2 x 21,9 cm); 1 stack 40,6 cm Round Tray



8 Dividers:
6 stacks (20,3 cm) Medium Squares



6 Dividers:
2 stacks (33,7 cm) Large Rounds, 1 stack (25,4 cm) Medium Squares, 1 stack (29,2 cm) Large Squares, 1 stack (29,2 x 21,9 cm) Medium Ovals



6 Dividers:
5 stacks (29,2 x 21,9 cm) Ovals



6 Dividers:
4 stacks Custom Plates

POKER CHIP "FIXED" NON ADJUSTABLE DISH CADDIES

- Dividers are molded into the body in a standard poker chip design.
- Made of durable polyethylene that protects plates from chipping.
- Rear big wheels and front swivel casters provide smooth maneuvering.
- Open access from two sides for easy loading and unloading.
- Molded-in handles on both ends for easy transporting.

Standard Caddy Colors: Black (110), Slate Blue (401),Dark Brown (131), Granite Gray (191).
Versa Caddy Colors: Black (110), Dark Brown (131), Speckled Gray (480).

Casters: 12,7 cm swivel with brakes and two25,4 cm Easy Wheels.

Loading Capacity: 227 kg.

Vinyl cover included. Not NSF listed.

DCS950 is covered by U.S. Patent D 603,120 S. DCS1125 is covered by U.S. Patent D 625,894.

Standard Dish Caddies

DC575
PLATE SIZE RANGE (ROUNDS): 14,6 cm
STACKS PER CADDY: 6
PLATES PER STACK: 45-60
OVERALL DIMENSIONS W x L x H: 83 x 60 x 81 cm
Case Pack: 1

DC700
PLATE SIZE RANGE (ROUNDS): 14,9-17,8 cm
STACKS PER CADDY: 6
PLATES PER STACK: 45-60
OVERALL DIMENSIONS W x L x H: 83 x 60 x 81 cm
Case Pack: 1

DC825
PLATE SIZE RANGE (ROUNDS): 18,1-21 cm
STACKS PER CADDY: 4
PLATES PER STACK: 45-60
OVERALL DIMENSIONS W x L x H: 73 x 60,5 x 81,5 cm
Case Pack: 1

DC1225
PLATE SIZE RANGE (ROUNDS): 28,9-31,1 cm
STACKS PER CADDY: 4
PLATES PER STACK: 45-60
OVERALL DIMENSIONS W x L x H: 83 x 70 x 81,5 cm
Case Pack: 1

Versa Dish Caddies

DCS950
PLATE SIZE RANGE (ROUNDS): 21,3-24,1 cm
PLATE SIZE RANGE (SQUARES): 18,4-20,5 cm
STACKS PER CADDY: 5
PLATES PER STACK: 45-60
OVERALL DIMENSIONS W x L x H: 69 x 78 x 81 cm
Case Pack: 1

DCS1125
PLATE SIZE RANGE (ROUNDS): 24,4-28,6 cm
PLATE SIZE RANGE (SQUARES): 21,3-24,1 cm
STACKS PER CADDY: 4
PLATES PER STACK: 45-60
OVERALL DIMENSIONS W x L x H: 69 x 78 x 81 cm
Case Pack: 1

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

DCS950, DCS1125: (480)

CAMBOX® BUSSING BOXES

Regal (ABS)

CODE	1120CBR	1520CBR
DESCRIPTION	Four compartment cutlery box	Cambox
DIM. W x L x H	28,9 x 52 x 9,5 cm	38,9 x 50,6 x 12,5 cm

Case Pack: 12 **Colors:** Black (110), Dark Brown (131).

CODE	21155CBR	21157CBR	1722CBR
DESCRIPTION	Cambox	Cambox	Cambox
DIM. W x L x H	38,7 x 51,4 x 12,5 cm (incl. handle)	38,6 x 51,2 x 17,6 cm	42,9 x 55,6 x 12,1 cm
COVER	2115CBCR	2115CBCR	1722CBCP

Case Pack: 12 **Colors:** Black (110), Dark Brown (131).

Polyethylene

CODE	415CBP	912CBP	1120CBP	1520CBP & 1520CBPF*
DESCRIPTION	Cutlery Box	Utility Box	Four compartment cutlery box	Cambox
DIM. W x L x H	11,3 x 36 x 10,3 cm	23 x 30,6 x 13 cm	28,9 x 52 x 9,5 cm	38,9 x 50,6 x 12,5 cm
COVER	—	—	—	1520CBCP

Case Pack: 12 **Colors:** Black (110), Dark Brown (131), Light Grey (180). *1520CBPF is identical to our current 1520CBP except the internal surface is flat.

CODE	1621CBP	21155CBP	21157CBP	1722CBP
DESCRIPTION	Cambox	Cambox	Cambox	Cambox
DIM. W x L x H	39,7 x 52 x 12,4 cm	38,7 x 51,4 x 12,5 cm (incl. handle)	38,6 x 51,2 x 17,6 cm	42,9 x 55,6 x 12,1 cm
COVER	—	2115CBCP	2115CBCP	1722CBCP

Case Pack: 12 **Colors:** Black (110), Dark Brown (131), Light Grey (180).

Box Covers

CODE	1520CBCP	1722CBCP	2115CBCP	2115CBCR
FITS	1520CBP	1722CBR, 1722CBP	21155CBP, 21157CBP	21155CBR, 21157CBR
DIM. W x L	40,6 x 52 cm	44 x 56,8 cm	39,4 x 52 cm	39,4 x 52 cm

Case Pack: 12 **Color:** White (148).

BPA FREE

SERVICE CART PRO

A complete line of small, medium, and large service carts, designed to elevate operational efficiency in any type of foodservice operation. Sturdy, strong and durable with a sleek, modern look that rolls easily between front and back of the house.

- Three durable shelves feature raised ridges to protect surface against heat. Shelf surfaces are lightly textured (top only), stain resistant and easy to clean.
- Two molded-in ergonomic handles on each end of the cart are recessed, flush to the body, to save space.
- Middle and bottom shelves have a 2 cm raised edge on one side to help keep items in place.
- Choose 4 swivel when maneuvering in and out of tight spaces is needed.

Colors: Black (110), Dark Brown (131), Charcoal Gray (615).

Service Cart PRO and Quick Connect Bins are covered by US Patents D882,203 S, D883,755 S, and D885,003 S.

SC330

EXTRA STABILITY
3,8 cm raised rail on top shelf; 2 cm rail on one side of lower shelves to secure contents.

SPACE MAXIMIZER
Molded-in handles for compact storage, shielded from damage.

MORE OPTIONS
Quick Connect Bins for trash, dirty utensils or extra storage fit securely below handles.

EXTRA TOUGH & SUSTAINABLE
Built for heavy-duty use; resists chips, dents, rust, and stains.

SMOOTH, QUIET MANEUVERING
Heavy-duty, non-marking plate casters. Choose from 2 configurations.

HOT PAN PROTECTION
Shelves with raised cooling ribs to withstand hot pans.

NOTE: Best to cool metal pans to 121°C before placing on cart.

PERSONALIZATION
Contact your Cambro representative for pricing.

SERVICE CART PRO

TOTAL WEIGHT CAPACITY
272 kg

90,7 kg
PER SHELF

Top Shelf Dimension (L x D Inside Rails)
82,9 x 50,1 cm

Vertical open space between each shelf is 27,6 cm

Caster Size: 15 x 3,8 cm

Large

CODE	CASTERS	INTERIOR SHELF DIMENSIONS L x D x H	CART DIMENSIONS L x D x H	UNIT WEIGHT
SC337	2 Rigid, 2 Swivel with Brake	87 x 55 x 27,6 cm	105,4 x 60 x 94,6 cm	27,4 kg
SC337S	4 Swivel, All with Brake	87 x 55 x 27,6 cm	105,4 x 60 x 94,6 cm	28,2 kg

TOTAL WEIGHT CAPACITY
272 kg

90,7 kg
PER SHELF

Top Shelf Dimension (L x D Inside Rails)
72,4 x 45,7 cm

Vertical open space between each shelf is 27,6 cm

Caster Size: 15 x 3,8 cm

Medium

CODE	CASTERS	INTERIOR SHELF DIMENSIONS L x D x H	CART DIMENSIONS L x D x H	UNIT WEIGHT
Open Sides				
SC230	2 Rigid, 2 Swivel with Brake	77,1 x 53,3 x 27,6 cm	95,3 x 55,9 x 94,6 cm	23,6 kg
SC230S	4 Swivel, All with Brake	77,1 x 53,3 x 27,6 cm	95,3 x 55,9 x 94,6 cm	24,4 kg
One Closed Side				
SC330	2 Rigid, 2 Swivel with Brake	77,1 x 50,8 x 27,6 cm	95,3 x 55,9 x 94,6 cm	26,7 kg
SC330S	4 Swivel, All with Brake	77,1 x 50,8 x 27,6 cm	95,3 x 55,9 x 94,6 cm	27,6 kg

TOTAL WEIGHT CAPACITY
176,9 kg

59 kg
PER SHELF

Top Shelf Dimension (L x D Inside Rails)
60 x 35,6 cm

Vertical open space between each shelf is 27,6 cm

Caster Size: 7,6 x 3,2 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SC337: (615)
QCSB, QCTB: (110)

Small

CODE	CASTERS	INTERIOR SHELF DIMENSIONS L x D x H	CART DIMENSIONS L x D x H	UNIT WEIGHT
SC225	2 Rigid, 2 Swivel with Brake	65,4 x 41,9 x 27,6 cm	79,4 x 45,7 x 86,4 cm	16,3 kg
SC225S	4 Swivel, All with Brake	65,4 x 41,9 x 27,6 cm	79,4 x 45,7 x 86,4 cm	17,1 kg

Case Pack: 1 **Service Pro Cart Colors:** Black (110), Dark Brown (131), Charcoal Gray (615).

Optional Accessories

CODE	DESCRIPTION	EXTERIOR DIM. L x W x H
QCSB	Small Quick Connect Bin	40,6 x 17,8 x 30,9 cm
QCTB	Large Quick Connect Bin	40,6 x 17,8 x 54 cm

Case Pack: 1 **Colors:** Black (110)

QCTB

QCSB

Optional Quick Connect Bins slide and lock onto molded-in dovetails positioned safely below the handles.

KD SERVICE CART AND KD UTILITY CART

- Versatile, durable and economically-priced carts.
- Marine rails and lightly-textured polypropylene shelves keep contents in place.
- Aluminum uprights ensure stability.
- Ships “knocked down” to minimize shipping costs.
- Easy to assemble.

Cart and Shelf Panel Set Colors: Black (110), Speckled Grey (480).

Trash Container and Silverware Holder Color: Black (110).

camguard
ANTIMICROBIAL HANDLES

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

BC331KD, BC340KD, BC340KDP: (480), (110)
BC331KDTC, BC331KDSH: (110)

CODE	BC340KD	BC331KD
DESCRIPTION	Large Utility Cart	Small Service Cart
CASTER DIA./TYPE	12,7 cm, 4 swivel, no brake	10,2 cm, 4 swivel, no brake
OVERALL DIM. L x D x H	101,6 x 54 x 95,25 cm	83,5 x 41 x 96,5 cm
SHELF DIM. L x D x H	80 x 52 x 29,8 cm	62 x 40 x 30 cm
LOAD CAPACITY	180 kg	136 kg

Case Pack: 1

Shown with optional shelf panels on single shelf.

Optional Accessories

CODE	BC331KDTC	BC331KDSH	BC340KDP
DESCRIPTION	30 L Trash container	9,5 L Silverware holder	Single Shelf Panel Set for KD Large Utility Cart 1 side, 2 ends
DIM. W x D x H	33 x 24 x 56 cm	33 x 24 x 18,5 cm	80,3 x 45 x 29,8 cm

Case Pack: 1

When we say Shelving for Life, we mean it. All Camshelving® storage systems are designed to withstand the toughest conditions and the harshest environments. With our lifetime warranty against rust and corrosion, only Cambro offers SHELVING for LIFE™.

Cambro storage and transportation products that support safe food handling.

COMPONENT

Products that meet the NSF International criteria for sanitation and cleanability.

Products that help meet HACCP guidelines.

Certifies products approved by Technischer Überwachungs-Verein. (Technical Inspection Association)

Fit for food products

Dishwasher Safe

Cadmium-free products

Recyclable polypropylene

camguard ANTIMICROBIAL SHELF PLATES

Antimicrobial protection permanently molded into shelf plates to inhibit the growth of mold, fungus and bacteria.

Camshelving® is covered under the following U.S. Patents:

D498,664 S, D508,646 S, D512,867 S, D623,929 S, D624,764 S, D648,582 S, D630,935 S, D648,159 S, D651,433 S, D648,160 S, D697,391 S, D727,715 S, D728,347 S, D728,348 S, D707,994 S, D739,989 S, D663,912 S, D736,488 S, D739,989 S, D760,519 S, D841, 273 S, D828, 145 S, D827, 421 S US 6,981,454B2

CAMSHELVING®

SHELVING for LIFE™

KEY FEATURES OF ALL CAMSHELVING SERIES

Rust and Corrosion Free

Backed by a lifetime warranty against rust and corrosion. All Camshelving is impervious to harsh chemicals and salt water.



All Environments

Camshelving is designed to withstand all extreme storage applications and temperatures.

- Coolers
- Freezers
- Dry Storage
- Utility

Maximized Space Utilization

Shelving units are designed to be interconnected, without compromising weight-bearing capacity, all while maximizing usable storage space.

Starter Unit



Starter + Add-On Unit



PREMIUM® series
ELEMENTS® XTRA series
BASICS® PLUS series

Easy to Clean

Camshelving easily wipes clean or shelf plates can go through the dishwasher. Camguard® antimicrobial shelf plates inhibit the growth of harmful bacteria and microbes.

Easy to Assemble & Adjust

Units ship with preassembled frames to speed up installation. Each shelf can be easily and independently adjusted.

Corner Unit
Starter + Add-On Unit



U-Shape Unit
Two Starter Units +
Intermediate Shelves



T-Shape Unit
Starter unit + Add-on Unit



Bottom Shelf
Dunnage Stands

Convert unusable space into continuous, easy-access storage areas with corner connectors. ●
Corner connectors are for use only with shelves 680 – 1280 mm long.

CAMSHELVING® SERIES BUYERS GUIDE

All Camshelving lines offer a lifetime warranty against rust and corrosion for shelf plates, posts and traverses.

	PREMIUM series	**ELEMENTS XTRA** series	**BASICS PLUS** series
Shelf Depths	300, 400, 500, 600 mm	360, 460, 540, 610 mm	360, 460, 540, 610 mm
Shelf Lengths	680, 780, 880, 980, 1080, 1180, 1280, 1380, 1480, 1580, 1680, 1780 mm	610, 765, 915, 1070, 1220, 1375, 1525, 1830 mm	765, 915, 1070, 1220, 1375, 1525mm
Post Heights	**Stationary:** 1700, 1800, 2140 mm **Mobile:** 1790 mm (includes casters)	**Stationary:** 765, 915, 1070, 1220 mm **Mobile:** 1778, 1980 mm (includes casters)	**Stationary:** 1630, 1830, 2140 mm
Weight-Bearing Capacity Premium (based on 680 - 1280 mm length) Elements XTRA (based on 610 - 1220 mm length) Basics Plus (based on 765 - 1220 mm length)	**Stationary Unit:** 200 kg per shelf, 800 kg per unit. **Mobile Unit:** 340 kg per unit. **Corner Unit:** 180 kg per shelf, 810 kg per unit. (2 dunnage stands required)	**Stationary Unit:** 365 kg per shelf, 1090 kg per unit. **Mobile Unit:** 340 kg per unit. **Corner Unit:** 365 kg per shelf, 1090 kg per unit. (2 dunnage stands required)	**Stationary Unit:** 190 kg per shelf, 800 kg per unit. **Corner Unit:** 130 kg per shelf, 590 kg per unit. (2 dunnage stands required)
Shelf Plates	Interchangeable with Elements XTRA Series. Features Camguard® antimicrobial.	Interchangeable with Premium Series. Features Camguard antimicrobial.	Not interchangeable with Premium or Elements XTRA Series. Features Camguard antimicrobial.
Mobility	Available in Mobile and High Density Storage System.	Available in Mobile and High Density Storage System.	Not available.
Assembly	Quickest and easiest to assemble due to molded-in dovetails.	Simple to assemble. Contains separate dovetails that must be attached to the post.	Simple to assemble. Contains separate dovetails that must be attached to the post.
ACCESSORIES			
Bottom Shelf Dunnage Stand	✔	✔	✔
Shelf Rails	✔	✔	✔
Vertical Drying and Storage Cradle (Trays / Cutting Boards / Lids)	✔	✔	✔
Dome Drying and Storage Cradle	✔	✔	✔
Angled Drying and Storage Cradle	✔	✔	✔
Ultimate #10 Can Rack	✔	✔	
Shelf Divider Panel	✔	✔	✔
Shelf Divider Bar (for Food Pans or Food Boxes)	✔	✔	
Single Shelf Sheet Pan/Tray Rack	✔	✔	✔
Single Shelf Security Cage	✔	✔	✔
Full Wrap Security Cage	✔		

NSF COMPONENT

FREE CAMSHELVING® DESIGN SERVICE



Take the guesswork out of creating your perfect shelving layout. Let our expert shelving consultants prepare a free layout that optimizes your space to create the most storage options.

Here's what you'll get:

- 2D Floor Plan
- 3D Floor Plan
- Itemized product list by room/area
- All within 48 business-day hours

It's Simple! To Get Started, Please Provide:

- Project Name
- Storage Room Type (freezer / cooler)
- Room(s) Dimensions (L x W x H)
- Doorway / Entryway Location & Dimension
- Obstructions (condenser / pipes)
- Additional Preferences / Requirements



SCAN ME

Request a Free
3D Shelving Layout

CAMSHELVING® SERIES OVERALL LENGTH – QUICK REFERENCE GUIDE

Straight Unit: Starter Unit + Add-On Unit with Shared Posts





Corner Unit: Starter Unit + Add-On Unit with Corner Connectors





U-Shape Unit: Two Starter Units + Intermediate Shelves with Corner Connectors





Straight Unit: Starter Unit + Add-On Unit with Shared Posts

PREMIUM SERIES

STARTER & ADD-ON UNIT	STARTER UNIT ACTUAL LENGTH		ADD-ON UNIT ACTUAL LENGTH		OVERALL LENGTH
600 mm	680 mm	+	635 mm	=	**1315 mm**
700	780	+	735	=	**1515**
800	880	+	835	=	**1715**
900	980	+	935	=	**1915**
1000	1080	+	1035	=	**2115**
1100	1180	+	1135	=	**2315**
1200	1280	+	1235	=	**2515**
1300	1380	+	1335	=	**2715**
1400	1480	+	1435	=	**2915**
1500	1580	+	1535	=	**3115**
1600	1680	+	1635	=	**3315**
1700	1780	+	1735	=	**3515**

ELEMENTS XTRA® SERIES

STARTER UNIT ACTUAL LENGTH		ADD-ON UNIT ACTUAL LENGTH		OVERALL LENGTH
610 mm	+	559 mm	=	**1169 mm**
765	+	712	=	**1477**
915	+	864	=	**1779**
1070	+	1016	=	**2086**
1220	+	1169	=	**2389**
1375	+	1321	=	**2696**
1525	+	1474	=	**2999**
1830	+	1778	=	**3608**

BASICS PLUS SERIES

STARTER UNIT ACTUAL LENGTH		ADD-ON UNIT ACTUAL LENGTH		OVERALL LENGTH
765 mm	+	718 mm	=	**1483 mm**
915	+	870	=	**1785**
1070	+	1023	=	**2093**
1220	+	1175	=	**2395**
1375	+	1328	=	**2703**
1525	+	1480	=	**3005**
1830	+	1785	=	**3615**

Corner Unit: Starter Unit + Add-On Unit with Corner Connectors

PREMIUM SERIES

ADD-ON UNIT	ADD-ON UNIT ACTUAL LENGTH		STARTER UNIT DEPTH		OVERALL LENGTH
600 mm	655 mm	+	400 mm	=	**1035 mm**
700	755	+	400	=	**1135**
800	855	+	400	=	**1235**
900	955	+	400	=	**1335**
1000	1055	+	400	=	**1435**
1100	1155	+	400	=	**1535**
1200	1255	+	400	=	**1635**

ELEMENTS XTRA / BASICS PLUS SERIES

610	585	+	*458	=	**1045**
765	737	+	458	=	**1200**
915	889	+	458	=	**1350**
1070	1042	+	458	=	**1505**
1220	1194	+	458	=	**1655**

PREMIUM SERIES

ADD-ON UNIT ACTUAL LENGTH		STARTER UNIT DEPTH		OVERALL LENGTH
655 mm	+	500 mm	=	**1155 mm**
755	+	500	=	**1255**
855	+	500	=	**1355**
955	+	500	=	**1455**
1055	+	500	=	**1555**
1155	+	500	=	**1655**
1255	+	500	=	**1755**

ELEMENTS XTRA / BASICS PLUS SERIES

585	+	*534	=	**1119**
737	+	534	=	**1271**
889	+	534	=	**1423**
1042	+	534	=	**1576**
1194	+	534	=	**1728**

PREMIUM SERIES

ADD-ON UNIT ACTUAL LENGTH		STARTER UNIT DEPTH		OVERALL LENGTH
655 mm	+	600 mm	=	**1255 mm**
755	+	600	=	**1355**
855	+	600	=	**1455**
955	+	600	=	**1555**
1055	+	600	=	**1655**
1155	+	600	=	**1755**
1255	+	600	=	**1855**

ELEMENTS XTRA / BASICS PLUS SERIES

585	+	*610	=	**1195**
737	+	610	=	**1347**
889	+	610	=	**1499**
1042	+	610	=	**1652**
1194	+	610	=	**1804**

610 mm unit not available in Camshelving Basics Plus Series. *Actual depth.

U-Shape Unit: Two Starter Units + Intermediate Shelves with Corner Connectors

PREMIUM SERIES

INTERMEDIATE SHELF	INTERMEDIATE SHELF ACTUAL LENGTH		400 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
800 mm	830 mm	+	800 mm	=	**1630 mm**
900	930	+	800	=	**1730**
1000	1030	+	800	=	**1830**
1100	1130	+	800	=	**1930**
1200	1230	+	800	=	**2030**

ELEMENTS XTRA / BASICS PLUS SERIES

INTERMEDIATE SHELF	INTERMEDIATE SHELF ACTUAL LENGTH		460 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
915 mm	864 mm	+	*915 mm	=	**1779 mm**
1070	1016	+	915	=	**1931**
1220	1169	+	915	=	**2084**

*Actual depth.

PREMIUM SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		500 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
830 mm	+	1000 mm	=	**1830 mm**
930	+	1000	=	**1930**
1030	+	1000	=	**2030**
1130	+	1000	=	**2130**
1230	+	1000	=	**2230**

ELEMENTS XTRA / BASICS PLUS SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		540 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
864 mm	+	*1067 mm	=	**1931 mm**
1016	+	1067	=	**2083**
1169	+	1067	=	**2236**

PREMIUM SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		600 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
830 mm	+	1200 mm	=	**2030 mm**
930	+	1200	=	**2130**
1030	+	1200	=	**2230**
1130	+	1200	=	**2330**
1230	+	1200	=	**2430**

ELEMENTS XTRA / BASICS PLUS SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		610 MM DEPTH STARTER UNIT A+B		OVERALL LENGTH
864 mm	+	*1220 mm	=	**2084 mm**
1020	+	1220	=	**2236**
1170	+	1220	=	**2389**

CAMSHELVING®

PREMIUM

series

STATIONARY | MOBILE | HIGH DENSITY

- Posts and traverses have a steel core and smooth polypropylene exterior for superior strength and durability.
- Traverse dovetails are molded into posts every 10,2 cm.
- Polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38˚ to 88˚C.
- Lifetime warranty against rust and corrosion.

"Lock tab" design solidly "locks" both post and post connector together for enhanced stability.

Connectors remain engaged on posts even under the most rigorous and demanding storage conditions.

camguard

ANTIMICROBIAL SHELF PLATES

NSF COMPONENT

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

Posts, Traverses, Shelf Plates, Dunnage Stand Saddle, Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Single Shelf Security Cage, Tray Slide Rack, Ultimate #10 Can Rack, Shelf Divider Bars, High Density Track and Extension Kits are not NSF Listed.

CAMSHELVING® PREMIUM SERIES

STARTER UNITS

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.

***Units ship in separate post kit (unassembled) and shelf kit cartons due to overall weight.**

Stationary

4 Depths	12 Lengths		3 Heights
300 mm	680 mm	1280 mm	1700 mm
400	780	1380	1800
500	880	1480	2140
600	980	1580	
	1080	1680	
	1180	1780	

Standard Mobile

3 Depths	5 Lengths	1 Heights
400 mm	980 mm	1790 mm
500	1080	
600	1180	
	1280	
	1380	

High Density Mobile

2 Depths	5 Lengths		1 Heights
500 mm	980 mm	1280 mm	1790 mm
600	1080	1380	
	1180		



Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

		UNIT LENGTH 680 – 1280 MM	UNIT LENGTH 1380 – 1780 MM
SINGLE UNIT	Unit only	800 kg (TUV)	600 kg (TUV)
	Shelf only	200 (TUV)	150 (TUV)
	Unit with dunnage stand*	980	740
	Bottom shelf with dunnage stand*	380	290
CORNER UNIT*** with 2 dunnage stands required	Unit only	810	—
	Shelf only	180	—
	Bottom shelf with dunnage stands*	270	—
MOBILE UNIT	Unit only**	408	—

TUV CERTIFICATION WEIGHT BEARING CAPACITY

***Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1380 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).**

****Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 408 kg.**

***** Corner connectors are for use only with shelves 680 – 1280 mm long.**

SANPELLEGRINO
SANPELLEGRINO
SANPELLEGRINO
SANPELLEGRINO
SANPELLEGRINO

TOILETRIES
PAPER GOODS

Horseradish
TABLE SPICES
HONEY BEE'S
Hollandaise
Mustard
Ketchup
Hot Sauce
Teriyaki
CONDIMENTS
DRESSINGS

PREMIUM SERIES

1700 mm HEIGHT

V4PKG
4-SHELF VENTED UNITS

Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.

Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.

Starter



Add-On



400 mm DEPTH

CODE	DIMENSIONS D x L x H	CODE	DIMENSIONS D x L x H
MPU4617V4PKG	400 x 680 x 1700 mm	MPA4617V4PKG	400 x 635 x 1700 mm
MPU4717V4PKG	400 x 780 x 1700	MPA4717V4PKG	400 x 735 x 1700
MPU4817V4PKG	400 x 880 x 1700	MPA4817V4PKG	400 x 835 x 1700
MPU4917V4PKG	400 x 980 x 1700	MPA4917V4PKG	400 x 935 x 1700
MPU41017V4PKG	400 x 1080 x 1700	MPA41017V4PKG	400 x 1035 x 1700
MPU41117V4PKG	400 x 1180 x 1700	MPA41117V4PKG	400 x 1135 x 1700
MPU41217V4PKG	400 x 1280 x 1700	MPA41217V4PKG	400 x 1235 x 1700
MPU41317V4PKG	400 x 1380 x 1700	MPA41317V4PKG	400 x 1335 x 1700
MPU41417V4PKG	400 x 1480 x 1700	MPA41417V4PKG	400 x 1435 x 1700
MPU41517V4PKG	400 x 1580 x 1700	MPA41517V4PKG	400 x 1535 x 1700
MPU41617V4PKG	400 x 1680 x 1700	MPA41617V4PKG	400 x 1635 x 1700
MPU41717V4PKG	400 x 1780 x 1700	MPA41717V4PKG	400 x 1735 x 1700

500 mm DEPTH

MPU5617V4PKG	500 x 680 x 1700 mm	MPA5617V4PKG	500 x 635 x 1700 mm
MPU5717V4PKG	500 x 780 x 1700	MPA5717V4PKG	500 x 735 x 1700
MPU5817V4PKG	500 x 880 x 1700	MPA5817V4PKG	500 x 835 x 1700
MPU5917V4PKG	500 x 980 x 1700	MPA5917V4PKG	500 x 935 x 1700
MPU51017V4PKG	500 x 1080 x 1700	MPA51017V4PKG	500 x 1035 x 1700
MPU51117V4PKG	500 x 1180 x 1700	MPA51117V4PKG	500 x 1135 x 1700
MPU51217V4PKG	500 x 1280 x 1700	MPA51217V4PKG	500 x 1235 x 1700
MPU51317V4PKG	500 x 1380 x 1700	MPA51317V4PKG	500 x 1335 x 1700
MPU51417V4PKG	500 x 1480 x 1700	MPA51417V4PKG	500 x 1435 x 1700
MPU51517V4PKG	500 x 1580 x 1700	MPA51517V4PKG	500 x 1535 x 1700
MPU51617V4PKG	500 x 1680 x 1700	MPA51617V4PKG	500 x 1635 x 1700
MPU51717V4PKG	500 x 1780 x 1700	MPA51717V4PKG	500 x 1735 x 1700

600 mm DEPTH

MPU6617V4PKG	600 x 680 x 1700 mm	MPA6617V4PKG	600 x 635 x 1700 mm
MPU6717V4PKG	600 x 780 x 1700	MPA6717V4PKG	600 x 735 x 1700
MPU6817V4PKG	600 x 880 x 1700	MPA6817V4PKG	600 x 835 x 1700
MPU6917V4PKG	600 x 980 x 1700	MPA6917V4PKG	600 x 935 x 1700
MPU61017V4PKG	600 x 1080 x 1700	MPA61017V4PKG	600 x 1035 x 1700
MPU61117V4PKG	600 x 1180 x 1700	MPA61117V4PKG	600 x 1135 x 1700
MPU61217V4PKG	600 x 1280 x 1700	MPA61217V4PKG	600 x 1235 x 1700
MPU61317V4PKG	600 x 1380 x 1700	MPA61317V4PKG	600 x 1335 x 1700
MPU61417V4PKG	600 x 1480 x 1700	MPA61417V4PKG	600 x 1435 x 1700
MPU61517V4PKG	600 x 1580 x 1700	MPA61517V4PKG	600 x 1535 x 1700
MPU61617V4PKG	600 x 1680 x 1700	MPA61617V4PKG	600 x 1635 x 1700
MPU61717V4PKG	600 x 1780 x 1700	MPA61717V4PKG	600 x 1735 x 1700

Color: Speckled White (490).

PREMIUM SERIES

1800 mm HEIGHT

V4PKG
4-SHELF VENTED UNITS

Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.

Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.

Starter



Add-On



400 mm DEPTH

CODE	DIMENSIONS D x L x H	CODE	DIMENSIONS D x L x H
MPU4618V4PKG	400 x 680 x 1800 mm	MPA4618V4PKG	400 x 635 x 1800 mm
MPU4718V4PKG	400 x 780 x 1800	MPA4718V4PKG	400 x 735 x 1800
MPU4818V4PKG	400 x 880 x 1800	MPA4818V4PKG	400 x 835 x 1800
MPU4918V4PKG	400 x 980 x 1800	MPA4918V4PKG	400 x 935 x 1800
MPU41018V4PKG	400 x 1080 x 1800	MPA41018V4PKG	400 x 1035 x 1800
MPU41118V4PKG	400 x 1180 x 1800	MPA41118V4PKG	400 x 1135 x 1800
MPU41218V4PKG	400 x 1280 x 1800	MPA41218V4PKG	400 x 1235 x 1800
MPU41318V4PKG	400 x 1380 x 1800	MPA41318V4PKG	400 x 1335 x 1800
MPU41418V4PKG	400 x 1480 x 1800	MPA41418V4PKG	400 x 1435 x 1800
MPU41518V4PKG	400 x 1580 x 1800	MPA41518V4PKG	400 x 1535 x 1800
MPU41618V4PKG	400 x 1680 x 1800	MPA41618V4PKG	400 x 1635 x 1800
MPU41718V4PKG	400 x 1780 x 1800	MPA41718V4PKG	400 x 1735 x 1800

500 mm DEPTH

MPU5618V4PKG	500 x 680 x 1800 mm	MPA5618V4PKG	500 x 635 x 1800 mm
MPU5718V4PKG	500 x 780 x 1800	MPA5718V4PKG	500 x 735 x 1800
MPU5818V4PKG	500 x 880 x 1800	MPA5818V4PKG	500 x 835 x 1800
MPU5918V4PKG	500 x 980 x 1800	MPA5918V4PKG	500 x 935 x 1800
MPU51018V4PKG	500 x 1080 x 1800	MPA51018V4PKG	500 x 1035 x 1800
MPU51118V4PKG	500 x 1180 x 1800	MPA51118V4PKG	500 x 1135 x 1800
MPU51218V4PKG	500 x 1280 x 1800	MPA51218V4PKG	500 x 1235 x 1800
MPU51318V4PKG	500 x 1380 x 1800	MPA51318V4PKG	500 x 1335 x 1800
MPU51418V4PKG	500 x 1480 x 1800	MPA51418V4PKG	500 x 1435 x 1800
MPU51518V4PKG	500 x 1580 x 1800	MPA51518V4PKG	500 x 1535 x 1800
MPU51618V4PKG	500 x 1680 x 1800	MPA51618V4PKG	500 x 1635 x 1800
MPU51718V4PKG	500 x 1780 x 1800	MPA51718V4PKG	500 x 1735 x 1800

600 mm DEPTH

MPU6618V4PKG	600 x 680 x 1800 mm	MPA6618V4PKG	600 x 635 x 1800 mm
MPU6718V4PKG	600 x 780 x 1800	MPA6718V4PKG	600 x 735 x 1800
MPU6818V4PKG	600 x 880 x 1800	MPA6818V4PKG	600 x 835 x 1800
MPU6918V4PKG	600 x 980 x 1800	MPA6918V4PKG	600 x 935 x 1800
MPU61018V4PKG	600 x 1080 x 1800	MPA61018V4PKG	600 x 1035 x 1800
MPU61118V4PKG	600 x 1180 x 1800	MPA61118V4PKG	600 x 1135 x 1800
MPU61218V4PKG	600 x 1280 x 1800	MPA61218V4PKG	600 x 1235 x 1800
MPU61318V4PKG	600 x 1380 x 1800	MPA61318V4PKG	600 x 1335 x 1800
MPU61418V4PKG	600 x 1480 x 1800	MPA61418V4PKG	600 x 1435 x 1800
MPU61518V4PKG	600 x 1580 x 1800	MPA61518V4PKG	600 x 1535 x 1800
MPU61618V4PKG	600 x 1680 x 1800	MPA61618V4PKG	600 x 1635 x 1800
MPU61718V4PKG	600 x 1780 x 1800	MPA61718V4PKG	600 x 1735 x 1800

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)

PREMIUM SERIES

1800 mm HEIGHT

V5PKG
5-SHELF VENTED UNITS

Starter units include 2 post kits and 5 shelf kits. Units ship complete in 7 boxes.

Add-On units include 1 post kit and 5 shelf kits. Units ship complete in 6 boxes.

Starter



Add-On



400 mm DEPTH

CODE	DIMENSIONS D x L x H
MPU4618V5PKG	400 x 680 x 1800 mm
MPU4718V5PKG	400 x 780 x 1800
MPU4818V5PKG	400 x 880 x 1800
MPU4918V5PKG	400 x 980 x 1800
MPU41018V5PKG	400 x 1080 x 1800
MPU41118V5PKG	400 x 1180 x 1800
MPU41218V5PKG	400 x 1280 x 1800
MPU41318V5PKG	400 x 1380 x 1800
MPU41418V5PKG	400 x 1480 x 1800
MPU41518V5PKG	400 x 1580 x 1800
MPU41618V5PKG	400 x 1680 x 1800
MPU41718V5PKG	400 x 1780 x 1800

CODE	DIMENSIONS D x L x H
MPA4618V5PKG	400 x 635 x 1800 mm
MPA4718V5PKG	400 x 735 x 1800
MPA4818V5PKG	400 x 835 x 1800
MPA4918V5PKG	400 x 935 x 1800
MPA41018V5PKG	400 x 1035 x 1800
MPA41118V5PKG	400 x 1135 x 1800
MPA41218V5PKG	400 x 1235 x 1800
MPA41318V5PKG	400 x 1335 x 1800
MPA41418V5PKG	400 x 1435 x 1800
MPA41518V5PKG	400 x 1535 x 1800
MPA41618V5PKG	400 x 1635 x 1800
MPA41718V5PKG	400 x 1735 x 1800

500 mm DEPTH

MPU5618V5PKG	500 x 680 x 1800 mm
MPU5718V5PKG	500 x 780 x 1800
MPU5818V5PKG	500 x 880 x 1800
MPU5918V5PKG	500 x 980 x 1800
MPU51018V5PKG	500 x 1080 x 1800
MPU51118V5PKG	500 x 1180 x 1800
MPU51218V5PKG	500 x 1280 x 1800
MPU51318V5PKG	500 x 1380 x 1800
MPU51418V5PKG	500 x 1480 x 1800
MPU51518V5PKG	500 x 1580 x 1800
MPU51618V5PKG	500 x 1680 x 1800
MPU51718V5PKG	500 x 1780 x 1800

MPA5618V5PKG	500 x 635 x 1800 mm
MPA5718V5PKG	500 x 735 x 1800
MPA5818V5PKG	500 x 835 x 1800
MPA5918V5PKG	500 x 935 x 1800
MPA51018V5PKG	500 x 1035 x 1800
MPA51118V5PKG	500 x 1135 x 1800
MPA51218V5PKG	500 x 1235 x 1800
MPA51318V5PKG	500 x 1335 x 1800
MPA51418V5PKG	500 x 1435 x 1800
MPA51518V5PKG	500 x 1535 x 1800
MPA51618V5PKG	500 x 1635 x 1800
MPA51718V5PKG	500 x 1735 x 1800

600 mm DEPTH

MPU6618V5PKG	600 x 680 x 1800 mm
MPU6718V5PKG	600 x 780 x 1800
MPU6818V5PKG	600 x 880 x 1800
MPU6918V5PKG	600 x 980 x 1800
MPU61018V5PKG	600 x 1080 x 1800
MPU61118V5PKG	600 x 1180 x 1800
MPU61218V5PKG	600 x 1280 x 1800
MPU61318V5PKG	600 x 1380 x 1800
MPU61418V5PKG	600 x 1480 x 1800
MPU61518V5PKG	600 x 1580 x 1800
MPU61618V5PKG	600 x 1680 x 1800
MPU61718V5PKG	600 x 1780 x 1800

MPA6618V5PKG	600 x 635 x 1800 mm
MPA6718V5PKG	600 x 735 x 1800
MPA6818V5PKG	600 x 835 x 1800
MPA6918V5PKG	600 x 935 x 1800
MPA61018V5PKG	600 x 1035 x 1800
MPA61118V5PKG	600 x 1135 x 1800
MPA61218V5PKG	600 x 1235 x 1800
MPA61318V5PKG	600 x 1335 x 1800
MPA61418V5PKG	600 x 1435 x 1800
MPA61518V5PKG	600 x 1535 x 1800
MPA61618V5PKG	600 x 1635 x 1800
MPA61718V5PKG	600 x 1735 x 1800

Color: Speckled White (490).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)

PREMIUM SERIES

1790 mm HEIGHT

V4PKG
4-SHELF MOBILE UNITS

Mobile starter units include 2 mobile post kits, 4 shelf kits vented or solid and 4 swivel casters with total locking brake. Units ship complete in 6 boxes.

Vented



Solid



400 mm DEPTH

DIMENSIONS D x L x H	CODE	CODE
400 x 980 x 1790 mm	MPMU4917V4PKG	MPMU4917S4PKG
400 x 1080 x 1790	MPMU41017V4PKG	MPMU41017S4PKG
400 x 1180 x 1790	MPMU41117V4PKG	MPMU41117S4PKG
400 x 1280 x 1790	MPMU41217V4PKG	MPMU41217S4PKG
400 x 1380 x 1790	MPMU41317V4PKG	MPMU41317S4PKG

500 mm DEPTH

500 x 980 x 1790 mm	MPMU5917V4PKG	MPMU5917S4PKG
500 x 1080 x 1790	MPMU51017V4PKG	MPMU51017S4PKG
500 x 1180 x 1790	MPMU51117V4PKG	MPMU51117S4PKG
500 x 1280 x 1790	MPMU51217V4PKG	MPMU51217S4PKG
500 x 1380 x 1790	MPMU51317V4PKG	MPMU51317S4PKG

600 mm DEPTH

600 x 980 x 1790 mm	MPMU6917V4PKG	MPMU6917S4PKG
600 x 1080 x 1790	MPMU61017V4PKG	MPMU61017S4PKG
600 x 1180 x 1790	MPMU61117V4PKG	MPMU61117S4PKG
600 x 1280 x 1790	MPMU61217V4PKG	MPMU61217S4PKG
600 x 1380 x 1790	MPMU61317V4PKG	MPMU61317S4PKG

*Includes 127 mm casters.

CAMSHELVING® PREMIUM SERIES ACCESSORIES

Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)



CODE	DESCRIPTION
MPCC1	1 Set for 1 shelf
MPCC8	8 Sets for 4 shelves
MPCC10	10 Sets for 5 shelves

Color: Speckled White (490).

Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

Bottom Shelf with Dunnage Stand

UNIT LENGTH	WEIGHT BEARING
Standard Unit	
610 to 1220 mm	545 kg
1375 to 1830	410
Corner Unit with 2 Dunnage Stands	
610 to 1220 mm	275

CODE	DIMENSIONS D x H
Dunnage Stand – Low	
MPDS30H16	300 x 190 mm
MPDS40H16	400 x 190
MPDS50H16	500 x 190
MPDS60H16	600 x 190
Dunnage Stand – Tall	
MPDS30H30	300 x 289
MPDS40H30	400 x 289
MPDS50H30	500 x 289
MPDS60H30	600 x 289

Case Pack: 1
Color: Speckled White (490).



Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf.

LENGTH	SINGLE PACK CODE*	DOUBLE PACK CODE**
600 mm	MPTR60	—
700	MPTR70	—
800	MPTR80	—
900	MPTR90	MPTR902PK
1000	MPTR100	MPTR1002PK
1100	MPTR110	MPTR1102PK
1200	MPTR120	MPTR1202PK
1300	MPTR130	MPTR1302PK
1400	MPTR140	—
1500	MPTR150	—
1600	MPTR160	—
1700	MPTR170	—

***Case Pack:** 1 ****Case Pack:** 2
Color: Speckled White (490).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)

HIGH DENSITY STORAGE FLOOR TRACK SYSTEM

Maximize storage capacity by creating storage aisles in all available space. This simple system is composed of stationary starter units anchored to a raised floor track system at both ends with high density mobile units installed in between. Easy to install track requires no drilling or gluing.

Increases Storage Capacity Up To

50%

High Density Mobile Units are available with factory assembled post kits, vented or solid shelves and high density casters and bumpers. Full track and extension kits ship complete with required hardware. Stationary Starter Units are required to anchor the system at both ends. Choose from a wide selection of sizes with 4 or 5 shelves to maximize storage space. (See Premium Series spec pages).

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.



Raised Floor Track provides a smooth and level surface to easily roll mobile units. Raised track ensures dirt will not get trapped and is easy to clean. Aluminum track and stainless steel hardware are rust resistant.

*It is recommended to use a stationary unit for every 4,5 m of track to further stabilize the system.

Grooved casters roll easily and securely on raised track.

Raised track connects easily to the bottom of a stationary unit that works as a system anchor. No bolts, no glue or drilling into the floor are required. Easy and fast set up.





Golden Grill
Golden Grill
Golden Grill
CEREAL
CEREAL
Phase
Phase

4-Shelf Vented High Density Mobile Starter Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Ships in 6 boxes.



HEIGHT*	DEPTHS	LENGTHS
1	2	5
1790 mm	500 mm	980 mm
	600	1080
		1180
		1280
		1380

* Includes 127 mm casters.

4-Shelf Solid High Density Mobile Starter Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Ships in 6 boxes.



HEIGHT*	DEPTHS	LENGTHS
1	2	5
1790 mm	500 mm	980 mm
	600	1080
		1180
		1280
		1380

*Includes 127 mm casters.

Full Track and Extension Kits

Aluminum raised track kits and track extensions ship complete in 1 box. Each kit includes all stainless steel hardware necessary to complete a floor installation. Ships in 1 box.

It is highly recommended to install a stationary starter unit every 4,5 m of track to further stabilize the system.



Full Track LENGTHS	Track Extension LENGTHS
3	3
3,05 m	1,38 m
3,66	1,53
4,42	1,83

CODE	DESCRIPTION	CASE PACK
Full Track Kit		
CSMHDTK10	3,05 m Track for 3 Mobile Units*	1
CSMHDTK12	3,66 m Track for 4 Mobile Units*	1
CSMHDTK145	4,42 m Track for 5 Mobile Units*	1
Track Extension Kit		
CSMHDTKE4	1,38 m Track Extension	1
CSMHDTKE5	1,53 m Track Extension	1
CSMHDTKE6	1,83 m Track Extension	1
Accessories		
CSHDFF	Floor Fastener	4

Color: Silver (000). *Based on 600 mm deep mobile units.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL FLOOR TRACK KIT AND EXTENSION SIZES: (000)

PREMIUM SERIES

V4
4-SHELF VENTED HIGH DENSITY MOBILE UNITS

S4
4-SHELF SOLID HIGH DENSITY MOBILE UNITS

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Units ship complete in 6 boxes.

1790 mm HEIGHT





500 mm DEPTH

CODE	DIMENSIONS D x L x H*
MPHU5917V4PKG	500 x 980 x 1790 mm
MPHU51017V4PKG	500 x 1080 x 1790
MPHU51117V4PKG	500 x 1180 x 1790
MPHU51217V4PKG	500 x 1280 x 1790
MPHU51317V4PKG	500 x 1380 x 1790

CODE	DIMENSIONS D x L x H*
MPHU5917S4PKG	500 x 980 x 1790 mm
MPHU51017S4PKG	500 x 1080 x 1790
MPHU51117S4PKG	500 x 1180 x 1790
MPHU51217S4PKG	500 x 1280 x 1790
MPHU51317S4PKG	500 x 1380 x 1790

600 mm DEPTH

MPHU6917V4PKG	600 x 980 x 1790 mm
MPHU61017V4PKG	600 x 1080 x 1790
MPHU61117V4PKG	600 x 1180 x 1790
MPHU61217V4PKG	600 x 1280 x 1790
MPHU61317V4PKG	600 x 1380 x 1790

MPHU6917S4PKG	600 x 980 x 1790 mm
MPHU61017S4PKG	600 x 1080 x 1790
MPHU61117S4PKG	600 x 1180 x 1790
MPHU61217S4PKG	600 x 1280 x 1790
MPHU61317S4PKG	600 x 1380 x 1790

Color: Speckled White (490). *Includes 127 mm casters.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)

High Density Caster with Donut Bumper

Grooved caster rolls easily and securely on raised track. Donut bumper protects mobile units from coming into direct contact with each other.

CODE	SIZE
MPMCHD	127 mm

Case Pack: 2 **Color:** Grey (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMCHD: (000)

Triscuit
WESTSOY
Organic
Unsweetened
GREEN BEANS
PREMIUM
CRACKERS

CAMSHELVING®

ELEMENTS® XTRA
series

STATIONARY | MOBILE | HIGH DENSITY | UNDERCOUNTER

- Posts and traverses made of a revolutionary, extremely strong composite material with a smooth, easy to clean surface. Posts now have notches on the inside only for installing traverse dovetails.
- Removable polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38˚ to 88˚C.
- Lifetime warranty against rust and corrosion.
- NEW patented post connector locks in place onto the wraparound collar wedge for solid, enhanced stability.
- NEW universal traverses can now be installed on both stationary or mobile units.
- NEW two piece, heavy-duty corner connectors featuring a "clasp" design offer zero loss of weight bearing in corners and greater weight bearing on middle shelves installed between units.

camguard
ANTIMICROBIAL SHELF PLATES
COMPONENT

Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Identification Tags, Single Shelf Security Cage, Ultimate #10 Can Rack, and Shelf Divider Bars are not NSF Listed.

CAMSHELVING® ELEMENTS XTRA SERIES

STARTER UNITS

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.

Stationary

3 Depths	8 Lengths	3 Heights
460 mm	610 mm 1220 mm	1630 mm
540	765 1375	1830
610	915 1525	2140
	1070 1830	

Standard Mobile

3 Depths	5 Lengths	2 Heights
460 mm	915 mm 1375 mm	1784 mm
540	1070 1525	1987
610	1220	

Stationary Undercounter

1 Depth	2 Lengths	1 Height
460 mm	915 mm	765 mm
	1220	

High Density Mobile

3 Depths	5 Lengths	2 Heights
460 mm	915 mm 1375 mm	1784 mm
540	1070 1525	1987
610	1220	



Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

		UNIT LENGTH 610 – 1525 MM	UNIT LENGTH 1830 MM
SINGLE UNIT	Unit only	1090 kg	1090 kg
	Shelf only	365	275
	Unit with dunnage stand*	1270	1225
	Bottom shelf with dunnage stand*	545	410

		UNIT LENGTH 610 – 1525 MM	
CORNER UNIT With 2 Dunnage Stands required	Unit only	1090 kg	—
	Shelf only	365	—
	Bottom shelf with dunnage stands*	545	—

		UNIT LENGTH 610 – 1525 MM	
INTERMEDIATE SHELVES Shelves Installed Between 2 Units	Unit only	1090 kg	—
	Shelf only	365	—
	Bottom shelf with dunnage stands*	545	—
MOBILE UNIT	Unit only**	408	—

***Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1375 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).**
****Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 408 kg.**
***** Corner connectors are for use only with shelves 610 - 1525 mm long.**

Mush curry 4/10

Tinga 4/14
Roasted ½ Tom Tom's 4/26
Candy 4-24

ELEMENTS XTRA SERIES

1630 mm HEIGHT

V4
4-SHELF VENTED UNITS

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter



Add-On



460 mm DEPTH

DIMENSIONS D x L x H	CODE	CODE
460 x 610 x 1630 mm	**EXU182464V4**	**EXA182464V4**
460 x 765 x 1630	**EXU183064V4**	**EXA183064V4**
460 x 915 x 1630	**EXU183664V4**	**EXA183664V4**
460 x 1070 x 1630	**EXU184264V4**	**EXA184264V4**
460 x 1220 x 1630	**EXU184864V4**	**EXA184864V4**
460 x 1375 x 1630	**EXU185464V4**	**EXA185464V4**
460 x 1525 x 1630	**EXU186064V4**	**EXA186064V4**
460 x 1830 x 1630	**EXU187264V4**	**EXA187264V4**

540 mm DEPTH

540 x 610 x 1630 mm	**EXU212464V4**	**EXA212464V4**
540 x 765 x 1630	**EXU213064V4**	**EXA213064V4**
540 x 915 x 1630	**EXU213664V4**	**EXA213664V4**
540 x 1070 x 1630	**EXU214264V4**	**EXA214264V4**
540 x 1220 x 1630	**EXU214864V4**	**EXA214864V4**
540 x 1375 x 1630	**EXU215464V4**	**EXA215464V4**
540 x 1525 x 1630	**EXU216064V4**	**EXA216064V4**
540 x 1830 x 1630	**EXU217264V4**	**EXA217264V4**

610 mm DEPTH

610 x 610 x 1630 mm	**EXU242464V4**	**EXA242464V4**
610 x 765 x 1630	**EXU243064V4**	**EXA243064V4**
610 x 915 x 1630	**EXU243664V4**	**EXA243664V4**
610 x 1070 x 1630	**EXU244264V4**	**EXA244264V4**
610 x 1220 x 1630	**EXU244864V4**	**EXA244864V4**
610 x 1375 x 1630	**EXU245464V4**	**EXA245464V4**
610 x 1525 x 1630	**EXU246064V4**	**EXA246064V4**
610 x 1830 x 1630	**EXU247264V4**	**EXA247264V4**

ELEMENTS XTRA SERIES

1830 mm HEIGHT

V4
4-SHELF VENTED UNITS

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter



Add-On



460 mm DEPTH

DIMENSIONS D x L x H	CODE	CODE
460 x 610 x 1830 mm	**EXU182472V4**	**EXA182472V4**
460 x 765 x 1830	**EXU183072V4**	**EXA183072V4**
460 x 915 x 1830	**EXU183672V4**	**EXA183672V4**
460 x 1070 x 1830	**EXU184272V4**	**EXA184272V4**
460 x 1220 x 1830	**EXU184872V4**	**EXA184872V4**
460 x 1375 x 1830	**EXU185472V4**	**EXA185472V4**
460 x 1525 x 1830	**EXU186072V4**	**EXA186072V4**
460 x 1830 x 1830	**EXU187272V4**	**EXA187272V4**

540 mm DEPTH

540 x 610 x 1830 mm	**EXU212472V4**	**EXA212472V4**
540 x 765 x 1830	**EXU213072V4**	**EXA213072V4**
540 x 915 x 1830	**EXU213672V4**	**EXA213672V4**
540 x 1070 x 1830	**EXU214272V4**	**EXA214272V4**
540 x 1220 x 1830	**EXU214872V4**	**EXA214872V4**
540 x 1375 x 1830	**EXU215472V4**	**EXA215472V4**
540 x 1525 x 1830	**EXU216072V4**	**EXA216072V4**
540 x 1830 x 1830	**EXU217272V4**	**EXA217272V4**

610 mm DEPTH

610 x 610 x 1830 mm	**EXU242472V4**	**EXA242472V4**
610 x 765 x 1830	**EXU243072V4**	**EXA243072V4**
610 x 915 x 1830	**EXU243672V4**	**EXA243672V4**
610 x 1070 x 1830	**EXU244272V4**	**EXA244272V4**
610 x 1220 x 1830	**EXU244872V4**	**EXA244872V4**
610 x 1375 x 1830	**EXU245472V4**	**EXA245472V4**
610 x 1525 x 1830	**EXU246072V4**	**EXA246072V4**
610 x 1830 x 1830	**EXU247272V4**	**EXA247272V4**

Color: Brushed Graphite (580).

ELEMENTS XTRA SERIES

V5
5-SHELF VENTED UNITS

2140 mm HEIGHT

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.





460 mm DEPTH

DIMENSIONS D x L x H	Starter CODE	Add-On CODE
460 x 610 x 2140 mm	EXU182484V5	EXA182484V5
460 x 765 x 2140	EXU183084V5	EXA183084V5
460 x 915 x 2140	EXU183684V5	EXA183684V5
460 x 1070 x 2140	EXU184284V5	EXA184284V5
460 x 1220 x 2140	EXU184884V5	EXA184884V5
460 x 1375 x 2140	EXU185484V5	EXA185484V5
460 x 1525 x 2140	EXU186084V5	EXA186084V5
460 x 1830 x 2140	EXU187284V5	EXA187284V5

540 mm DEPTH

540 x 610 x 2140 mm	EXU212484V5	EXA212484V5
540 x 765 x 2140	EXU213084V5	EXA213084V5
540 x 915 x 2140	EXU213684V5	EXA213684V5
540 x 1070 x 2140	EXU214284V5	EXA214284V5
540 x 1220 x 2140	EXU214884V5	EXA214884V5
540 x 1375 x 2140	EXU215484V5	EXA215484V5
540 x 1525 x 2140	EXU216084V5	EXA216084V5
540 x 1830 x 2140	EXU217284V5	EXA217284V5

610 mm DEPTH

610 x 610 x 2140 mm	EXU242484V5	EXA242484V5
610 x 765 x 2140	EXU243084V5	EXA243084V5
610 x 915 x 2140	EXU243684V5	EXA243684V5
610 x 1070 x 2140	EXU244284V5	EXA244284V5
610 x 1220 x 2140	EXU244884V5	EXA244884V5
610 x 1375 x 2140	EXU245484V5	EXA245484V5
610 x 1525 x 2140	EXU246084V5	EXA246084V5
610 x 1830 x 2140	EXU247284V5	EXA247284V5

Color: Brushed Graphite (580).

ELEMENTS XTRA SERIES

V4
4-SHELF VENTED MOBILE UNITS

Mobile units include 2 factory assembled mobile post kits, mobile traverses, mobile traverse dovetails, shelf plates, and 4 premium swivel casters with total locking brake. Units ship complete in 1 box.



* Includes 127 mm casters.

1778 mm HEIGHT

460 mm DEPTH

CODE	DIMENSIONS D x L x H*
EXMU183670V4	460 x 915 x 1778 mm
EXMU184270V4	460 x 1070 x 1778
EXMU184870V4	460 x 1220 x 1778
EXMU185470V4	460 x 1375 x 1778
EXMU186070V4	460 x 1525 x 1778

540 mm DEPTH

EXMU213670V4	540 x 915 x 1778 mm
EXMU214270V4	540 x 1070 x 1778
EXMU214870V4	540 x 1220 x 1778
EXMU215470V4	540 x 1375 x 1778
EXMU216070V4	540 x 1525 x 1778

610 mm DEPTH

EXMU243670V4	610 x 915 x 1778 mm
EXMU244270V4	610 x 1070 x 1778
EXMU244870V4	610 x 1220 x 1778
EXMU245470V4	610 x 1375 x 1778
EXMU246070V4	610 x 1525 x 1778

1980 mm HEIGHT

460 mm DEPTH

CODE	DIMENSIONS D x L x H*
EXMU183678V4	460 x 915 x 1980 mm
EXMU184278V4	460 x 1070 x 1980
EXMU184878V4	460 x 1220 x 1980
EXMU185478V4	460 x 1375 x 1980
EXMU186078V4	460 x 1525 x 1980

540 mm DEPTH

EXMU213678V4	540 x 915 x 1980 mm
EXMU214278V4	540 x 1070 x 1980
EXMU214878V4	540 x 1220 x 1980
EXMU215478V4	540 x 1375 x 1980
EXMU216078V4	540 x 1525 x 1980

610 mm DEPTH

EXMU243678V4	610 x 915 x 1980 mm
EXMU244278V4	610 x 1070 x 1980
EXMU244878V4	610 x 1220 x 1980
EXMU245478V4	610 x 1375 x 1980
EXMU246078V4	610 x 1525 x 1980

CAMSHELVING® ELEMENTS XTRA SERIES

Corner Connectors

Unique clasp design ensures maximum shelf space utilization without loss of weight bearing in corners and increased weight bearing on middle shelves between units. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf).

CODE	DESCRIPTION
EXCC1	1 Set for 1 shelf
EXCC4	4 Sets for 4 shelves
EXCC5	5 Sets for 5 shelves

Color: Speckled Gray (480).



Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

Bottom Shelf with Dunnage Stand

UNIT LENGTH	WEIGHT BEARING
Standard Unit	
610 to 1220 mm	545 kg
1375 to 1830	410
Corner Unit with 2 Dunnage Stands	
610 to 1525	545

CODE	DIMENSIONS D x H
Dunnage Stand – Low (bottom shelf installed on lowest set of open post locations for dovetails)	
CSDS18H6	460 x 165 mm
CSDS21H6	540 x 165
CSDS24H6	610 x 165
Dunnage Stand – Tall (bottom shelf installed up on 2nd set of open post locations for dovetails)	
CSDS18H10	460 x 267
CSDS21H10	540 x 267
CSDS24H10	610 x 267

Case Pack: 1 **Color:** Speckled Gray (480).



Shelf Traverses

Available in single or double packs. Use two traverses to add an open shelf for divider bars or drying cradles. Add one traverse onto back posts of a stationary unit for extra support when placing rolling equipment under the first shelf. Traverse dovetails included.

LENGTH	SINGLE PACK CODE*	DOUBLE PACK CODE**
610 mm	EXTR24	EXTR242PK
765	EXTR30	EXTR302PK
915	EXTR36	EXTR362PK
1070	EXTR42	EXTR422PK
1220	EXTR48	EXTR482PK
1375	EXTR54	EXTR542PK
1525	EXTR60	EXTR602PK
1830	EXTR72	—

***Case Pack:** 1 ****Case Pack:** 2
Color: Speckled Gray (480).

Elements XTRA Shelf Traverses covered by U.S. Patent D 989,612 S, 11,812,847 B2, 11,697,037 B2.

CAMSHELVING® ELEMENTS XTRA SERIES

High Density Full Track and Track Extension Kits

Each kit ships complete in 1 box with aluminum raised track rails and stainless steel hardware required to complete installation.

CODE	DESCRIPTION	CASE PACK
Full Track Kits		
CSMHDTK10	3,05 m Track for 3 Mobile Units*	1
CSMHDTK12	3,66 m Track for 4 Mobile Units*	1
CSMHDTK145	4,42 m Track for 5 Mobile Units*	1

Color: Silver (000). *Based on 610 mm deep mobile units.
Full Track Kits include: Track rails, rail joiners, end plates, 8 stainless steel leveling feet (for stationary units) and required hardware.

CODE	DESCRIPTION	CASE PACK
Track Extension Kits		
CSMHDTKE4	1,38 m Track Extension	1
CSMHDTKE5	1,53 m Track Extension	1
CSMHDTKE6	1,83 m Track Extension	1

Color: Silver (000). **Extension Track Kits include:** Track rails (1 set), 2 rail joiners, and required hardware.

Track rail (underside) shown with end plate installed.



Track rail (underside) shown with track rail joiner partially installed

It is highly recommended to install a stationary starter unit every 4,5 m of track to further stabilize the system.

High Density Floor Fastener

Secure stationary unit front posts with rails directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

CODE	DIMENSION D x L x H
CSHDFF	35 x 108 x 13 mm

Case Pack: 4 **Color:** Silver (000).

Hole diameter 16 mm.

High Density Caster With Donut Bumper

CODE	SIZE
CPMCHD	127 mm

Case Pack: 2 **Color:** Gray (000).

CAMSHELVING®

BASICS PLUS

series

STATIONARY

- Posts and traverses made of a revolutionary, extremely strong, composite material with a smooth, easy to clean surface.
- Attach left and right traverse dovetails to each post to secure shelf traverses every 10,2 cm.
- Removable polypropylene shelf plates with permanent, molded-in Camguard®, an antimicrobial technology that inhibits the growth of mold, fungus, and bacteria.
- Sturdy reinforced threaded nylon foot adjusts easily to level units.
- Withstands storage temperatures from -38˚ to 88˚C.
- Lifetime warranty against rust and corrosion.

camguard

ANTIMICROBIAL SHELF PLATES

NSF COMPONENT

Post Connectors, Corner Connectors, Floor Fastener, Wall Fastener, Shelf Rails, Single Shelf Security Cage, Shelf Divider Panels and Identification Tags are not NSF listed.

CAMSHELVING® BASICS PLUS SERIES

STARTER UNITS

Ship complete in 1 box. Includes factory assembled post frames for quicker assembly.



Stationary

3 Depths	6 Lengths		3 Heights
460 mm	765 mm	1220 mm	1630 mm
540	915	1375	1830
610	1070	1525	2140

Weight Bearing Capacity

Weight must be evenly distributed across the entire shelf.

		UNIT LENGTH 765 – 1220 MM	UNIT LENGTH 1375 – 1830 MM
SINGLE UNIT	Unit only	800 kg (TUV)	800 kg (TUV)
	Shelf only	190 (TUV)	180 (TUV)
	Unit with dunnage stand*	885	880
	Bottom shelf with dunnage stand*	275	260
CORNER UNIT** with 2 dunnage stands required	Unit only	590	—
	Shelf only	130	—
	Bottom shelf with dunnage stands*	200	—

TUV CERTIFICATION WEIGHT BEARING CAPACITY

***Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Highly recommended for Starter Units 1375 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads. (See Overall Length Quick Reference Guide).**
**** Corner connectors are for use only with shelves 765 – 1220 mm long.**

BASICS PLUS SERIES

1630 mm HEIGHT

V4
4-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter



Add-On



360 mm DEPTH

CODE	DIMENSIONS D x L x H	CODE	DIMENSIONS D x L x H
CBU143064V4	360 x 765 x 1630 mm	**CBA143064V4**	360 x 718 x 1630 mm
CBU143664V4	360 x 915 x 1630	**CBA143664V4**	360 x 870 x 1630
CBU144264V4	360 x 1070 x 1630	**CBA144264V4**	360 x 1023 x 1630
CBU144864V4	360 x 1220 x 1630	**CBA144864V4**	360 x 1175 x 1630

460 mm DEPTH

CBU183064V4	460 x 765 x 1630 mm	**CBA183064V4**	460 x 718 x 1630 mm
CBU183664V4	460 x 915 x 1630	**CBA183664V4**	460 x 870 x 1630
CBU184264V4	460 x 1070 x 1630	**CBA184264V4**	460 x 1023 x 1630
CBU184864V4	460 x 1220 x 1630	**CBA184864V4**	460 x 1175 x 1630
CBU185464V4	460 x 1375 x 1630	**CBA185464V4**	460 x 1328 x 1630
CBU186064V4	460 x 1525 x 1630	**CBA186064V4**	460 x 1480 x 1630
CBU187264V4	460 x 1830 x 1630	**CBA187264V4**	460 x 1785 x 1630

540 mm DEPTH

CBU213064V4	540 x 765 x 1630 mm	**CBA213064V4**	540 x 718 x 1630 mm
CBU213664V4	540 x 915 x 1630	**CBA213664V4**	540 x 870 x 1630
CBU214264V4	540 x 1070 x 1630	**CBA214264V4**	540 x 1023 x 1630
CBU214864V4	540 x 1220 x 1630	**CBA214864V4**	540 x 1175 x 1630
CBU215464V4	540 x 1375 x 1630	**CBA215464V4**	540 x 1328 x 1630
CBU216064V4	540 x 1525 x 1630	**CBA216064V4**	540 x 1480 x 1630
CBU217264V4	540 x 1830 x 1630	**CBA217264V4**	540 x 1785 x 1630

610 mm DEPTH

CBU243064V4	610 x 765 x 1630 mm	**CBA243064V4**	610 x 718 x 1630 mm
CBU243664V4	610 x 915 x 1630	**CBA243664V4**	610 x 870 x 1630
CBU244264V4	610 x 1070 x 1630	**CBA244264V4**	610 x 1023 x 1630
CBU244864V4	610 x 1220 x 1630	**CBA244864V4**	610 x 1175 x 1630
CBU245464V4	610 x 1375 x 1630	**CBA245464V4**	610 x 1328 x 1630
CBU246064V4	610 x 1525 x 1630	**CBA246064V4**	610 x 1480 x 1630
CBU247264V4	610 x 1830 x 1630	**CBA247264V4**	610 x 1785 x 1630

BASICS PLUS SERIES

1830 mm HEIGHT

V4
4-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter



Add-On



360 mm DEPTH

CODE	DIMENSIONS D x L x H	CODE	DIMENSIONS D x L x H
CBU143072V4	360 x 765 x 1830 mm	**CBA143072V4**	360 x 718 x 1830 mm
CBU143672V4	360 x 915 x 1830	**CBA143672V4**	360 x 870 x 1830
CBU144272V4	360 x 1070 x 1830	**CBA144272V4**	360 x 1023 x 1830
CBU144872V4	360 x 1220 x 1830	**CBA144872V4**	360 x 1175 x 1830

460 mm DEPTH

CBU183072V4	460 x 765 x 1830 mm	**CBA183072V4**	460 x 718 x 1830 mm
CBU183672V4	460 x 915 x 1830	**CBA183672V4**	460 x 870 x 1830
CBU184272V4	460 x 1070 x 1830	**CBA184272V4**	460 x 1023 x 1830
CBU184872V4	460 x 1220 x 1830	**CBA184872V4**	460 x 1175 x 1830
CBU185472V4	460 x 1375 x 1830	**CBA185472V4**	460 x 1328 x 1830
CBU186072V4	460 x 1525 x 1830	**CBA186072V4**	460 x 1480 x 1830
CBU187272V4	460 x 1830 x 1830	**CBA187272V4**	460 x 1785 x 1830

540 mm DEPTH

CBU213072V4	540 x 765 x 1830 mm	**CBA213072V4**	540 x 718 x 1830 mm
CBU213672V4	540 x 915 x 1830	**CBA213672V4**	540 x 870 x 1830
CBU214272V4	540 x 1070 x 1830	**CBA214272V4**	540 x 1023 x 1830
CBU214872V4	540 x 1220 x 1830	**CBA214872V4**	540 x 1175 x 1830
CBU215472V4	540 x 1375 x 1830	**CBA215472V4**	540 x 1328 x 1830
CBU216072V4	540 x 1525 x 1830	**CBA216072V4**	540 x 1480 x 1830
CBU217272V4	540 x 1830 x 1830	**CBA217272V4**	540 x 1785 x 1830

610 mm DEPTH

CBU243072V4	610 x 765 x 1830 mm	**CBA243072V4**	610 x 718 x 1830 mm
CBU243672V4	610 x 915 x 1830	**CBA243672V4**	610 x 870 x 1830
CBU244272V4	610 x 1070 x 1830	**CBA244272V4**	610 x 1023 x 1830
CBU244872V4	610 x 1220 x 1830	**CBA244872V4**	610 x 1175 x 1830
CBU245472V4	610 x 1375 x 1830	**CBA245472V4**	610 x 1328 x 1830
CBU246072V4	610 x 1525 x 1830	**CBA246072V4**	610 x 1480 x 1830
CBU247272V4	610 x 1830 x 1830	**CBA247272V4**	610 x 1785 x 1830

Color: Brushed Graphite (580).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (580)

BASICS PLUS SERIES

2140 mm HEIGHT

V5
5-SHELF VENTED UNITS

Starter units include 2 factory assembled post kits and shelves. Add on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter



Add-On



460 mm DEPTH

CODE	DIMENSIONS D x L x H
CBU183084V5	460 x 765 x 2140 mm
CBU183684V5	460 x 915 x 2140
CBU184284V5	460 x 1070 x 2140
CBU184884V5	460 x 1220 x 2140
CBU185484V5	460 x 1375 x 2140
CBU186084V5	460 x 1525 x 2140

CODE	DIMENSIONS D x L x H
CBA183084V5	460 x 718 x 2140 mm
CBA183684V5	460 x 870 x 2140
CBA184284V5	460 x 1023 x 2140
CBA184884V5	460 x 1175 x 2140
CBA185484V5	460 x 1328 x 2140
CBA186084V5	460 x 1480 x 2140

540 mm DEPTH

CBU213084V5	540 x 765 x 2140 mm
CBU213684V5	540 x 915 x 2140
CBU214284V5	540 x 1070 x 2140
CBU214884V5	540 x 1220 x 2140
CBU215484V5	540 x 1375 x 2140
CBU216084V5	540 x 1525 x 2140

CBA213084V5	540 x 718 x 2140 mm
CBA213684V5	540 x 870 x 2140
CBA214284V5	540 x 1023 x 2140
CBA214884V5	540 x 1175 x 2140
CBA215484V5	540 x 1328 x 2140
CBA216084V5	540 x 1480 x 2140

610 mm DEPTH

CBU243084V5	610 x 765 x 2140 mm
CBU243684V5	610 x 915 x 2140
CBU244284V5	610 x 1070 x 2140
CBU244884V5	610 x 1220 x 2140
CBU245484V5	610 x 1375 x 2140
CBU246084V5	610 x 1525 x 2140

CBA243084V5	610 x 718 x 2140 mm
CBA243684V5	610 x 870 x 2140
CBA244284V5	610 x 1023 x 2140
CBA244884V5	610 x 1175 x 2140
CBA245484V5	610 x 1328 x 2140
CBA246084V5	610 x 1525 x 2140

Color: Brushed Graphite (580).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (580)

CAMSHELVING® BASICS PLUS SERIES

Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (580)



CODE	DESCRIPTION
CBCC1	1 Set for 1 shelf
CBCC8	8 Sets for 4 shelves
CBCC10	10 Sets for 5 shelves

Color: Brushed Graphite (580).

Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1375 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

CODE	DIMENSIONS D x H
Dunnage Stand – Low	
CBDS14H6	360 x 171 mm
CBDS18H6	460 x 171
CBDS21H6	540 x 171
CBDS24H6	610 x 171
Dunnage Stand – Tall	
CBDS14H10	360 x 273 mm
CBDS18H10	460 x 273
CBDS21H10	540 x 273
CBDS24H10	610 x 273

Case Pack: 1
Color: Brushed Graphite (580).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CBDS18H6, CBDS21H6, CBDS24H6: (151)



Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf. Traverse dovetails included.

LENGTH	SINGLE PACK CODE*	DOUBLE PACK CODE**
765 mm	CBTR30	CBTR302PK
915	CBTR36	CBTR362PK
1070	CBTR42	CBTR422PK
1220	CBTR48	CBTR482PK
1375	CBTR54	CBTR542PK
1525	CBTR60	CBTR602PK
1830	CBTR72	CBTR722PK

***Case Pack:** 1 ****Case Pack:** 2
Color: Brushed Graphite (580).



HEAT LAMPS
SMALL EQUIPMENT

CAMSHELVING® ACCESSORIES

Identification Tags

Clip onto shelf traverses to clearly identify stored product. Made of highly durable plastic with a clear slide in front panel. 14 labels included: 12 color-coded, pre-printed and 2 blank.

CODE	DESCRIPTION	DIMENSION L x H
Premium and Elements XTRA Series		
CSID6	152 mm ID Tag	152 x 25 mm
CSID3	76 mm ID Tag	76 x 25
Basics Plus Series		
CBID6	152 mm ID Tag	152 x 25

Case Pack: 12
Color: White / Clear.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSID6, CBID6: (000)

Wall Fastener

Use to secure stationary shelving unit to a wall for added safety and stability where required. Made of stainless steel. Screws not included.

CODE	DIMENSION D x L x H
CSWF	73 x 238 x 48 mm

Case Pack: 4 **Color:** Silver (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSWF: (000)

Hole diameter 1,11 cm.

Floor Fastener

Secure stationary unit posts directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

CODE	DIMENSION D x L x H
Premium, Elements XTRA & Basics Plus Series	
CSFF	38 x 165 x 89 mm
Premium Series High Density	
CSHDFF	35 x 108 x 13

CSFF Case Pack: 2
CSHDFF Case Pack: 4
Color: Silver (000).

Hole diameter 1,43 cm.



Premium Caster

Ideal in all areas of storage, especially coolers, freezers and/or wet areas. Made of highly durable, non-corrosive plastic with a 127 mm swivel, non-marking thermoplastic rubber wheel. Total locking brake locks both swivel motion and the wheel.

CODE	SIZE
Premium Series with Bumper	
MPMCWB	127 mm
Elements XTRA Series	
EMCWB	127 mm

Case Pack: 2 **Color:** Grey (000).





STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMCWB: (000)

Donut Bumper

Offers added protection during transport and when maneuvering mobile units into place against walls or alongside other units for storage.

CODE	DIAMETER
CSMHDDB	127 mm

Case Pack: 4 **Color:** Grey (000).



CAMSHELVING® ACCESSORIES

Shelf Divider

Stack and separate items stored on shelves. Made of highly durable ABS plastic. Installs directly onto solid or vented shelves. Easily removable for relocating or washing. Use with Shelf Rails to prevent contents from falling off shelves.

CODE	DIMENSION D x H
CSSD188	460 x 203 mm
CSSD218	540 x 203
CSSD248	610 x 203

Case Pack: 1 **Color:** Soft Grey (151).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (151)

Shelf Rails

Use to prevent contents from falling off shelves. Protect individual sides or ends or wrap a full shelf. Rods are made from a strong composite material that is highly durable and will never rust or corrode.

Fits Premium Shelving Units 680 to 1780 mm wide and 300 to 600 mm deep, or Elements XTRA and Basics Plus Unit 765 to 1830 mm wide and 360 to 610 mm deep.

Full or three-quarter shelf kits help to streamline installations and significantly reduces carton waste.

Shelf Rail kits are available in all depths and all lengths. To see the entire selection of Full & 3/4 kits, see the Camshelving Product Specification and Price List.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SHELF RAIL KITS: (151)

Full Shelf Rail Kits

PREMIUM CODE	DIMENSION D x L	ELEMENTS XTRA CODE	BASICS PLUS CODE	DIMENSION D x L
Full Shelf Rail Kits (2 sides, 2 ends)				
MPR600900	600 x 900 mm	ESR2436	CBR2436	610 x 910 mm
MPR6001000	600 x 1000	ESR2442	CBR2442	610 x 1070
MPR6001100	600 x 1100	ESR2448	CBR2448	610 x 1220
3/4 Shelf Rail Kits (1 side, 2 ends)				
MPR6009003	600 x 900	ESR24363	CBR24363	610 x 910
MPR60010003	600 x 1000	ESR24423	CBR24423	610 x 1070
MPR60011003	600 x 1100	ESR24483	CBR24483	610 x 1220

Case Pack: 1 **Color:** Soft Gray (151).

Single Side Rail Kits

PREMIUM CODE	LENGTH	ELEMENTS XTRA CODE	BASICS PLUS CODE	LENGTH
MPR600S	600 mm	ESR24S	—	610 mm
MPR700S	700	ESR30S	CBR30S	760
MPR800S	800	ESR36S	CBR36S	910
MPR900S	900	ESR42S	CBR42S	1070
MPR1000S	1000	ESR48S	CBR48S	1220
MPR1100S	1100	ESR54S	CBR54S	1380
MPR1200S	1200	ESR60S	CBR60S	1530
MPR1300S	1300	ESR72S	—	1830
MPR1400S	1400			
MPR1500S	1500			
MPR1600S	1600			
MPR1700S	1700			

Case Pack: 1 **Color:** Soft Gray (151).

Single End Rail Kits

PREMIUM CODE	DEPTH	ELEMENTS XTRA CODE	BASICS PLUS CODE	DEPTH
MPR300E	300 mm	ESR14E	—	360 mm
MPR400E	400	ESR18E	CBR18E	460
MPR500E	500	ESR21E	CBR21E	540
MPR600E	600	ESR24E	CBR24E	610

Case Pack: 1 **Color:** Soft Gray (151).

CAMSHELVING® ACCESSORIES

Shelf Divider Bars (for 600/610 mm deep shelf only)

Create a custom service or storage station for food pans, boxes or dish racks. Install straight or angled dividers directly onto shelf traverses.

CODE	DESCRIPTION
Premium Series	
CSDBA	Angled Divider Bar
CSDBS	Straight Divider Bar
Elements XTRA Series	
EDBA	Angled Divider Bar
EDBS	Straight Divider Bar

Case Pack: 4
Color: Speckled Gray (480).

Ultimate Sheet Pan Rack for Single Shelf

The lightweight, durable Ultimate Sheet Pan Rack for Single Shelf will transform your storage capabilities. Designed to fit securely on a 600 mm deep Premium Shelving Unit or 610 mm deep Elements XTRA and Basics Plus unit, this single shelf rack holds 6 full size 60 x 40 cm sheet pans in a compact space. Use to stage and hold prepped ingredients, defrost product in the cooler or quickly cool baked goods. Designed to accept pans directly out of a 176˚C oven. Ships knockdown.

CODE	DESCRIPTION	DIMENSION D x L x H
Premium or Elements XTRA Series		
CSUPR6040S6	60 x 40 rack	612 x 465 x 514 mm
CSUPR1826S6	66 x 46 rack	603 x 514 x 514
Basics Plus Series		
CBUPR6040S6	60 x 40 rack	612 x 465 x 514
CBUPR1826S6	66 x 46 rack	603 x 514 x 514

Case Pack: 1 **Color:** Brushed Graphite (580).
Patent Pending.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSUPR6040S6, CBUPR6040S6: (580)

Single Shelf Security Cage (for 610 mm deep shelf only)

Securely store valuable products on a single shelf. Made of heavy duty, 304 stainless steel for use in any environment. Requires 457 mm height between shelves. Install on vented shelves only. Lock not included.

CODE	DIMENSION D x L x H
CSSC244818	640 x 1080 x 460 mm

Case Pack: 1 **Color:** Silver (000).

Camshelving® Wine Rack

Full Wine Rack Units & Kits

- > Unit holds up to 144 bottles.
- > Add kits to customize existing shelving.
- > Holds standard size wine bottles.
- > Available in 360 or 460 mm depth.

Easy to Clean
Ultra Hygienic
Highly Durable



NSF

Store Safe

PATENT APPLIED FOR

COMPONENTS (WINE CRADLES & CONNECTORS NOT INCLUDED)

UTILITY SHELVING — CAMSHELVING® WINE RACK UNITS & KITS

Four Cradle Shelf Kits, Single Stack

Eight Cradle Shelf Kits, Double Stack

Twelve Cradle Shelf Kits, Triple Stack

Single Cradle Add On Kits

Camshelving® Wine Rack Units

CODE	DESCRIPTION	DIMENSIONS	HOLDING CAPACITY
CBUWR144872PKG	Basics Plus Series Stationary Wine Rack Unit	360 x 1220 x 1830 mm	144 Standard Bottles of Wine (750 ml)
CBUWR184872PKG	Basics Plus Stationary Wine Rack Unit	460 x 1220 x 1830 mm	144 Standard Bottles of Wine (750 ml)

Color: Brushed Graphite (580). **Each UNIT includes**: Unassembled Stationary Post Kits, 8 Traverses, 48 each Wine Cradles, 32 Bags of Cradle Connectors.

Camshelving® Wine Cradle Kits

CODE	DESCRIPTION	DIMENSIONS D x W x H*	HOLDING CAPACITY
Single Cradle Add On Kits (Single Cradle with Bag of Connectors)			
CSWRKIT14P1	Wine Cradle Kit 360 mm Deep 1PK	33,7 x 28,3 x 3,8 cm	3 Bottles
CSWRKIT18P1	Wine Cradle Kit 460 mm Deep 1PK	43,9 x 28,3 x 3,8 cm	3 Bottles
Four Cradle Shelf Kits, Single Stack (Four Cradles, No Connectors)			
CSWRC14P4	Wine Cradles Only 360 mm Deep 4 EA	33,7 x 113,4 x 3,8 cm	12 Bottles
CSWRC18P4	Wine Cradles Only 460 mm Deep 4 EA	43,9 x 113,4 x 3,8 cm	12 Bottles
Eight Cradle Shelf Kits, Double Stack (Eight Cradles with 4 Bags of Connectors)			
CSWRKIT14P8	Wine Cradle Kit 360 mm Deep 8PK	33,7 x 113,4 x 16 cm	24 Bottles
CSWRKIT18P8	Wine Cradle Kit 460 mm Deep 8PK	43,9 x 113,4 x 16 cm	24 Bottles
Twelve Cradle Shelf Kits, Triple Stack (Twelve Cradles with 8 Bags of Connectors)			
CSWRKIT14P12	Wine Cradle Kit 360 mm Deep 12PK	33,7 x 113,4 x 28,6 cm	36 Bottles
CSWRKIT18P12	Wine Cradle Kit 460 mm Deep 12PK	43,9 x 113,4 x 28,6 cm	36 Bottles

Color: Soft Gray (151). *Overall length is based on 4 cradles installed side by side along 1220 mm traverses.

Optional Accessories

CODE	DESCRIPTION	DIMENSIONS D x L x H
CSFF	Floor Fastener	3,8 x 16,5 x 9,5 cm
CSWF	Wall Fastener	7,4 x 8,6 x 4,8 cm
CBDS14H6	Dunnage Stand for Basics Plus	35,6 x 16,5 cm
CSID6	Identification Tag	15,3 x 2,5 cm
CSID3	Identification Tag	7,6 x 2,5 cm

Colors: Floor and Wall Fastener Stainless Steel (000), Dunnage Stand Brushed Graphite (580), Identification Tags White/Clear (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL WINE CRADLE KITS in 580
CBDS14H6: (580)
CBDS18H6: (580)
CSID6: (000)

CAMSHELVING®

UNIVERSAL STORAGE RACK

NSF COMPONENT

Store Safe

A Unique Way to Create VERTICAL STORAGE SPACE

Easily create individual storage sections with rail panels.

Available for Camshelving Premium, Elements XTRA and Basics Plus, 530 or 600 mm deep.

HOLDS EVERYTHING
food pans, boxes, sheet pans, trays, and even pizza dough boxes

CREATE "DRAWER" STORAGE

VERTICAL STORAGE
between shelves eliminates unused space

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL UNIVERSAL STORAGE RACKS in 580

Premium® Series	600 mm depth	MPUNVR600
		MPUNVRA600
Basics Plus® Series	530 mm depth	CBUNVR21
		CBUNVRA21
	600 mm depth	CBUNVR24
		CBUNVRA24

UTILITY SHELVING – CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM

Create the can storage system your operation needs with the Ultimate #10 Can Rack. This first ever plastic can rack makes storing and inventorying #10 and #5 cans so much easier.

- Front-loading, gravity-fed system supports FIFO organization and food rotation with no need to move the rack for loading or unloading.
- Made with easy to clean, smooth surfaces. Can be completely disassembled and run through the dishwasher.
- Lifetime warranty against rust and corrosion. Made from durable, reinforced plastic material.
- Single, Add-on Can Racks and Full-Size Can Rack Units each ship complete in 1 box. Units include pre-assembled post kits.

Color: Brushed Graphite (580).

Ultimate #10 Can Rack is covered by U.S. Patents D828,145 S and D827,421 S.

NSF Component on shelving only.

NSF COMPONENT



Easy to assemble, a few simple parts click together to build single and add-on racks.

Storage Capacity

	#10 Can	#5 Can
SINGLE OR ADD-ON CAN RACK	8 each	12 each
FULL-SIZE CAN RACK UNIT (660 x 915 x 1830, 3 tiers)	96	144

Holds #10 and #5 cans 170 to 179 mm tall.

UTILITY SHELVING – CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM

Full Size Stationary Can Rack Unit

This free-standing can rack holds up to 96 cans in a compact space. Install on the end of a Camshelving High Density unit for maximum space utilization. Ships knockdown in 1 box with 2 factory-assembled post kits.

Premium Series

Elements XTRA Series

Full Size Stationary Add-on Can Rack Unit

Maximize every inch of linear space in your kitchen or dry storage area with an in-line can rack. With just 1 factory assembled post kit, connect a can rack to standard shelving units in a straight line by sharing posts.

Partial Can Rack Storage

Install a single row of can storage on any 610 mm deep Camshelving unit, utilizing shelf space above or below for standard storage items.

UTILITY SHELVING – CAMSHELVING® ULTIMATE #10 CAN RACK SYSTEM

NSF
COMPONENT
Shelving only





CODE	CPU243672C96*	ESU243672C96*	CPA243672C96**	EA243672C96**
DESCRIPTION	Premium Series Full-Size Stationary Can Rack Unit (Free Standing)	Elements XTRA Series Full-Size Stationary Can Rack Unit (Free Standing)	Premium Series Full-Size Add-On Can Rack Unit (Shared Post)	Elements XTRA Series Full-Size Add-On Can Rack Unit (Shared Post)
DIMENSIONS D x L x H	660 x 915 x 1830 mm	660 x 915 x 1830 mm	660 x 870 x 1830 mm	660 x 864 x 1830 mm

Case Pack: 1 Ships in 1 box. **Premium Series Color:** Speckled Gray (480). **Elements XTRA Series Color:** Brushed Graphite (580).
*Unit includes: 2 pre-assembled post kits, 9 traverses, 15 panels and 72 brackets. **Unit includes: 1 pre-assembled post kit, 9 traverses, 15 panels and 72 brackets.

Single and Add-on Can Racks

CODE	UCR10R8	UCR10AR8
DESCRIPTION	Single Can Rack, 2 panels and 6 brackets	Add-on Can Rack, 1 panel and 6 brackets
DIMENSIONS D x L x H	660 x 235 x 394 mm	660 x 191 x 394 mm

Case Pack: 1 **Color:** Brushed Graphite (580).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UCR10R8, UCR10AR8: (580)

Can Racks Per Length

SHELF LENGTH	NUMBER OF CAN RACKS PER TIER*	LEFTOVER SHELF SPACE	#10 CAN HOLDING CAPACITY
610 mm	2	89 mm	16
765	3	51	24
915	4	0	32
1070	4	165	32
1220	5	127	40
1375	6	89	48
1525	7	51	56

*1 Single Rack plus Add-on Racks.



NOTE: Each tier of can racks requires 3 traverses, 2 front and 1 rear. Leave two open dovetails above top traverse before installing the next traverse/tier. This allows space to load cans.

CAMSHELVING®
ULTIMATE SHEET PAN RACK

Designed for durability.
Buy once. Use forever.

Molded-in Rails = No Broken Welds

Low maintenance,
Easy to clean.

Quiet, smooth glide, swivel casters. All with brakes.

KD Ships knockdown

NSF COMPONENT

Store Safe

EASY TO Assemble

CAMSHELVING®
ULTIMATE
SHEET PAN RACK
for 46 x 66 cm Sheet Pans

Full Size Half Size Undercounter

CODE	DIMENSIONS L x W x H*	RAIL SPACING	HOLDING CAPACITY	CASTER TYPE
Full Size Knockdown (KD) Units				
UPR1826FP20	84,8 x 64,6 x 181,9 cm	7,62 cm	20 Sheet pans/trays	Plastic
UPR1826FP40	84,8 x 64,6 x 181,9 cm	3,81 cm	40 Sheet pans/trays	Plastic
Full Size Factory Assembled (FA) Units				
UPR1826FPA20	84,8 x 64,6 x 181,9 cm	7,62 cm	20 Sheet pans/trays	Plastic
UPR1826FPA40	84,8 x 64,6 x 181,9 cm	3,81 cm	40 Sheet pans/trays	Plastic

Color: Brushed Graphite (580). *Dimensions include 12,7 cm plastic casters. **Weight capacity:** 158,75 kg. per rack, 24,95 kg. per rail set.

Half Size Knockdown (KD) Units				
UPR1826HP12	81,4 x 64,8 x 120,6 cm	7,62 cm	12 Sheet pans/trays	Plastic
UPR1826HP20	84,8 x 64,6 x 105,1 cm	3,81 cm	20 Sheet pans/trays	Plastic

Color: Brushed Graphite (580). *Dimensions include 12,7 cm plastic casters. **Weight capacity:** 79,38 kg. per rack, 24,95 kg. per rail set.

Undercounter Knockdown (KD) Units				
UPR1826U8	78,4 x 59,1 x 84,1 cm	7,62 cm	8 Sheet pans/trays	Metal
UPR1826U15	78,4 kg x 59,1 x 80 cm	3,81 cm	15 Sheet pans/trays	Metal

Color: Brushed Graphite (580). *Dimensions include 7,62 cm metal casters. **Weight capacity:** 40,82 kg. per rack, 24,95 kg. per rail set.

MORE INFO

CAMSHELVING®

GN FOOD PAN TROLLEYS



Use in Kitchen, Freezer or Cooler

Highly Durable

Low Maintenance

Quiet, smooth glide, swivel casters. All with brakes.

KD Ships knockdown

NSF COMPONENT

Store Safe

EASY TO Assemble

GN 1/1 Trolleys

1 full-size pan
per rail set, end load

UGNPR11H9
D 73,03 x **L** 43,8 x **H** 101,6 cm

6,5 cm	**x9**
10 cm	**x4**

UGNPR11F18
D 73,03 x **L** 43,8 x **H** 170,7 cm

6,5 cm	**x18**
10 cm	**x9**

GN 2/1 Trolleys

2 full-size pans
per rail set, side load

UGNPR21H18
D 83,5 x **L** 64,5 x **H** 101,6 cm

6,5 cm	**x18**
10 cm	**x8**

UGNPR21F36
D 83,5 x **L** 64,5 x **H** 170,7 cm

6,5 cm	**x36**
10 cm	**x18**



Unique top frame holds a full size food pan or cutting board. Use to protect contents below or create a light duty work space.

MORE INFO

PAN STOPS

Lock and secure pans on rails, especially during transport.

For GN Food Pan Trolleys

UGNPRPSF (Full Size)

UGNPRPSH (Half Size)

For Sheet Pan Racks

UPRPSF (Full Size)

UPRPSH (Half Size)

MORE INFO

Store Safe

UTILITY SHELVING

Premium Series Full-Wrap Security Cage for D 610 x L 1220 mm shelf and H 1700 mm stationary or H 1778 mm mobile

Store valuable products behind locked doors. Made of heavy-duty 304 stainless steel for use in any environment. Stationary or mobile units ship complete with factory assembled post kits, 2 vented shelves, 4 premium swivel casters with total locking brake for mobile unit and 1 full wrap security cage. Can be used with Divider Panels. Assembly requires bottom vented shelf. Additional shelves can be ordered separately. Cage and Units ship knockdown. Lock not included.



CODE	CPFWSC244860	CPU244864SUPKG	CPMU244867SUPKG
DESCRIPTION	Full-wrap Security Cage only	Full-wrap Stationary Security Unit	Full-wrap Mobile Security Unit
DIMENSION D x L x H	680 x 1276 x 1562 mm	680 x 1276 x 1638 mm	680 x 1276 x 1721 mm
COLOR	Silver (000)	Speckled Gray (480)	Speckled Gray (480)

Case Pack: 1 Cage only ships in 1 box. Units ship in 2 boxes.
Fit only Camshelving Premium Series made in the USA. Special Order. Allow 10 to 12 weeks for delivery for International delivery.

Vertical Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient storage for trays, sheet pans, cutting boards and lids. Can be used with Shelf Rails to prevent contents from sliding off.

Units ship complete with factory assembled mobile post kits, 6 traverses, 12 or 15 vertical drying cradles and premium swivel casters with total locking brake. Assembly required.

Modular 7-slot rack can be ordered separately to customize a drying and storage rack. Made of highly durable ABS plastic. Slots are spaced 3,33 cm wide and dividers are 6,35 cm high.

CODE	DIMENSIONS D x L x H	HOLDING CAPACITY	CASE PACK
Premium Series Vertical Drying and Storage Rack			
MPMU61117DRPKG	600 x 1180 x 1790 mm	84 Trays	1
MPMU61317DRPKG	600 x 1380 x 1790	105 Trays	1
Vertical Drying and Storage Cradle for 600 mm deep shelf only (Fits all Camshelving® lines)			
CSDR7	597 x 260 x 95	—	1
CSDR73	597 x 260 x 95	—	3

Drying Rack Color: Speckled White (490). **Drying Cradle Color:** Soft Gray (151).
1220 mm long unit ships in 5 boxes. 1530 mm long unit ships in 6 boxes.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMU61117DRPKG, MPMU61317DRPKG: (490)
CSDR7, CSDR73: (151)

UTILITY SHELVING

Angled Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Unit ships complete with factory assembled mobile post kits, 8 traverses, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required.

Uniquely designed cradle holds up to 8 each meal delivery pellets or use to dry, store and transport food pans and other commercial kitchen ware. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Slots are spaced 6,03 cm apart.

CODE	DIMENSIONS D x L x H	HOLDING CAPACITY	CASE PACK
Premium Series Angled Drying and Storage Rack			
MPMU61217PDPKG	600 x 1280 x 1790 mm	128 Pellets and Bases or 16 GN 1/1 Food Pans	1
Angled Drying and Storage Cradle for 600 mm deep shelf only (Fits all Camshelving® lines)			
CSDR8	592 x 263 x 160	—	1
CSDR84	592 x 263 x 160	—	4

Drying Rack Color: Speckled White (490). MPMU61217PDPKG Ships in 5 boxes.
Drying Cradle Color: Soft Gray (151).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMU61217PDPKG: (490)
CSDR8, CSDR84: (151)

Dome Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Unit ships complete with factory assembled mobile post kits, 10 traverses, 10 dome drying cradles and premium swivel casters with total locking brake. Assembly required.

Use to dry and safely store up to 10 patient meal delivery domes or plate covers upright. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Slots are spaced 7,78 cm apart.

CODE	DIMENSIONS D x L x H	HOLDING CAPACITY	CASE PACK
Premium Series Dome Drying and Storage Rack			
MPMU6917DDPKG	600 x 980 x 1790 mm	100 Domes	1
Dome Drying and Storage Cradle for 600 mm deep shelf only (Fits all Camshelving® lines)			
CSDDC24	597 x 415 x 86	—	1
CSDDC245	597 x 415 x 86	—	5

Drying Rack Color: Speckled White (490). MPMU6917DDPKG Ships in 3 boxes.
Drying Cradle Color: Soft Gray (151).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSDDC24, CSDDC245: (151)

UTILITY SHELVING

Elements® XTRA Series 2-Shelf Vented Undercounter Units

Create storage in underutilized or hard-to-reach undercounter areas. Ideal for storing condiments, to-go containers, and paper disposables.

Stationary units include 2 factory assembled stationary post kits, 4 stationary traverses, stationary traverse dovetails and shelf plates.

Mobile units include 2 factory assembled mobile post kits, 4 mobile traverses, mobile traverse dovetails, shelf plates, and 4 premium swivel casters with total locking brake.

CODE	DIMENSIONS D x L x H*
Stationary Units	
EXU183630V2	460 x 915 x 765 mm
EXU184830V2	460 x 1220 x 765
Mobile Units	
EXMU142427V2	360 x 610 x 685
EXMU143627V2	360 x 915 x 685
EXMU144827V2	360 x 1220 x 685

Color: Brushed Graphite (580). Ships in 1 box. *Height includes casters.

Premium Series Flex Stations

This versatile unit can serve as a convenient Grab and Go station, product merchandiser, or use for delivery staging area, utensil storage and much more.

Unit Includes: 2 factory assembled mobile post kits, 8 traverses, 36 angled divider bars (4 extra) 4 total locking casters and 24 identification tags. Assembly required.

Food pans, food boxes and other accessories sold separately.

CODE	DESCRIPTION	DIMENSIONS D x L x H*
CPMU244867FXPKG	Premium Series Flex Station	610 x 1220 x 1778 mm

Color: Speckled Gray (480). Ships in 1 box. *Height includes casters.

CAMSHELVING® WALL SHELVES AND SHELF EXTENDERS

Wall Shelves

- Expand storage space in kitchens, above work stations and sinks.
- Features virtually indestructible I-beam supports that hold up to 68 kg per shelf.
- Durable polypropylene withstands temperatures up to 88˚C, and will not rust or corrode.
- Snap fit rail design allows shelves to snap on and off for easy cleaning.
- 5 cm backsplash and marine front edge controls spills and cross contamination.

Shelf Extenders

- Convert empty wall space into a functional storage area.
- Use with or without Camshelving Wall Shelves.
- Peg strips withstand temperatures up to 88˚C, and will not rust or corrode.

Wall Shelf Color: Speckled Grey (480).

Extender Peg Strip Color: Black (110).

COMPONENT

Shelf Extenders ship in one carton and include:

LENGTH	PEG STRIPS	BRACKETS	HOOKS
910 mm	3	2	6
1220 mm	3	3	9

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSWS1436SK, CSWS1448SK, CSWS1836SK, CSWS1848SK: (480)

Wall Shelves 360 mm Depth

CODE	CSWS1436SK	CSWS1448SK	CSWS1436VK	CSWS1448VK
DESCRIPTION	910 mm wall shelf, solid	1220 mm wall shelf, solid	910 mm wall shelf, vented	1220 cm wall shelf, vented
EXTERIOR DIMENSIONS	**L** 915 x **D** 360 x **H** 340 mm	**L** 1220 x **D** 360 x **H** 340 mm	**L** 915 x **D** 360 x **H** 340 mm	**L** 1220 x **D** 360 x **H** 340 mm

Case Pack: 1

Wall Shelves 460 mm Depth



CODE	CSWS1836SK	CSWS1848SK
DESCRIPTION	910 mm wall shelf, solid	1220 mm wall shelf, solid
EXTERIOR DIMENSIONS	**L** 915 x **D** 460 x **H** 340 mm	**L** 1220 x **D** 460 x **H** 340 mm

Case Pack: 1

Shelf Extenders



CODE	CSWS36EK	CSWS48EK
DESCRIPTION	910 mm Shelf Extender	1220 mm Shelf Extender
EXTERIOR DIMENSIONS	**L** 900 x **D** 50 x **H** 390 mm	**L** 1220 x **D** 50 x **H** 390 mm

Case Pack: 1

S-SERIES DUNNAGE RACKS AND CAMLINK®

S-Series Dunnage Racks

- Keep frozen, cold or dry inventory 30,5 cm safely off the floor.
- One piece construction and sturdy legs provide strength and stability.
- Heavy duty polypropylene is safe to -38˚C, and will not rust, corrode or bend.
- Choose slotted tops for maximum air circulation around perishable products.
- Solid tops catch spills for easy clean up.

Colors: Dark Brown (131), Speckled Gray (480).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

DRS300, DRS360, DRS480, DRS600: (480)

CODE	EXTERIOR DIM. H x D x W	LOAD CAPACITY
Solid Top		
DRS30	300 x 533 x 760 mm	680 kg
DRS36	300 x 533 x 915	680
DRS48	300 x 533 x 1220	1,360
DRS60	300 x 533 x 1525	1,360
Slotted Top		
DRS300	300 x 533 x 760	680
DRS360	300 x 533 x 915	680
DRS480	300 x 533 x 1220	1,360
DRS600	300 x 533 x 1525	1,360

Case Pack: 1

Camlink

Camlink connectors securely lock dunnage racks together for greater stability.

CODE	CASE PACK
DRLNK	6

Color: Black (110).

Camlink fits all sizes and styles. One free Camlink supplied with every Dunnage Rack.

CAMBRO® FOOD STORAGE

Commitment to food safety relies on durable, consistent food storage products. Prep, store and serve across a wide range of temperatures and environments. All of our food storage products resist acid, oils, stains, and odors. That means years of service in a commercial kitchen without compromising quality.

FRESH PRO | CamSquares®

STORAGE 2

SEVEN SIZES
from 1,9 - 20,8 L

2 MATERIALS
Polycarbonate & Polypropylene

Virtually unbreakable.
Withstands temperatures from
Polycarbonate: -40˚ to 99˚C
Polypropylene: -40˚ to 85˚C

RECESSED HANDLES

25% MORE Storage Capacity

with 11,3 to 20,8 L CamSquares FreshPro containers

HELPFUL MARKS

Color graduations are printed on the outside for quick inventory management.

Graduation marks are both engraved and color-printed to ensure long-term readability.

Note: All graduations are approximate.

FRESHPRO CAMSQUARES® FOOD STORAGE CONTAINERS

FRESHNESS²

Secure-fit seal cover

Easy on/off seal cover

Prevents spills

Maximizes Freshness

Extends shelf life by
2 DAYS

INDUSTRY-FIRST
Drain shelves for square food storage containers



FRESHPRO CAMSQUARES® FOOD STORAGE CONTAINERS

FOOD SAFETY²

Cross stacking allows sanitary drying

Easy Seal Cover prevents cross-contamination

Peg holes on drain shelves and covers promote sanitary drying

Drain holes in handles promote sanitary drying

EFFICIENCY²

Color-Coded Efficiency

Matching seal covers, drain shelves and graduation marks for easy inventory management

ERGONOMICS

Curved Corners & Recessed Handles

Curved corners for safe 4-sided pouring

Ergonomic handling

Textured grip

Easy to carry

POLYCARBONATE FRESHPRO CAMSQUARES®
FOOD STORAGE CONTAINERS

FRESH PRO

Polycarbonate FreshPro CamSquares

CODE	2SFSPROCW	4SFSPROCW	6SFSPROCW	8SFSPROCW	12SFSPROCW	18SFSPROCW	22SFSPROCW
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17 L	19 L
DIM. L x W x H (CM)	19 x 19 x 10	19 x 19 x 18	23 x 23 x 18	23 x 23 x 24	29 x 29 x 22	29 x 29 x 33	29 x 29 x 41

Case Pack: 6 **Color:** Clear (135).

FreshPro Seal Covers



CODE	SFC2FPPP	SFC6FPPP	SFC12FPPP
DESCRIPTION	Fits 2 & 3,8 L	Fits 5,7 & 7,5 L	Fits 11, 17 & 19 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Case Pack: 6. FreshPro Easy Seal Covers not compatible with CamSquares Classic Series Containers.

CamSquare Drain Shelves





CODE	2SFSFPDPP	6SFSFPDPP	12SFSFPDPP
DESCRIPTION	Fits 2 & 3,8 L	Fits 5,7 & 7,5 L	Fits 11, 17 & 19 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Case Pack: 6. FreshPro Drain Shelves not compatible with CamSquares Classic Series Containers.

Note: All graduations are approximate.

Patent Applied For

POLYPROPYLENE FRESHPRO CAMSQUARES®
FOOD STORAGE CONTAINERS

FRESH PRO

Translucent FreshPro CamSquares

CODE	2SFSPROPP	4SFSPROPP	6SFSPROPP	8SFSPROPP	12SFSPROPP	18SFSPROPP	22SFSPROPP
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17 L	19 L
DIM. L x W x H (CM)	19 x 19 x 10	19 x 19 x 18	23 x 23 x 18	23 x 23 x 24	29 x 29 x 22	29 x 29 x 33	29 x 29 x 41

Case Pack: 6 **Color:** Translucent (190).

FreashPro Seal Covers





CODE	SFC2FPPP	SFC6FPPP	SFC12FPPP
DESCRIPTION	Fits 2 & 3,8 L	Fits 5,7 & 7,5 L	Fits 11, 17 & 19 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Case Pack: 6. FreshPro Easy Seal Covers not compatible with CamSquares Classic Series Containers.

CamSquare Drain Shelves







CODE	2SFSFPDPP	6SFSFPDPP	12SFSFPDPP
DESCRIPTION	Fits 2 & 3,8 L	Fits 5,7 & 7,5 L	Fits 11, 17 & 19 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Case Pack: 6. FreshPro Drain Shelves not compatible with CamSquares Classic Series Containers.

Note: All graduations are approximate.

Patent Applied For

POLYPROPYLENE CAMSQUARES® REUSABLE MINI STORAGE CONTAINERS

Ideal for Fresh herbs
Spice blends
Condiments
Mise en place

INDUSTRY-FIRST
Commercial Grade
One Liter and Half Liter Sizes

TWO SIZES
16 and 32 oz.

The Reusable and Sustainable Solution

Reusable replacement for single-use containers

POLYPROPYLENE CAMSQUARES®
REUSABLE MINI STORAGE CONTAINERS

Seal Cover

Stays firmly in place
Prevents spills
Easy on/off cover
Peg hole for sanitary drying
Prevents cross-contamination

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL FRESHPRO PRODUCTS: (190)

One-Handed Carry

One Cover Fits Both Container Sizes

1 L

1/2 L

Personalization

Polypropylene CamSquares Reusable Mini Storage Containers

HFSFSPROPP
CAPACITY: ½ L
DIMENSIONS L x W x H: 12 cm x 12 cm x 6,5 cm
Case Pack: 6 **Color:** Translucent (190).

1SFSPROPP
CAPACITY: 1 L
DIMENSIONS L x W x H: 12 cm x 12 cm x 11,8 cm
Case Pack: 6 **Color:** Translucent (190).

Easy Seal Cover

SFC1FPPP
DESCRIPTION: Fits ½ & 1 L
Case Pack: 6 **Color:** Translucent (190).

Patent Applied For

FRESH PRO

CamRounds™

Ergonomics

Handle Food. Not Fatigue.

SEVEN SIZES
from 2 - 22 qt.

1 MATERIAL
POLYPROPYLENE

Virtually unbreakable.
Withstands
temperatures from
-40˚ to 185˚F (-40˚ to 85˚C)

MADE IN USA

Perfect for immersion blenders

Easy to wing it

Smooth stirring

Easy-to-carry handles

Curved corners for safe 4-sided pouring

POLYPROPYLENE FRESHPRO CAMROUNDS™ FOOD STORAGE CONTAINERS

Storage

CamSquares® can stack on top of CamRounds™ for maximum space-saving storage

Spill-proof seal cover

Efficiency

Share the same seal covers as FreshPro CamSquares

Color-coded matching seal covers, drain shelves, and graduation marks for easy inventory management

Hygienic Washing, Drying and Storage

Peg holes on drain shelves and seal covers

Cross stacking for sanitary drying

Commercial dishwasher safe

Drain holes in handles

Freshness Extension



Industry-first drain shelves

Seal covers keep oxygen out and extend product shelf life by twice as long

Drain shelves lift ingredients out of juices, preserving freshness and quality

Personalization

Maintain recipe consistency and simplify training with personalized instructions for staff

Scan or Click for More Information

Easily identify contents and usage to streamline kitchen operations

POLYPROPYLENE FRESHPRO CAMROUNDS™
FOOD STORAGE CONTAINERS

Pail with Bail

Carry Confidently. Pour Precisely.

Heavy duty construction

Precise pour control

THREE SIZES

11,4•17,2•20,8L

POLYPROPYLENE FRESHPRO CAMROUNDS™ FOOD STORAGE CONTAINERS

FRESH PRO

Translucent FreshPro CamRounds

CODE	2RFSPROPP	4RFSPROPP	6RFSPROPP	8RFSPROPP	12RFSPROPP	18RFSPROPP	22RFSPROPP
CAPACITY	1,9 L	3,9 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
DIM. L x W x H (CM)	19,1 x 19,1 x 10,7	19,1 x 19,1 x 20,6	22,9 x 22,9 x 20,6	22,9 x 22,9 x 26,4	28,9 x 28,9 x 22,6	28,9 x 28,9 x 33,8	28,9 x 28,9 x 41,2

Case Pack: 6 **Color:** Translucent (190).

Translucent FreshPro CamRounds Pails With Bails

CODE	PWB12PROPP	PWB18PROPP	PWB22PROPP
CAPACITY	12 qt.	18 qt.	22 qt.
DIM. L x W x H	28,9 x 28,9 x 22,6cm	28,9 x 28,9 x 33,8 cm	28,9 x 28,9 x 41,2 cm

Case Pack: 6 **Color:** Translucent (190).

FreshPro Seal Covers

CODE	SFC2FPPP	SFC6FPPP	SFC12FPPP
DESCRIPTION	Fits 1,9 / 3,9 L	Fits 5,7 / 7,6 L	Fits 11,4 / 17,2 / 20,8 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Case Pack: 6. FreshPro Easy Seal Covers not compatible with CamSquares Classic Series Containers.

CamRounds Drain Shelves



CODE	2RFSFPDPP	6RFSFPDPP	12RFSFPDPP
DESCRIPTION	Fits 1,9 / 3,9 L	Fits 5,7 / 7,6 L	Fits 11,4 / 17,2 / 20,8 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Case Pack: 6. FreshPro Drain Shelves not compatible with CamSquares Classic Series Containers.

Note: All graduations are approximate.

Patent Applied For

POLYCARBONATE CAMSQUARE® CLASSIC FOOD STORAGE CONTAINERS

Polycarbonate CamSquares Classic Series



CODE	2SFSCW	4SFSCW	6SFSCW	8SFSCW	12SFSCW**	18SFSCW**	22SFSCW**
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
DIM. L x W x H (CM)	18,5 x 18,5 x 10	18,5 x 18,5 x 18,7	21,5 x 21,5 x 18,5	21,5 x 21,5 x 23	25,6 x 31 x 21	25,6 x 31 x 32	25,6 x 31 x 40

Case Pack: 6 **Color:** Clear (135). Height includes covers. **Dimensions include handles.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAMWEAR: (135)

Seal Covers for Polycarbonate CamSquare Classic Series*

CODE	SFC2SCPP	SFC6SCPP	SFC12SCPP
DESCRIPTION	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2 & 20,8 L

Case Pack: 6 **Color:** Translucent (190).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SFC2SCPP, SFC6SCPP, SFC12SCPP: (190)

Note: All graduations are approximate.

*Seal Covers fit Camwear CamSquare Classic containers only and are not airtight.

Personalization available on non-food contact areas only. See cresting section for information, ordering and pricing.

PRORATED

CAMSQUARES® CLASSIC SERIES TRANSLUCENT POLYPROPYLENE & POLYETHYLENE FOOD STORAGE CONTAINERS

Translucent Polypropylene

- Translucent material provides some content visibility and high chemical resistance.
- Withstands temperatures from -40˚ to 70˚C.
- Easy to read graduations are printed on the outside for at a glance inventory management.

Note: All graduations are approximate.

Polyethylene

- Economical storage choice.
- Made of impact, stain and chemical resistant opaque material.
- Withstands temperatures from -40˚ to 70˚C.

Note: All graduations are approximate.

Covers for Camwear® CamSquares Classic Series Translucent and Poly CamSquares

- Snap-tight polyethylene covers feature thumb tabs for easy removal.
- Colored covers match up with colored graduation marks on containers.

Personalization

Personalize food storage products to identify menu items, add fill lines for recipes, or use personalization in multiple languages to help ensure product quality and consistency.

For more information see the "Promote Your Brand" page located in the Table section of this catalog.

CAMSQUARES® CLASSIC SERIES TRANSLUCENT POLYPROPYLENE & POLYETHYLENE FOOD STORAGE CONTAINERS

Translucent Polypropylene



CODE	2SFSPP	4SFSPP	6SFSPP	8SFSPP	12SFSPP**	18SFSPP**	22SFSPP**
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
DIM. L x W x H (CM)	18,5 x 18,5 x 10	18,5 x 18,5 x 18,7	21,5 x 21,5 x 18,5	21,5 x 21,5 x 23	25,6 x 31 x 21	25,6 x 31 x 32	25,6 x 31 x 40

Case Pack: 6 **Color:** Translucent (190). Height includes covers. **Dimensions include handles.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

2SFSPP, 4SFSPP, 6SFSPP, 8SFSPP, 12SFSPP, 18SFSPP, 22SFSPP: (190)

Polyethylene

CODE	2SFSP	4SFSP	6SFSP	8SFSP	12SFSP**	18SFSP**	22SFSP**
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
DIM. L x W x H (CM)	18,5 x 18,5 x 10	18,5 x 18,5 x 18,7	21,5 x 21,5 x 18,5	21,5 x 21,5 x 23	25,6 x 31 x 21	25,6 x 31 x 32	25,6 x 31 x 40

Case Pack: 6 **Color:** Natural White (148). Height includes covers. **Dimensions include handles.

Universal Covers*

CODE	SFC2	SFC6	SFC12
COLOR	Kelly Green (452)	Winter Rose (451)	Midnight Blue (453)
DESCRIPTION	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2 & 20,8 L

Case Pack: 6

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SFC2: (452)
SFC6: (451)
SFC12: (453)

Note: All graduations are approximate.

*Fit all Camsquares Classic Series.

Personalization available on non-food contact areas only. See cresting section for information, ordering and pricing.

POLYPROPYLENE CAMROUNDS™ CLASSIC SERIES FOOD STORAGE CONTAINERS

- Translucent material offers some product visibility.
- Rounds are durable and resistant to stains.
- Withstands temperatures from -40˚ to 70˚C.
- Snap on covers fit tightly to protect contents and extend product freshness.

Note: All graduations are approximate.

Note: To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.

Polypropylene CamRounds Classic Series

CODE	RFS1PP	RFS2PP	RFS4PP	RFS6PP	RFS8PP	RFS12PP	RFS18PP	RFS22PP
CAPACITY	0,9 L	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
TOP DIAMETER (CM)	15,4	20,8	20,8	25,2	25,2	37,8	37,8	37,8
HEIGHT (CM)	12,7	11,1	21,8	20,2	27,6	21,3	30,5	38,1
CASE PACK	12	12	12	12	12	6	6	6

Color: Translucent (190). Top diameter dimension includes handle. Height dimension includes cover.

Covers for Polypropylene CamRounds Classic Series

DESCRIPTION	CASE PACK	CODE
Fits 0,9 L	12	RFSC1PP
Fits 1,9 L & 3,8 L	12	RFSC2PP
Fits 5,7 L & 7,6 L	12	RFSC6PP
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSC12PP

Color: Translucent (190).

POLYCARBONATE CAMROUNDS™ CLASSIC SERIES FOOD STORAGE CONTAINERS

Polycarbonate CamRounds
Classic Series

CODE	RFSCW1	RFSCW2	RFSCW4	RFSCW6	RFSCW8	RFSCW12	RFSCW18	RFSCW22
CAPACITY	0,9 L	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
TOP DIAMETER (CM)	15,4	20,8	20,8	25,2	25,2	37,8	37,8	37,8
HEIGHT (CM)	12,7	11,1	21,8	20,2	27,6	21,3	30,5	38,1
CASE PACK	12	12	12	12	12	6	6	6

Color: Clear (135). Top diameter dimension includes handle. Height dimension includes cover. Two year warranty on Camwear Rounds.

Polycarbonate Covers for CamRounds
Classic Series

DESCRIPTION	CASE PACK	CODE
Fits 0,9 L	12	RFSCWC1
Fits 1,9 L & 3,8 L	12	RFSCWC2
Fits 5,7 L & 7,6 L	12	RFSCWC6
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSCWC12

Color: Clear (135).

Seal Covers for Polycarbonate CamRounds
Classic Series

DESCRIPTION	CASE PACK	CODE
Fits 0,9 L	12	RFS1SCPP
Fits 1,9 L & 3,8 L	12	RFS2SCPP
Fits 5,7 L & 7,6 L	12	RFS6SCPP
Fits 11,4 L, 17,2 L & 20,8 L	6	RFS12SCPP

Color: Translucent (190).

TRANSLUCENT POLYPROPYLENE & POLYETHYLENE ROUND FOOD STORAGE CONTAINERS

Polyethylene CamRounds Classic Series

- Impact, stain and chemical resistant material.
- An affordable storage choice.
- Safe from -40˚ to 70˚C.
- Snap on covers fit tightly yet are easily removed.

Note: All graduations are approximate.

Note: To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.

Polyethylene

CODE	RFS1	RFS2	RFS4	RFS6	RFS8	RFS12	RFS18	RFS22
CAPACITY	0,9 L	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
TOP DIAMETER (CM)	15,4	20,8	20,8	25,2	25,2	37,8	37,8	37,8
HEIGHT (CM)	12,7	11,1	21,8	20,2	27,6	21,3	30,5	38,1
CASE PACK	12	12	12	12	12	6	6	6

Color: Natural White (148). Top diameter dimension includes handle. Height dimension includes cover.

Covers for Polyethylene Rounds

DESCRIPTION	CASE PACK	CODE
Fits 0,9 L	12	RFSC1
Fits 1,9 L & 3,8 L	12	RFSC2
Fits 5,7 L & 7,6 L	12	RFSC6
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSC12

Color: Natural White (148).

CAMWEAR® FOOD STORAGE BOXES

ELIMINATE THE HAZARD OF CROSS CONTAMINATION

Extend the freshness of ingredients and eliminate points of cross contamination by transferring product into food boxes at the receiving dock. A safe solution for storing bulk fruits and vegetables. Clear Camwear allows visibility for product identification. Snap tight Camwear Flat Lids or SlidingLids, sold separately, remain in place and won't come off during transport.

Camwear and Poly Lids are not interchangeable.

SlidingLids are covered by the following U.S. Patents D 447,906 S & 6,540,098 B1.

PRORATED



Available in Safety Red or Yellow to reduce the risk of cross contamination.

Molded-in handles ease carrying.

SlidingLid provides easy access to contents without removing the lid.

Withstands temperatures from -40˚ to 99˚C for use in coolers and freezers.

Crystal clear, durable Camwear allows for easy product identification.

Smooth surface is easy to clean. Stain and odor resistant.

Texturing on bottom of boxes reduces scratching.

Camwear Flat Lids

- Snap-tight covers won't come off during transport.
- Top molded-in rails for safer, more secure stacking.
- Durable Camwear is safe from -40˚ to 99˚C.



Camwear SlidingLids™

- Lid slides back to easily access contents, minimizing handling.
- Reduces the risk of cross contamination since lid remains on food box.
- Made of virtually unbreakable Camwear.

CAMWEAR® FOOD STORAGE BOXES

Camwear Food Storage Boxes

CODE	18263CW	✣ ● 18266CW	18269CW
DIMENSIONS (CM)	46 x 66 x 9	46 x 66 x 15	46 x 66 x 23
APPROX. CAPACITY (L)	18,9	33,1	49,2
CASE PACK	6	6	4

CODE	182612CW	182615CW	12183CW	✣ ● 12186CW	✣ 12189CW
DIMENSIONS (CM)	46 x 66 x 30	46 x 66 x 38	30,5 x 46 x 9	30,5 x 46 x 15	30,5 x 46 x 23
APPROX. CAPACITY (L)	64,4	83,3	6,6	11,4	18
CASE PACK	4	3	6	6	6

Color: Clear (135). **18266CW & 12186CW available in:** ● Safety Red (467), ✣ Safety Yellow (464). Please contact customer service for more information.

Camwear Covers





CODE	✣ ● 1826CCW FLAT LID	1826SCCW SLIDINGLID™	✣ ● 1218CCW FLAT LID	1218SCCW SLIDINGLID
DIMENSIONS (CM)	45,7 x 66	45,7 x 66	30,5 x 45,7	30,5 x 45,7

Case Pack: 6 **Color:** Clear (135). **1826CCW & 1218CCW available in:** ● Safety Red (467), ✣ Safety Yellow (464).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

18263CW, 18266CW, 18269CW, 182612CW, 182615CW, 12183CW, 12186CW, 12189CW, 1826CCW, 1218CCW: (135)

CAMWEAR® FOOD STORAGE BOX ACCESSORIES

ColanderKit™

- A complete food safety system packaged in one carton.
- Store raw meats, fish on ice or bulk produce safely.
- Juices and liquids drip into the food box below for quick and easy disposal.
- Reduces handling and risk of cross contamination.
- ColanderKit Includes:

  1 - 20 cm Deep Colander

  1 - 46 x 66 x 23 cm Food Box

  1 - 46 x 66 cm SlidingLid™

Camwear Colanders

- Enhances food quality and reduces risk of cross contamination.
- Liquids and juices drain directly into food box for improved food safety.
- Ideal for draining fruits and vegetables, thawing meat or poultry, or storing seafood on ice.
- Fits Camwear 46 x 66 cm Food Storage Boxes only.



Drain hole dimension: 9,5 mm

Camwear Drain Shelves

- Lifts contents out of liquids to enhance food quality and freshness.
- Made of virtually unbreakable Camwear.
- Camwear drain shelves fit in both Camwear boxes and white poly boxes.

Accessories




CODE	1826DSCW	1218DSCW	1826CLRCW (12,7 CM DEEP)	18268CLRCW (20 CM DEEP)	18268CLRKIT
DESCRIPTION	Drain shelf	Drain shelf	Colander	Colander	ColanderKit
DIMENSIONS	Fits all 46 x 66 cm food storage boxes	Fits all 30,5 x 46 cm food storage boxes	Fits Camwear food storage boxes only 46 x 66 x 15 cm and deeper	Fits Camwear food storage boxes only 46 x 66 x 23 cm and deeper	One 20 cm deep colander one 46 x 66 x 23 cm food box one 46 x 66 cm SlidingLid™
CASE PACK	6	6	6	4	1 Kit

Color: Clear (135).

POLYETHYLENE FOOD STORAGE BOXES & CAMWEAR® ACCESSORIES

Polyethylene Food Storage Boxes

BPA FREE

- Economical choice for storing bulk produce and ingredients.
- Impact, stain and chemical resistant material.
- Withstands temperatures from -40˚ to 70˚C.

CODE	18263P	18266P	18269P
DIMENSIONS (CM)	46 x 66 x 9	46 x 66 x 15	46 x 66 x 23
APPROX. CAPACITY	18,9 L	33,1 L	49,2 L
CASE PACK	6	6	6

CODE	182612P	182615P	12183P	12186P	12189P
DIMENSIONS (CM)	46 x 66 x 30	46 x 66 x 38	30,5 x 46 x 9	30,5 x 46 x 15	30,5 x 46 x 23
APPROX. CAPACITY	64,4 L	83,3 L	6,6 L	11,4 L	18 L
CASE PACK	4	3	6	6	6

Color: Natural White (148).

Polyethylene Covers

BPA FREE

CODE	1826CP FLAT LID	1218CP FLAT LID
DIMENSIONS (CM)	45,7 x 66	30,5 x 45,7

Color: Natural White (148). **Case Pack:** 6

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

1826DSCW, 1826CLRCW, 18268CLRCW: (135)
1826CP, 18269P, 182615P: (148)

Camwear and Polyethylene Lids are not interchangeable.

Camchiller®

- Extend cold holding time or enhance safe holding below 5˚C when frequent access is required.

CODE	CP814 (20 x 36 CAMCHILLER)
FITS INTO FOOD BOXES	12189CW, 12189P, 12186CW, 12186P
DIMENSIONS L x W x H	35,56 x 20,32 x 3,8 cm

Case Pack: 1 **Color:** Cold Blue (159).

STORESAFE®
FOOD ROTATION LABELS

- Label and adhesive dissolve in less than 30 seconds.
- Run under hot or cold water or through the dishwasher.
- Safe for all sewer and septic systems and will not build up in drains.
- Withstands freezing temperatures as low as -40˚C.
- Withstands high heat temperatures up to 93˚C for 4 hours.
- Microwave safe.
- Leaves behind no sticky residue which can be a breeding ground for bacteria.
- Assists in a proper First In First Out (FIFO) food storage system.
- 100% dissolvable and biodegradable.

Label color: White (148).

*Available for ordering in cases only. No broken cartons.

100% biodegradable. FDA approved material.

BPA FREE

Eliminates sticky residue and prevents cross contamination! No more scraping!

Dissolves completely off all containers when placed through dishwasher or under running water.

100% DISSOLVABLE & BIODEGRADABLE

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

1252SLB250, 1252SLINB250, 23SLINB6250, 23SLB250, 23SLINB250

Retail Blister Pack



CASE CODE	23SL
LABEL SIZE	5 x 7,6 cm
CASE PACK	20 rolls, 100 labels per roll

StoreSafe Label Blister Pack is covered by U.S. Patent 690,589 S.

Bulk Dispenser Pack – Half Size Labels

CASE CODE	1252SLB250	1252SLINB250
LABEL SIZE	3 x 5 cm	3 x 5 cm
CASE PACK	24 rolls, 250 labels per roll	24 rolls, 250 labels per roll

Bulk Dispenser Pack





CASE CODE	23SLB250	23SLB6250
LABEL SIZE	5 x 7,6 cm	5 x 7,6 cm
CASE PACK	24 rolls, 250 labels per roll	6 rolls, 250 labels per roll

Bulk Dispenser Pack – Blank Labels



CASE CODE	23SLINB250	23SLINB6250
LABEL SIZE	5 x 7,6 cm	5 x 7,6 cm
CASE PACK	24 rolls, 250 labels per roll	6 rolls, 250 labels per roll

Laser Sheet

BOX CODE	SLL30 (Avery® 5160)
LABEL SIZE	2,54 x 6,35 cm
CASE PACK	100 sheets, 30 labels per sheet 21,6 x 27,9 cm sheet size

CAMWEAR® GASTRONORM FOOD PANS

NSF · CA PROP 65 · 2 PRORATED · Store Safe

Store, transport, and serve all in one pan. Precisely designed by Gastronorm GN specifications, with a large radius bottom to reduce food waste.

Camwear GN pans are not recommended for steam table or microwave use. See H-Pan™ section for high heat applications.

CLEARLY THE BEST

UNBREAKABLE

The Gastronorm Food Pan is virtually unbreakable for a lasting storage solution.



CLARITY

Check contents while reducing handling and cross contamination.

HOT or NOT

Withstands a wide range of temperatures: -40˚C to 99˚C

NO REACTION

Polycarbonate Food Pans will not react or stain with acids or oils.

COLD TEST

STAINLESS STEEL PAN

CAMWEAR FOOD PAN

CAMWEAR® GASTRONORM FOOD PANS SIZE, & ORDERING INFORMATION

CONFIGURATIONS	PAN CODE	PAN DEPTH	APPROXIMATE CAPACITY
 GN 1/1 32,5 x 53 cm	12CW	6,5 cm	8,5 L
	14CW	10	13
	16CW	15	19,5
	18CW	20	25,6
	10CWD	—	Drain shelf
 GN 1/2 Long 16,2 x 53 cm	22LPCW	6,5	3
	24LPCW	10	5
	20LPCWD	—	Drain shelf
 GN 1/2 26,5 x 32,5 cm	22CW	6,5	3,9
	24CW	10	5,9
	26CW	15	8,9
	28CW	20	11,7
	20CWD	—	Drain shelf
 GN 1/3 17,6 x 32,5 cm	32CW	6,5	2,4
	34CW	10	3,6
	36CW	15	5,3
	38CW	20	6,9
	30CWD	—	Drain shelf
 GN 1/4 16,2 x 26,5 cm	42CW	6,5	1,7
	44CW	10	2,5
	46CW	15	3,7
	40CWD	—	Drain shelf
 GN 1/6 16,2 x 17,6 cm	62CW	6,5	1
	64CW	10	1,5
	66CW	15	2,2
	60CWD	—	Drain shelf
 GN 1/8 16,12 x 13,17 cm	82CW*	6,5	0,7
	84CW	10	1
	86CW	15	1,5
	80CWD	—	Drain shelf
 GN 1/9 10,8 x 17,6 cm	92CW	6,5	0,57
	94CW	10	0,85
	96PCW	15	1,4
	90CWD	—	Drain shelf

Case Pack: 6

Colors: Clear (135), White (148), Black (110). *82CW is not available in Black (110). 18CW and 28CW available in Clear (135) only.
Drain Shelf Color: Clear (135).
Colander Color: Clear (135).

All Camwear GN Food Pans are made of FDA approved materials. All Camwear GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

Personalization available on non-food contact areas only. See cresting section for information and ordering.

NSF

2 PRORATED

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10CWD, 18CW, 20CWD, 28CW, 30CWD, 40CWD, 60CWD, 90CWD, 92CW, 96CW: (135)
12CW, 14CW, 16CW, 22LPCW, 24LPCW, 22CW, 24CW, 26CW, 32CW, 42CW, 44CW, 46CW, 62CW, 94CW: (135), (110)
36CW, 64CW, 66CW: (135), (110), (148)
34CW, 38CW: (135), (148)

Drain Shelves

- Keeps products out of liquids and promotes drainage.
- Available for all food pan sizes.

96PCW

CAMWEAR® LID SIZES & ORDERING INFORMATION

Flat Cover

Available in all pan sizes.

Cover with Handle

Deep molded handle provides secure grip and also includes a peg hole for sanitary drying. Available in black to help block light, reducing discoloration of meats and cheeses.

Notched Cover with Handle

Notched cover allows utensils to remain in pan and off of potentially contaminated counters. Includes peg hole for sanitary drying.

Seal Cover

Designed to fit Camwear and translucent food pans, Seal Covers feature an inner seal that provides superior spill resistance and extends shelf life up to 3 days.



FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields. Reduces points of cross contamination.

Notched FlipLid

Flip Lid with notch to rest spoon in contents with lid closed.

GripLid®

Molded-in polyurethane gasket on the lid grips the side of the food pan airtight, reducing spills and points of cross contamination.

FITS PANS	LID CODE	DESCRIPTION
GN 1/1 32,5 x 53 cm	10CWC	Flat cover
	10CWCH*	Cover with handle
	10CWCHN*	Notched cover with handle
	10CWGL	GripLid
	10PPCWSC	Seal cover
GN 1/2 Long 16,2 x 53 cm	20LPCWC	Flat cover
GN 1/2 26,5 x 32,5 cm	20CWC	Flat cover
	20CWCH*	Cover with handle
	20CWCHN*	Notched cover with handle
	20CWL	FlipLid
	20CWLN	Notched FlipLid
	20CWGL	GripLid
	20PPCWSC	Seal cover
GN 1/3 17,6 x 32,5 cm	30CWC	Flat cover
	30CWCH*	Cover with handle
	30CWCHN*	Notched cover with handle
	30CWL	FlipLid
	30CWLN	Notched FlipLid
	30CWGL	GripLid
	30PPCWSC	Seal cover
GN 1/4 16,2 x 26,5 cm	40CWC	Flat cover
	40CWCH*	Cover with handle
	40CWCHN*	Notched cover with handle
	40PPCWSC	Seal cover
GN 1/6 16,2 x 17,6 cm	60CWC	Flat cover
	60CWCH*	Cover with handle
	60CWCHN*	Notched cover with handle
	60CWL	FlipLid
	60CWLN	Notched FlipLid
	60CWGL	GripLid
	60PPCWSC	Seal cover
GN 1/8 16,12 x 13,17 cm	80CWC	Flat cover
	80CWCH	Cover with handle
	80CWCHN	Notched cover with handle
	80PPCWSC	Seal cover
GN 1/9 10,8 x 17,6 cm	90CWC	Flat cover
	90CWCN	Flat notched cover
	90CWL*	FlipLid cover
	90CWLN*	Notched FlipLid cover
	90PPCWSC	Seal cover

Case pack for all lids: 6 *Includes peg hole.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC: (190)
10CWC, 10CWCH, 10CWCHN, 10CWGL, 20LPCWC, 20CWC, 20CWCH, 20CWCHN, 20CWGL, 30CWC, 30CWCH, 30CWCHN, 30CWGL, 40CWC, 40CWCH, 60CWC, 60CWCH, 60CWCHN, 60CWGL, 90CWC: (135)

Color: Clear (135).
Seal Cover Color: Translucent (190).
Cover with Handle Colors: Clear (135), Black (110).

Personalization available on non-food contact areas only. See cresting section for information and ordering.

FlipLids are covered by U.S. Patent Des. 420,849, 422,838 & 427,012. GripLids are covered by U.S. Patent D 446,076 & Utility Patent 6,273,288 B1.

CAMWEAR® COLANDER PANS

- Rinse, drain and store all in one pan.
- Liquids drain easily into the food pan below for enhanced food quality and reduced handling.
- Colanders simply lift out of the food pan for safe and quick disposal of liquids.
- Ideal for prepped produce, storing seafood on ice, and defrosting and storing meats and poultry.
- Camwear flat covers, covers with handles and notched covers with handles fit on pans with colanders.

Colander Pans are covered by U.S. Patent D 569 ,169 S.

PRORATED

Drain hole dimension: 6 mm

13CLRCW with 14CW Food Pan

Rinse

Drain

Store

CONFIGURATIONS	PAN CODE	COLANDER DEPTH	FITS CAMWEAR PAN DEPTH*
GN 1/1 32,5 x 53 cm	13CLRCW	7,6 cm	10 cm
	15CLRCW	12,7	15
GN 1/2 26,5 x 32,5 cm	23CLRCW	7,6	10
	25CLRCW	12,7	15
GN 1/3 17,6 x 32,5 cm	33CLRCW	7,6	10
	35CLRCW	12,7	15
GN 1/6 16,2 x 17,6 cm	63CLRCW	7,6	10
	65CLRCW	12,7	15

Case Pack for all Pans: 6 *Fits this pan depth & deeper. Lids listed on previous page.

H-PAN™ HIGH HEAT FOOD PANS

CA PROP 65

Store Safe

Store, transport, and serve all in one pan. Precisely designed by Gastronorm GN specifications, with a large radius bottom to reduce food waste.

191°C

-40°C

Withstands temperatures from
-40°C to 191°C

ONE PAN THAT DOES IT ALL

GOES FROM...

PREP › OVEN › FREEZER › MICROWAVE › STEAM TABLE

Pan edges are COOL to the touch for safe handling

PANS STACK

GASTRONORM HIGH HEAT H-PANS™
SIZES & ORDERING INFORMATION

CONFIGURATIONS	PAN CODE	PAN DEPTH	APPROXIMATE CAPACITY
 GN 1/1 32,5 x 53 cm	12HP	6,5 cm	8,5 L
	14HP	10	13
	16HP	15	19,5
	10HPD	—	Drain shelf
 GN 1/2 Long 16,2 x 53 cm	22LPHP	6,5	3
	24LPHP	10	5
	20LPHPD	—	Drain shelf
 GN 1/2 26,5 x 32,5 cm	22HP	6,5	3,9
	24HP	10	5,9
	26HP	15	8,9
	20HPD	—	Drain shelf
 GN 1/3 17,6 x 32,5 cm	32HP	6,5	2,4
	34HP	10	3,6
	36HP	15	5,3
	30HPD	—	Drain shelf
 GN 1/4 16,2 x 26,5 cm	42HP	6,5	1,7
	44HP	10	2,5
	46HP	15	3,7
	40HPD	—	Drain shelf
 GN 1/6 16,2 x 17,6 cm	62HP	6,5	1
	64HP	10	1,5
	66HP	15	2,2
	60HPD	—	Drain shelf
 GN 1/8 16,12 x 13,17 cm	82HP	6,5	0,7
	84HP	10	1
	86HP	15	1,5
	80HPD	—	Drain shelf
 GN 1/9 10,8 x 17,6 cm	92HP	6,5	0,57
	94HP	10	0,85
	96PHP	15	1,4
	90HPD	—	Drain shelf

Case Pack: 6

Colors: Amber (150), Black (110).
Drain Shelf Color: Amber (150).

H-Pans are made of FDA approved materials and are designed to CEN Gastronorm Standard EN 631-1. Amber color may vary.

Personalization available on non-food contact areas only. See cresting section for information and ordering.

Microwave safe.

Drain Shelf

- Supports product and promotes drainage.
- Available to fit all food pan sizes.



86HP
Shown with Optional Drain Shelf.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

14HP, 16HP, 34HP, 30HPD, 36HP, 64HP, 66HP: (150)
22LPHP, 24LPHP: (110)
12HP, 22HP, 24HP, 26HP: (110), (150)

LIDS FOR GASTRONORM H-PAN™ FOOD PANS AND ORDERING INFORMATION

FITS PANS	LID CODE	DESCRIPTION
GN 1/1 32,5 x 53 cm	10HPC*	Flat cover
	10HPCH*	Cover with handle
	10HPCHN*	Notched cover w/handle
GN 1/2 Long 16,2 x 53 cm	20LPHPC	Flat cover
GN 1/2 26,5 x 32,5 cm	20HPC*	Flat cover
	20HPCH*	Cover with handle
	20HPCHN*	Notched cover w/handle
	20HPL	Fliplid
	20HPLN	Notched FlipLid
GN 1/3 17,6 x 32,5 cm	30HPC*	Flat cover
	30HPCH*	Cover with handle
	30HPCHN*	Notched cover w/handle
	30HPL	FlipLid
	30HPLN	Notched FlipLid
GN 1/4 16,2 x 26,5 cm	40HPC*	Flat cover
	40HPCH*	Cover with handle
	40HPCHN*	Notched cover w/handle
GN 1/6 16,2 x 17,6 cm	60HPC*	Flat cover
	60HPCH*	Cover with handle
	60HPCHN*	Notched cover w/handle
	60HPL	Fliplid
	60HPLN	Notched FlipLid
GN 1/8 16,12 x 13,17 cm	80HPC*	Flat cover
	80HPCH*	Cover with handle
	80CHPCHN*	Notched cover w/handle
GN 1/9 10,8 x 17,6 cm	90HPC*	Flat cover

Case pack: 6 *Includes peg hole.

Notched FlipLid®

Flip Lid with notch to rest spoon in contents with lid closed.

FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields.

Flat Cover

Available in all pan sizes.



Cover with Handle

Deep molded handle gives secure grip.



Notched Cover with Handle

Easy access for ladles or spoons.

Color: Amber (150).
Amber color may vary.

FlipLids are covered by U.S. Patent D 420,849, D 422,838, D 427,012 & D 6,273,288 B1.

Microwave safe.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10HPC, 10HPCH, 20HPC, 20HPCH, 30HPC, 30HPCH, 30HPCHN, 60HPC, 60HPCH, 60HPCHN: (150)

H-PAN™ HIGH HEAT COLANDER PANS

- Colanders drain liquids and grease away from hot foods, improving food quality.
- Ideal for reheating in microwaves and holding applications such as steam tables and buffet lines.
- Reduces handling and improves food safety.
- H-Pan High Heat Flat Covers, Covers with Handles and Notched Covers with Handles fit on pans with colanders.

Microwave/Steam

Hold Hot Foods

Drain

CONFIGURATIONS	PAN CODE	COLANDER DEPTH	FITS H-PAN DEPTH*
GN 1/1 32,5 x 53 cm	13CLRHP	7,6 cm	10 cm
	15CLRHP	12,7	15
GN 1/2 26,5 x 32,5 cm	23CLRHP	7,6	10
	25CLRHP	12,7	15
GN 1/3 17,6 x 32,5 cm	33CLRHP	7,6	10
	35CLRHP	12,7	15
GN 1/6 16,2 x 17,6 cm	63CLRHP	7,6	10
	65CLRHP	12,7	15

Case Pack for all Pans: 6 *Fits this pan depth & deeper. Lids listed on previous page.

HIGH HEAT H-PAN™ WITH HANDLE(S)

- Flat base to maximize contact with heating element.
- High Heat Material withstands temperatures from -40˚ to 190˚C.
- Fits all leading manufacturer's hot holding bins, including single-sided and pass-through models.
- Reinforced textured handle design with finger grip feature for a secure grasp.
- Handle designed with drain holes to avoid water build-up after warewashing process.
- Two handles allow employees to reach the pan from either side of the unit for safe handling.
- Can be used with high heat lids and drain shelves.

Color: Amber (150).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

32HP1H, 32HP2H: (150)

34HP2H

32HP1H

CONFIGURATIONS	PAN CODE	DESCRIPTION	PAN DEPTH
1/3 17,6 x 32,5 cm	32HP1H	Single Handle	6,5 cm
	32HP2H	Double Handle	6,5
	34HP1H	Single Handle	10
	34HP2H	Double Handle	10

Case Pack: 6 **Color:** Amber (150).

High Heat Flat Cover, Cover with Handle and Notched Cover with Handle fit on pan.

Full size 6,5 cm deep food pan with handles fits all leading manufacturers' hot holding bins.

12HPH

CONFIGURATIONS	PAN CODE	PAN DEPTH	APPROX. CAPACITY
1/1 32,5 x 53 cm	12HPH	6,5 cm	8,42 L

Case Pack: 6 **Color:** Amber (150).
Lids listed on previous page.

TRANSLUCENT POLYPROPYLENE GASTRONORM FOOD PANS

- An economical choice for storing food.
- Translucent polypropylene material provides content visibility and high chemical resistance.
- Withstands temperature ranges from -40˚ to 70˚C.
- Meets Gastronorm GN food pan specifications EN-631-1.
- Non-stick smooth interior surface promotes easy cleaning.

Color: Translucent (190).

Graduation marks and capacities are approximate.

Translucent food pans are made of FDA approved materials.

Translucent food pans interstack with other Cambro food pans.

Translucent pans are not designed for steam table use.

BPA FREE

Ideal for transporting in Cambro top loading carriers. (UPC100, UPCS140, 100MPC, UPC140, UPCS160, 240MPC, UPC160, EPP160SW, EPP180SW, EPP260SW, EPP280SW)

Seal covers protect food quality while eliminating the expense of plastic wrap.

Uniform 1,27 cm flange width ensures the right fit in prep tables and food bars.

Use Cambro StoreSafe® food rotation labels on translucent food pans to manage inventory and reduce waste.

POLYPROPYLENE GASTRONORM COLANDER PANS

- Rinse, drain and store all in one pan.
- Liquids drain easily into the food pan below for enhanced food quality and reduced handling.
- Translucent Cover w/Handle and Notched Cover with Handle fit on pans with colanders.
- Drain hole diameter is approximately 6 mm.

Color: Translucent (190).

Translucent colander pans are made of FDA approved materials.

Translucent pans are not designed for steam table use.

NSF BPA FREE

CONFIGURATIONS	PAN CODE	COLANDER DEPTH	FITS POLYPROPYLENE PAN DEPTH*
GN 1/3 17,6 x 32,5 cm	33CLRPP	7,6 cm	10 cm
	35CLRPP	12,7	15
GN 1/6 16,2 x 17,6 cm	63CLRPP	7,6	10
	65CLRPP	12,7	15

Case Pack for all Pans: 6 *Fits this pan depth & deeper.
Lids listed on following page.

TRANSLUCENT FOOD PANS

CONFIGURATIONS	PAN CODE	PAN DEPTH	APPROXIMATE CAPACITY
 GN 1/1 32,5 x 53 cm	12PP*	6,5 cm	8,5 L
	14PP	10	13
	16PP	15	19,5
	18PP*	20	25,6
	10PPD	—	Drain shelf
	22PP*	6,5	3
	24PP	10	5,9
	26PP	15	8,9
	28PP*	20	11,7
	20PPD	—	Drain shelf
 GN 1/3 17,6 x 32,5 cm	32PP	6,5	2,4
	34PP	10	3,6
	36PP	15	5,3
	38PP*	20	6,9
	30PPD	—	Drain shelf
 GN 1/4 16,2 x 26,5 cm	42PP	6,5	1,7
	44PP	10	2,5
	46PP	15	3,7
	40PPD	—	Drain shelf
 GN 1/6 16,2 x 17,6 cm	62PP	6,5	1
	64PP	10	1,5
	66PP	15	2,2
	60PPD	—	Drain shelf
 GN 1/9 10,8 x 17,6 cm	92PP	6,5	0,57
	94PP	10	0,85
	90PPD	—	Drain shelf

Case Pack: 6 *Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

Color: Translucent (190).

All Translucent Gastronorm Food Pans are made of FDA approved materials.

All polypropylene GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

BPA FREE

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10PPD, 12PP, 14PP, 16PP, 18PP, 20PPD, 22PP, 24PP, 26PP, 28PP, 30PPD, 32PP, 34PP, 36PP, 38PP, 40PPD, 42PP, 44PP, 46PP, 60PPD, 62PP, 64PP, 66PP, 90PPD, 92PP, 94PP: (190)

Drain Shelves

- Keeps products out of liquids and promotes drainage.
- Available for all pan sizes.

TRANSLUCENT FOOD PAN LIDS

Seal Cover

Designed to fit Camwear® and translucent food pans, Seal Covers feature an inner seal that provides superior spill resistance and extends shelf life up to 3 days. Available for all food pan sizes.

Cover with Handle

Deep molded handle gives secure grip. Available for all food pan sizes except 1/9.

Notched Cover with Handle

Easy access for ladles or spoons. Available for 1/3 and 1/6 food pans.

Flat Cover

Only available for 1/9 food pans.

FITS PAN	LID CODE	DESCRIPTION
GN 1/1 32,5 x 53 cm	10PPCH	Cover with handle
	10PPCWSC	Seal cover
GN 1/2 26,5 x 32,5 cm	20PPCH	Cover with handle
	20PPCWSC	Seal cover
GN 1/3 (17,6 x 32,5 cm)	30PPCH	Cover with handle
	30PPCHN	Notched cover w/handle
	30PPCWSC	Seal cover
GN 1/4 16,2 x 26,5 cm	40PPCH	Cover with handle
	40PPCWSC	Seal cover
GN 1/6 16,2 x 17,6 cm	60PPCH	Cover with handle
	60PPCHN	Notched cover w/handle
	60PPCWSC	Seal cover
GN 1/9 10,8 x 17,6 cm	90PPC	Flat cover
	90PPCWSC	Seal cover

Case Pack: 6

Color: Translucent (190).

All Translucent Gastronorm Food Pan lids are made of FDA approved materials.

All polypropylene GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

BPA FREE

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

20PPCH, 30PPCH, 40PPCH, 60PPCH, 10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC: (190)

COLDFEST® GASTRONORM FOOD PANS, CROCKS, COVERS & PUMPS

- Keeps contents chilled at or below HACCP guidelines of 4˚C without the use of messy ice.
- Freeze upside down for eight hours or overnight before filling with pre-chilled product.
- Half and third-size pans hold contents cold for up to eight hours. Sixth size pans and crocks hold contents cold for up to six hours.
- Conforms to Gastronorm exterior dimensions to fit standard food bars or make tables.
- Stackable to save space when freezing and storing.
- Can be used for direct food contact with all types of food products.

Colors: Black (110), White (148).
Flat Cover Color: Clear (135).
Seal Cover Color: White (148).
Pump with Cover Color: Clear (135).

Suggested holding times are based on tests with ambient room conditions of up to 23˚C.

ColdFest is covered under U.S. Patent D 419,364.

*Pumps and round covers not NSF listed.

All ColdFest GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

66CF: (110)
CFR18: (110), (148)
60CFC: (135)

Ideal for use with Cambro Versa Food Bars® to keep perishable items chilled.

Pans / Crock

CODE	26CF‡	36CF‡	66CF‡	CFR18‡
CONFIGURATIONS	GN 1/2 – 26,5 x 32,5 cm	GN 1/3 – 17,6 x 32,5 cm	GN 1/6 – 16,2 x 17,6 cm	ø 17,3 cm
DEPTH	15 cm	15 cm	15 cm	17 cm
APPROX. CAPACITY	6 L	3,5 L	1,4 L	1,6 L

Case Pack: 1

ColdFest Food Pans are made with high-impact resistant ABS shells and non-toxic refrigerant gel cores.

Covers

CODE	20CFC	30CFC	60CFC	CFRC18*	CFRSC18
DESCRIPTION	Flat cover	Flat cover	Flat cover	Flat cover	Seal cover
FITS COLDFEST	GN 1/2	GN 1/3	GN 1/6	Crock	Crock

Case Pack: 2

Pumps with Clear Covers

CODE	CFPSRC10*	CFPMRC10*	CFPFRC10*
DESCRIPTION	Standard pump for 29,5 mL portions	Maxi pump for chunky condiments	Fixed nozzle pump for controlled dispensing
DIMENSIONS W x D x H	18,4 x 22,8 x 28,5 cm	18,4 x 26 x 31,4 cm	18,4 x 29,5 x 29,8 cm

Case Pack: 1

PIZZA DOUGH BOXES

Polypropylene

- Ideal for storing, transporting, proofing and cooling dough.
- Lightweight, durable, and break resistant.
- Chemical resistant won't absorb odors and is easy to clean.
- Boxes nest tightly together to keep out dirt and contaminants, extending product freshness.
- Each box acts as a tight lid for the box below, reducing the need and expense of covers.
- Withstands temperatures from -40˚ to 70˚C.
- Cover can be used as an 46 x 66 cm tray.
- Available in 7,6 cm depth only.

Color: White (148).

Camwear & Polypropylene dough boxes do not inter stack.

CD1826PDB Color: Coffee Beige (157), Brown(131), Black (110), Slate Blue (401), Grey (180).

*Polypropylene dough boxes are safe for use in high temperature dishwashers.

Camdolly Caster: 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.

CD1826PDB
Weight Capacity: 136 kg

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

DB18263P, DB18263CW: (148)

Camwear®

- Prevents crusting to increase the storage life of dough.
- Virtually unbreakable Camwear construction is reinforced on all sides.
- Boxes won't bend or lose their shape.
- Withstands temperatures from -40˚ to 99˚C.
- Available in 7,62 and 15,24 cm depths.

CODE	OUTSIDE DIMENSIONS	INSIDE DIMENSIONS
Polypropylene Pizza Dough Box		
DB18263P‡	46 x 66 x 7,6 cm	40,6 x 60,9 cm
Polypropylene Cover		
DBC1826P‡	46 x 66	—
Camwear Pizza Dough Boxes		
DB18263CW	46 x 66 x 7,6	40,6 x 60,9
DB18266CW	46 x 66 x 15,3	40,6 x 60,9
Camwear Cover		
DBC1826CW	46 x 66	—

Case Pack: 6 **Color:** White (148).

Camdolly® For Pizza Dough Boxes		
CD1826PDB**	50,5 x 71 x 26	44,5 x 64,5

Case Pack: 1 **Optional straps (400STP or UTHSTP) sold separately.

INGREDIENT BINS AND CAMWEAR® DRY SCOOPS

Ingredient Bins

- Store bulk dry ingredients such as flour and grain.
- Hygienic clear sliding lid reduces handling and allows for quick content identification.
- Bin made of FDA-accepted material so no liners are needed.
- Designed to fit under standard work tables.

7,6 cm Casters: 2 rear fixed, 2 front swivel.

Color: White (148).

Scoops sold separately.

IBSH24 Scoop Holder comes with IBS20, IBS27 and IBSF27 Ingredient Bins only.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

IBS20, IBS27, IBS37: (148)

IBSF27

IBSH24

Holder for IBS20, IBS27 & IBSF27

CAPACITY: Up to 28,35g

IBS20

IBS27

IBS37

IBSF27

IB32

IB36

IB44

CODE	DIMENSIONS W x L x H	LIQUID CAPACITY	LID TYPE	DRY CAPACITY (SUGAR)	DRY CAPACITY (FLOUR)
IBS20	33 x 75 x 71 cm	81 L	Two Piece Sliding Lid	77 kg	63 kg
IBS27	42 x 75 x 71	102	Two Piece Sliding Lid	103	68
IBS37	55 x 75 x 71	140	Two Piece Sliding Lid	143	102
IBSF27	33 x 76,5 x 72,5	102	Two Piece Sliding Lid	98	68
IB32	56 x 61 x 58,5	121	Single Flat Lid	98	73
IB36	39 x 75 x 74	129	Single Flat Lid	114	82
IB44	47 x 75 x 74	161	Single Flat Lid	145	104

Case Pack: 1

Camwear Dry Scoops

- Virtually unbreakable Camwear will not dent, chip or rust.
- Molded-in sure grip handle includes a hole for hanging.
- Ideal for use with Cambro Ice Caddies and Ingredient Bins.

Color: Clear (135).

Personalization not available.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SCOOPS: (135)

CODE	APPROX. CAPACITY	CASE PACK
SCP6CW	170 g	12
SCP12CW	340	12
SCP24CW	680	12
SCP64CW	1814	6

SOAK AND BRINE TANK AND CAMCRISPER®

Soak and Brine Tank

- Designed for complete submersion of meats or poultry in brining solution for enhanced moisture retention, texture and flavor.
- Can also be used as a pre-soak tank for smallwares and dishes in sanitation solution to help reduce labor in pre-scrubbing.
- Clear sliding lid always stays on to help reduce the risk of cross-contamination.
- Withstands temperatures from -40˚ to 70˚C.

7,6 cm Casters: 2 rear fixed, 2 front swivel.

Colors: White (148), Yellow (229).
Cover Color: Clear (135).

Some assembly required.

Maneuverable drain elbow can be positioned in any direction as needed. Use with or without drain hose based on available access to floor drain.

Tank drains easily in 4 minutes when completely full and features an easy to turn 45˚ ball valve.

Maneuverable drain elbow and clear hose allow drainage even with hard to access drains.

CODE	DIMENSIONS W x L x H	CAPACITY	CUBIC METER
IBSD37	54,6 x 74,9 x 71,7 cm	140 L	0,14

Case Pack: 1

Camcrisper

- A self-contained system for brining or storing, washing and transporting bulk produce.
- Prevents cross contamination and minimizes unnecessary handling.
- Transfer dry produce out of cartons into bin, cover and roll into cooler for safe storage.
- Wash and rinse produce for easy and safe prep.

7,6 cm Casters: 2 rear fixed, 2 front swivel.

Color: White (148).
Cover Color: Clear (135).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CC32: (148)

CODE	DIMENSIONS W x L x H	CAPACITY	CUBIC METER	LOAD CAPACITY
CC32	56 x 61 x 58,5 cm	121 L	0,123	24 lettuce heads (unfinished) 42 lettuce heads (finished)

Case Pack: 1

HIGH HEAT MEASURING CUPS AND CAMWEAR® MEASURING CUPS

High Heat Measuring Cups and Cover

- Use to heat liquids or sauces in the microwave, collect hot water from a dispenser, fill steam tables or chafing dishes or rehydrate food products.
- Withstands temperatures ranging from -40˚ to 190˚C.
- Will not crack or shatter from regular use with hot liquids/ ingredients.
- Molded-in standard and metric graduations ensure accuracy and will hold up to the rigors of foodservice.
- Molded-in handle is positioned for both comfort and safety, and stays cool to the touch out of the microwave or oven.
- Optional Splatter-Proof Cover fits both 2 and 4 L measuring cups.

Color: Amber (150).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

200MCH, 400MCH, MCCH: (150)

Cups shown with Optional Universal Cover.

CODE	DESCRIPTION	DIMENSIONS H x DIA.
200MCH	2 L Measuring Cup	16,2 x 19,4 cm
400MCH	4 L Measuring Cup	26,4 x 19,4
MCCH	Universal Cover (fits both cups)	19 x 2,4

Case Pack: 1

Camwear Liquid Measuring Cups

- Externally marked graduations are molded in and imprinted in red for American standard and blue for metric for easy measurement.
- Durable, virtually unbreakable Camwear will not dent, ensuring an accurate measurement every time.
- Molded-in handle will not break off.

Color: Clear (135).

Personalization available on non-food contact areas only. See cresting section for information and ordering.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

100MCCW, 200MCCW, 400MCCW: (135)

Graduations are molded-in and imprinted in Blue for metric and Red for standard American measurements.

CODE	CAPACITY	CASE PACK
25MCCW	225 mL (dry measure)	12
50MCCW	0,5 L	12
100MCCW	1	12
200MCCW	2	12
400MCCW	4	1

CAMWEAR® DINNERWARE

5 YEAR PRORATED WARRANTY AGAINST BREAKAGE

- Durable Camwear resists stains, odors and scratches.
- Textured surface on salad and dinner plates for long wear.
- Ideal for schools, cafeterias, day care centers and healthcare facilities.
- Mug and stacking cup can be personalized.

Not recommended for microwave use.

133 Beige

110 Black

148 White

401 Slate Blue

Oval Platters & Compartment Plates

CODE	90SPCW	120CWP	93CW	HK93BCW
DIAMETER	22,9 x H 4 cm	30,5 x 22,9 cm	22,9 cm	24,1 cm
DESCRIPTION	Round, soup bowl	Oval, narrow rim	Narrow rim	Narrow rim
CASE PACK	48	24	48	12

*HK93BCW is available in Beige (133) only. Not recommended for microwave use.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

90SPCW, 10CWNR, 9CWNR, 825CWNR, 50CW, 60CW, 75CW: (148), (401)
96CW: (148), (401)
10CWL: (135)
725CWNR, 65CWNR, 10CW, 45CW, 100CW, 150CW: (148)

CODE	10CWNR	9CWNR	825CWNR	725CWNR	65CWNR	55CWNR
DIAMETER	25,4 cm	22,9 cm	21 cm	18,4 cm	16,5 cm	14 cm
DESCRIPTION	Narrow rim	Narrow rim	Narrow rim	Narrow rim	Narrow rim	Narrow rim
CASE PACK	48	48	48	48	48	48

Not recommended for microwave use.

Bowls

CODE	10CW*	10CWL	35CW	45CW	50CW	60CW	100CW	150CW
APPROX. CAPACITY	278 mL	—	252 mL	150 mL	452 mL	322 mL	370 mL	494 mL
DESCRIPTION	Square bowl	Lid for 10CW bowl	Bouillon	Fruit cup	Nappie bowl	Grapefruit bowl	Nappie bowl	Square bowl
CASE PACK	48	48	48	48	48	48	48	48
SHAPE	Square	Square	Round	Round	Round	Round	Round	Top/round bottom/square
OUTSIDE DIAMETER	10,2 x 10,2 cm	—	9,8 cm	11,7 cm	13,3 cm	15,2 cm	12,5 cm	Top: 13,3 cm Bottom: 6,4 x 6,4 cm
HEIGHT	4,8 cm	2,2 cm	5,4 cm	3,3 cm	5,4 cm	4 cm	4,3 cm	5,7 cm

Not recommended for microwave use. *Optional lid available.

Mug & Cup

CODE	75CW	96CW
APPROX. CAPACITY	239 mL	288 mL
DESCRIPTION	Stacking cup	Mug
CASE PACK	48	48
MAX DIA./HEIGHT	10,3* cm / 8 cm	10,6* cm / 9,5 cm
FULL SIZE CAMRACK®	16C414	16C414

*Maximum diameter includes handles.
Not recommended for microwave use.

Heat Keepers

CODE	HK93CW	HK39
DESCRIPTION	3 compartment base and cover	Heat Keeper base and cover for 22,9 cm plate
CASE PACK	6	6

HK93CW is available in Beige (133).
HK39 is available in Antique White (148).
Not recommended for microwave use.

VERSA CAMCOVERS®

Serve hot food hot with the Versa Camcover, an elegant and efficient alternative to traditional metal covers.

- Microwave safe plate covers withstands temperatures up to 149˚C*.
- Covers remain cool to the touch for easy handling.
- Lighter and quieter than metal covers.
- Elegant appearance without polishing.
- Keeps food warm longer than metal covers.

- Available in a variety of sizes in round and square.
- Made of fiberglass material.

Colors: Granite Gray (191), Antique Parchment (101).

*Can be used in heated carts.

Microwave safe.

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com. Or, send one of your plates to Cambro Customer Service for sizing.

CODE	INSIDE DIAMETER	OUTSIDE HEIGHT	CASE PACK
Square			
85SFVS	20,91 cm	7 cm	12
978SFVS	25,4	7	12
Round			
68VS	16,5	5,6	12
86VS	21	6,7	12
91VS	23,2	6,8	12
913VS	24,9	6,8	12
95VS	23,7	6,8	12
99VS	24,3	6,7	12
911VS	24,6	7	12
100VS	25,4	6,8	12
103VS	25,9	6,8	12
105VS	26,2	6,8	12
106VS	26,4	7,2	12
1010VS	27	6,8	12
1012VS	27,3	6,8	12
1014VS	27,6	6,8	12
116VS	28,9	8,1	12
120VS	30,5	7,3	12
124VS	31,1	7,3	12

CAMWEAR® CAMCOVERS®

- Food stays hot and appetizing without re-heating.
- Ideal for use in heated carts up to 99˚C.*
- Made of durable Camwear, will not dent or scratch.
- Lightweight for quiet service.
- Saves on labor with no polishing required.

Colors: Clear (152), Amber (153), Beige (133), Silver (486).
MDCPC9CW Colors: Clear (135), Amber (153), Beige (133), Silver (486).

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com. Or, send one of your plates to Cambro Customer Service for sizing.

*Not recommended for microwave use.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

9011CW, 1000CW, 1007CW, 1013CW, 1101CW: (152)

CODE	INSIDE DIAMETER	OUTSIDE HEIGHT	CASE PACK
Camwear Camcovers			
806CW	21,4 cm	6,8 cm	12
900CW	23,2	7	12
901CW	23,7	7,2	12
905CW	24,1	7,2	12
909CW	24,8	7	12
9011CW	25,4	7,3	12
9013CW	25,4	7	12
1000CW	25,9	6,8	12
1005CW	26,8	7,2	12
1007CW	27	7	12
1013CW	27,5	6,8	12
1101CW	27,9	6,8	12
1202CW	30,8	7	12
Camwear Low Profile Camcovers			
MDCPC9CW	23,2	5	12

PROMOTE YOUR BRAND – PERSONALIZED TABLE SERVICE AND FOOD STORAGE PRODUCTS

Personalize tumblers, barware, pitchers, decanters and dinnerware to promote a brand, business or enhance customer satisfaction. Use to identify inventory for multiple service locations. Personalize food storage products to identify contents, add fill lines with recipe instructions to ensure product quality and consistency. Personalized product orders are full case quantities only, no broken cartons.

Look for this icon that identifies items that can be personalized.

PAD PRINT PERSONALIZATION

- One color. Two color available for table service products only.
- Choose from 12 standard imprint colors.
- Print area is 6 mm to 10 cm, based on printable area specific to product. Order minimum 72 each.

PERSONALIZATION CHARGES

- Custom Personalization Plate Charge
- *** Net (one-time charge, billed on first purchase order)
- Set Up Charge
  *** Net per order
- Color Imprint Charge
  *** Net per side, per color

HOW TO ORDER A SAMPLE

1. **Request a Sample**
   Contact your local Cambro representative to complete and submit your sample request to Cambro. Form MUST BE submitted with artwork.
2. **Artwork**
   Must be ready to use, digital format only. Email to Cambro Representative or to Cambro at letsgetpersonal@cambro.com. Title email subject with logo name. Provide contact info. If artwork is incomplete, graphic services are available for *** per hour.
   File Dimensions: 100% reproduction size, 300 dpi resolution
   File Type: Adobe® Illustrator®, Photoshop®
   File Format: jpeg, tiff, eps
3. **Sample Turnaround**
   7 – 10 business days from approval of artwork.
4. **Sample Approval**
   Approval form included with each sample. Form must be completed and faxed to Cambro prior to processing purchase order.
5. **Sample Charge (net)**
   *** per sample (charge billed on sample order, credited back on first purchase order).
6. **Questions**
   Contact Kristie Patterson at 714-230-4125 direct, 800-854-7631 Ext. 4125 or
   email kpatterson@cambro.com.

***Contact your Cambro representative for pricing.

CHOOSE ONE OR TWO STANDARD IMPRINT COLORS

Due to the catalog printing process, the colors shown may not be exact.

Red, Yellow, Light Blue, Dark Blue, Green, Orange

Violet, Black, White, Grey, Gold, Silver

CAMWEAR® PITCHERS

- Lightweight for easy handling.
- Exclusive ice-control contoured lip and pour spout reduce spills.
- Slotted base allows for complete and sanitary drying.

Color: Clear (135).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

PC34CW Stackable Pitcher is covered by the following U.S. Patent D 682,002 S.

P600CW (135) Only

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

P320CW, P34CW, P34LCW, P480CW, P600CW, P60CW, PL60CW, PE600CW, P64CW, PC64CW: (135)

P320CW, P480CW and P600CW
An industry standard. Broad base for stability, prevents tipping.

P320CW
CAPACITY: 0,95 L
HEIGHT WITH SPOUT: 17 cm
DIAMETER WITH HANDLE: 14,5 cm
Case Pack: 6

P480CW
CAPACITY: 1,4 L
HEIGHT WITH SPOUT: 20 cm
DIAMETER WITH HANDLE: 16 cm
Case Pack: 6

P600CW
CAPACITY: 1,8 L
HEIGHT WITH SPOUT: 20,5 cm
DIAMETER WITH HANDLE: 17 cm
Case Pack: 6

P60CW
CAPACITY: 1,8 L
HEIGHT WITH SPOUT: 23 cm
DIAMETER WITH HANDLE: 18,5 cm
Case Pack: 6

PL60CW
Laguna® pitcher with hammered texture that hides scratches. Pour liquids from front or ice and liquid from sides. Matching tumblers available.

PL60CW
CAPACITY: 1,8 L
HEIGHT WITH SPOUT: 20 cm
DIAMETER WITH HANDLE: 17 cm
Case Pack: 6

PE600CW
Economy and lightweight design. Pour liquids from front or ice and liquid from sides.

PE600CW
CAPACITY: 1,8 L
HEIGHT WITH SPOUT: 20 cm
DIAMETER WITH HANDLE: 18,7 cm
Case Pack: 6

P64CW
Tapered design and drip-proof spout.

P64CW
CAPACITY: 1,9 L
HEIGHT WITH SPOUT: 23,5 cm
DIAMETER WITH HANDLE: 18,5 cm
Case Pack: 6

PC64CW
Three position lid can strain ice, free pour or close to protect contents.

PC64CW
CAPACITY: 1,9 L
HEIGHT WITH SPOUT: 24,8 cm with lid
DIAMETER WITH HANDLE: 18,5 cm
Case Pack: 6

PC34CW
Stackable pitchers and lid with frosted design to hide scratches.

PC34CW
CAPACITY: 1 L
HEIGHT WITH SPOUT: 19 cm with lid
DIAMETER WITH HANDLE: 17 cm
Case Pack: 6

P34CW
Stackable pitcher only.

P34LCW
Stackable pitcher lid only.

P34CW / P34LCW
CAPACITY: 1 L / —
HEIGHT WITH SPOUT: 16,8 cm / 5,1 cm
DIAMETER WITH HANDLE: 17 cm / 11,4 cm
Case Pack: 6

LIDO® - SAN TUMBLERS AND CAMWEAR® TUMBLERS

Lido® – San Tumblers

- Easy to clean internal stacking ring promotes stable and space-efficient storage.
- Made of impact resistant SAN plastic that resists chips and breaks, minimizing replacement costs.

Color: Clear (152).
Disposable CamLid Color: Translucent (190).

Capacity is to the top fill-line.

Lido Tumblers are covered by U.S. Patent D720,963 S.

*177 and 266 mL. tumblers feature subtle graduation markings intended for use in healthcare operations.

CODE	LDT5	LDT6	LDT9	LDT10	LDT12	LDT16	LDT22
FITS LID	CLJ6	CLST6	CL900P	CLNT10	CLNT12	CLST9	CLSM8B5**
DIAMETER	5,9 cm	6,8 cm	8,1 cm	7,3 cm	7,6 cm	8,4 cm	8,9 cm
HEIGHT	9,4 cm	9,4 cm	9,4 cm	11,4 cm	12,5 cm	13,5 cm	16,8 cm
FULL SIZE CAMRACK®	49S318	36S318	25S318	36S418	30S434	25S534	20S638
CAPACITY TO RIM	150 mL	177 mL*	266 mL*	300 mL	355 mL	480 mL	650 mL
CASE PACK TUMBLER / LID	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,500

**Excludes a cross-slot for straws.

Camwear Tumblers

- The look and feel of glass but made of durable Camwear.
- Textured exterior surface resists scratching.
- Smooth interior promotes easy cleaning.
- Designed with a Sani-Rim lip for sanitary drinking.

Color: Clear (152).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40˚ to 99˚C.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

500CW, 800CW: (152)

CODE	500CW	800CW	850CW	950CW	1200CW	1600CW
FITS LID	—	—	—	CLNT10	—	CL900P
MAX DIAMETER	5,7 cm	6,7 cm	8,6 cm	7 cm	7,5 cm	7,9 cm
MAX HEIGHT	9,2 cm	10,2 cm	9,7 cm	11,1 cm	13,2 cm	14,6 cm
FULL SIZE CAMRACK®	49S318	36S418	25S418	36S418	36S434	25S534
CAPACITY TO RIM	160 mL	237 mL	269 mL (heavy wall)	284 mL	384 mL	503 mL
CASE PACK TUMBLER / LID	48 / —	48 / —	48 / —	48 / 1,000	48 / —	48 / 1,000

CAMWEAR® HUNTINGTON® & NEWPORT – SAN TUMBLERS

Huntington Tumblers

- Feature the elegant look and feel of glass without the high replacement costs.
- Made of durable Camwear.
- Lightweight.
- Stacking lugs to prevent sticking.
- Three sided drain bottom for easy washing and drying.

Colors: Azure Blue (196), Clear (135).
Lid Color: Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40˚ to 99˚C.

*Excludes a cross-slot for straws.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

HT5CW, HT8CW, HT12OCW, HT10CW, HT12CW: (135)

CODE	HT5CW	HT8CW	HT10CW	HT120CW	HT12CW	HT14CW	HT16CW	HT22CW
FITS LID	—	CLNT8	—	CLNT12	—	—	CLAM8B5*	CLSM8B5*
MAX DIAMETER	6 cm	6,8 cm	7,1 cm	7,6 cm	8,6 cm	8,3 cm	8,4 cm	8,9 cm
MAX HEIGHT	9 cm	11,3 cm	12,2 cm	12,8 cm	9,5 cm	12,4 cm	14 cm	17 cm
FULL SIZE CAMRACK®	49S318	36S418	36S434	25S434	25S418	25S434	25S534	25S638
CAPACITY TO RIM	148 mL	237 mL	296 mL	355 mL	355 mL	414 mL	473 mL	652 mL
CASE PACK TUMBLER / LID	36 / —	36 / 1,000	36 / —	36 / 1,000	36 / —	36 / —	36 / 2,000	36 / 1,500

Newport Tumblers

- Fluted design features the upscale look of glass with the safety benefits and cost savings of plastic.
- Impact resistant SAN plastic resists chips and breaks.
- Stacking lugs prevent sticking.
- Sani-Rim lip provides a sanitary drinking surface.

Colors: Clear (152), Amber (153), Slate Blue (401).
Lid Color: Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -20˚ to 85˚C.

*Excludes a cross-slot for straws.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

NT5, NT8, NT9, NT10, NT12: (152)

CODE	NT5	NT8	NT9	NT10	NT12	NT14	NT16	NT20
FITS LID	CLNT5	CLNT8	CLNT9	CLNT10	CLNT12	—	—	CLSM8B5*
MAX DIAMETER	6,4 cm	6,8 cm	8,3 cm	7,1 cm	7,6 cm	7,9 cm	8,3 cm	8,7 cm
MAX HEIGHT	9,4 cm	10,2 cm	8,4 cm	11,6 cm	13 cm	12,7 cm	14,6 cm	16,5 cm
FULL SIZE CAMRACK	36S318	36S418	25S318	36S434	25S434	25S434	25S534	25S638
CAPACITY TO RIM	189 mL	228 mL	275 mL	300 mL	373 mL	414 mL	485 mL	650 mL
CASE PACK TUMBLER / LID	36 / 1,500	36 / 1,000	36 / 1,000	36 / 1,000	36 / 1,000	36 / —	36 / —	36 / 2,000

LAGUNA® – SAN & DEL MAR® TUMBLERS

Laguna Tumblers

- Hammered texture hides water spots and scratches.
- Made of impact resistant SAN.
- Lightweight and easy to carry.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

LT8, LT10, LT12, LT22: (152)

Colors: Clear (152), Spanish Green (427).
Lid Color: Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

Withstands temperatures from -20˚ to 85˚C.

*Excludes a cross-slot for straws.

CODE	LT6	LT8	LT10	LT12	LT14	LT16	LT22
FITS LID	CLLT6	CLLT8	CLLT10	CLLT12	—	CLAM8B5*	—
MAX DIAMETER	6,3 cm	6,9 cm	7,4 cm	7,9 cm	8,3 cm	8,4 cm	9,3 cm
MAX HEIGHT	10,7 cm	10,9 cm	12,1 cm	12,7 cm	13,1 cm	14 cm	15,4 cm
FULL SIZE CAMRACK®	36S418	36S418	30S434	25S434	25S434	25S534	16S534
CAPACITY TO RIM	177,4 mL	236,6 mL	295,7 mL	354,9 mL	414 mL	473,2 mL	650,6 mL
CASE PACK TUMBLER / LID	36 / 1,500	36 / 2,000	36 / 1,000	36 / 1,000	36 / —	36 / 2,000	36 / —

Del Mar Tumblers

- Crackled glass look features the lightweight handling of plastic.
- Thick sturdy base and rolled rim edge for added stability.
- Made of impact resistant SAN plastic.

Colors: Clear (152), Ruby Red (156), Sapphire Blue (608), Light Amber (609).
Lid Color: Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

Del Mar Tumblers are covered by the following U.S. Patent D 478,778 S.

Withstands temperatures from -20˚ to 85˚C.

CODE	D8	D12	D14	D16	D24
FITS LID	—	—	CLST9	—	—
MAX DIAMETER	6,7 cm	7,5 cm	8,3 cm	7,8 cm	8,7 cm
MAX HEIGHT	10,6 cm	12 cm	8,3 cm	15,1 cm	16,8 cm
FULL SIZE CAMRACK	36S418	25S434	25S318	25S534	25S638
CAPACITY TO RIM	237 mL	355 mL	414 mL	473 mL	710 mL
CASE PACK TUMBLER / LID	36 / —	36 / —	36 / 1,000	36 / —	36 / —

COLORWARE – SAN TUMBLERS & COCA-COLA® TUMBLERS

- A classic value tumbler ideal for casual dining.
- Textured on the outside to resist scratching.
- Made of impact resistant SAN.
- Interior stacking lugs for easy storing.
- Sani-Rim lip provides a sanitary drinking surface.

Colors: Slate Blue (401), Clear (152), Amber (153), Ruby Red (156).
Lid Color: Translucent (190).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -20˚ to 85˚C.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

1200P: (152)

CODE (72 PACK)	**500P**	**800P**	**900P**	**950P**	**1200P**	**1600P**	**2000P**	—
CODE (24 PACK)	**500P2**	**800P2**	**900P2**	**950P2**	**1200P2**	**1600P2**	**2000P2**	**3200P2**
FITS LID	CLJ6	CL800P	CL900P	CL950P	—	—	—	—
MAX DIAMETER	5,7 cm	6,7 cm	8,1 cm	7 cm	7,5 cm	8 cm	8,6 cm	10 cm
MAX HEIGHT	9,2 cm	10,2 cm	8,25 cm	11,1 cm	13,2 cm	14,6 cm	16,5 cm	18,4 cm
FULL SIZE CAMRACK®	49S318	36S418	25S318	36S418	25S434	25S534	25S638	16S738
CAPACITY TO RIM	154 mL	231 mL	287 mL	290 mL	373 mL	485 mL	650 mL	976 mL
P CODE-CASE PACK	72	72	72	72	72	72	72	—
P2 CODE-CASE PACK	24	24	24	24	24	24	24	24
LID CASE PACK	1,000	1,000	1,000	1,000	—	—	—	—

Coca-Cola® Tumblers

- Colorware Tumblers featuring the Coca-Cola trademark logo in White.
- Available only to Coca-Cola fountain customers for foodservice use.

Color: Clear (152).

Coca-Cola Logo is imprinted in white only.

These trademarked vessels may not be resold at retail and are available only for distribution to Coca-Cola Fountain customers for foodservice use.

Withstands temperatures from -20˚ to 85˚C.

CODE	**20CC**	**32CC**
MAX DIAMETER	8,6 cm	10 cm
MAX HEIGHT	16,5 cm	18,4 cm
FULL SIZE CAMRACK	25S638	16S738
CAPACITY TO RIM	650 mL	976 mL
CASE PACK	72	24

CAMWEAR® DESSERT GLASS AND LIDO® – SAN TUMBLERS

Dessert Glass

- Large, heavy bases for stability.
- Bases designed for fast draining and complete drying.
- Chill or frost barware without concerns of thermal shock damage.

Color: Clear (135).

Personalization available. See cresting section for information, ordering and pricing.

CODE	**DG3CW**
MAX DIAMETER	5,8 cm
MAX HEIGHT	7,7 cm
FULL SIZE CAMRACK®	49S318
CAPACITY TO RIM	100 mL
CASE PACK	72

Available for ordering in cases only.
No broken cartons.

CAMLITER® BEVERAGE DECANTERS

Camliter Beverage Decanters

- Ideal for serving beverages at restaurants, buffets, and outdoor events.
- Spill-proof, snap tight flat lids included to protect content from cross contamination.
- Flip lid design to seal beverages and make it easy to pour.
- Pour spout lid available to protect content while allowing free pour.
- Light weight; dent, impact, and scratch resistant material.
- NSF Listed (bottles only; lids not listed).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

WW1000, WW1000T, WW500, WW250, WW750, WW750T: (135)
WW1000L, WW1000LS: (148)
WW1000LT: (190)

Color: Clear (135).
Lid Color: White (148).
Flip Lid Color: White (190).

Personalize with a logo to promote your brand. For information please refer to the Table Service Personalization page.

Lids not NSF listed.

WW1000LT - Flip Lid®

WW1000L - Flat Lid

WW1000LS - Pour Spout

CODE		CAPACITY	HEIGHT
Camliters with Flat Lids			
WW1500		1,5 L	25,4 cm
WW1000		1	24,8
WW750	***New!***	0,75	22,17
WW500		0,5	20
WW250		0,25	15,9
Camliters with Flip Lids			
WW1000T	***New!***	1	24,61
WW750T	***New!***	0,75	22,17
Lids			
WW1000LS (Pour spout lid for 1,5 L, 1L, 0,75 L and 0,5 L)			
WW1000L (Replacement lid for 1,5 L, 1L, 0,75 L and 0,5 L)			
WW1000LT (Flip lid for WW750T and WW1000T)			
WW250L (Replacement lid for 0,25 L)			

Case Pack: 12 **In Stock Color:** Clear (135) or White (190) for Flip Lid.

BEVERAGE DISPENSER, PAIL WITH BAIL & SWIRL BOWLS®

21 L Beverage Dispenser

- Perfect for mixing and serving concentrated beverages.
- Standard and metric graduations are printed on dispenser.
- Impact resistant polyethylene withstands temperatures from -40˚ to 70˚C.

CODE	CAPACITY
DSPR6	21 L

Case Pack: 1

Color: White (148).

Personalization available. See cresting section for information and ordering.

DSPR6
Capacity: 21 L

Pail with Bail – Poly

- A large, multi-purpose, 21 L pail, ideal for mixing, storing and transporting.
- Durable polyethylene withstands temperatures from -40˚ to 70˚C, and is stain resistant.
- Snap-tight, thumb tab cover sold separately.

CODE	CASE PACK
PWB22	6
RFSC12 (cover)	6

Color: White (148).

All graduations are approximate.

Swirl Bowls

- Ideal for hot or cold side dishes, desserts, dips, or fruit.
- Fits on a plate or stacks in place on a buffet station.
- Available in durable Camwear® or break resistant SAN.

Colors:
SRB5CW and SRB13CW: Clear (135), Black (110), White (148).
SRB5 and SRB13: Clear (152), Black (110), White (148).

Made of (P.E.T.) material.

CLSRB5 Disposable lid not NSF.

Disposable lid available

SRB13CW SRB5CW

CODE	CAPACITY	CASE PACK
Camwear		
SRB5CW	148 mL	24
SRB13CW	384	24
SAN‡		
SRB5	148	24
SRB13	384	24
Disposable Lid		
CLSRB5	—	1,000

Disposable Lid Color: Clear (152).

CAMWEAR® WINE BUCKETS, PUNCH BOWLS & BUD VASE

Wine Buckets

- Chill and showcase wine or champagne.
- Tough Camwear won't crack or break and is easy to clean.

Color: Clear (135).

Personalization available. See cresting section for information and ordering.

CODE	DIMENSION DIA. x H
WC100CW	20,3 x 23,2 cm
WC100CWNH (w/o handles)	20,3 x 22,9

Case Pack: 1

WC100CW

Bud Vase

- Ideal for dining rooms, cafeteria tables and patient or room service trays.
- Made of durable Camwear.
- Fill with a fresh rose bud or a colorful faux flower.

Colors: Black (110), Clear (135), White (148).

CODE	DESCRIPTION	CASE PACK
BV6CW	15,24 cm bud vase	12

Black (110) Clear (135) White (148)

DELI CROCKS & PLATTER

- Prep, store and serve all in one with contemporary style at an economical price.
- Crocks and platter are made of SAN, making them impact, stain and chip resistant.
- Ideal for supermarket delis, sandwich shops, buffets and catered events.
- Handled covers are made of crystal clear, virtually unbreakable Camwear®.

Crock and Platter Colors: Clear (152), Black (110), White (148), Red (404).

Crock Cover Color: Clear (135).

Deli Crocks are covered by the following U.S. Patents D 504,283 S, D 503,871 S & D 494,419 S. Scalloped Food Service Cover is covered by the following U.S. Patent D 509,705 S.

DCC5, DCC10 are NSF Component.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

DC5, DC10: (110), (148)
DCC5, DCC10: (135)

Prep, stack, store and serve all in one.

Interstacking saves storage space.

Avoid cross contamination and keep food fresh by using clear cover with handle.

Lid can be used as a riser to provide additional height on the buffet table or in a deli display case.

Cover doubles as a false bottom for presentation and to reduce waste.

Crocks & Platter (BPA FREE)

CODE	DC5	DC10	DP15
DESCRIPTION	Crock	Crock	Platter
DIMENSIONS L x D x H	26 x 17,5 x 8 cm	33,5 x 26,5 x 8 cm	40 x 30,5 x 5,5 cm
APPROXIMATE CAPACITY	2 L	4,6 L	3,2 L

Case Pack: 6

Covers

CODE	DCC5 fits DC5	DCC10 fits DC10
DIMENSIONS L x D x H	23,8 x 15 x 3,5 cm	31 x 24 x 3,5 cm
APPROXIMATE CAPACITY	0,85 L	1,9 L

Case Pack: 6

SHOWFEST® DISPLAY TRAYS

- Made from virtually unbreakable polycarbonate material
- Present hot and cold items side-by-side.

Color: Black (110).

Personalization not available.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SFG1012CW, SFG820CW: (110)

SFG1012CW

Display Trays — Octagonal

DIMENSIONS L x D x H:
30,5 x 25,4 x 5 cm

APPROX. CAPACITY: 2,8 L

Case Pack: 6

SFG820CW

Display Trays — Octagonal

DIMENSIONS L x D x H:
50,8 x 20,3 x 5 cm

APPROX. CAPACITY: 3,7 L

Case Pack: 6

CAMWEAR® BOWLS

Round Pebbled Bowls

- Textured on the outside for an elegant look, smooth on the inside for easy cleaning.
- Made of virtually unbreakable Camwear for years of dependable service.
- Ideal for fruit, salads, snacks and desserts.

Color: Pebbled (176).

Capacities are calculated to rim.

Ribbed Bowls

- Stylish, contemporary appearance for a dramatic presentation.
- Made of virtually unbreakable Camwear that won't break like glass.
- Bowls are durable and lightweight. Will not chip and crack like acrylic.
- Resistant to stains, acids and odors.

Colors: Clear (135), Black (110), White (148).

Rectangular Ribbed Bowls are not available in White (148).

Capacities are calculated to rim.

Round Pebbled Bowls

CODE	PSB6	PSB8	PSB10	PSB12
INSIDE DIAMETER	15,2 cm	20,3 cm	25,4 cm	30,5 cm
APPROXIMATE CAPACITY	556 mL	1,5 L	3 L	5,5 L
CASE PACK	12	12	12	12

CAMWEAR® BOWLS

Round Pebbled Bowls

CODE	PSB15	PSB18	PSB23
INSIDE DIAMETER	38,1 cm	45,7 cm	58,4 cm
APPROXIMATE CAPACITY	10,6 L	19,1 L	37,8 L
CASE PACK	4	4	4

Color: Pebbled (176).

Rectangular Ribbed Bowls

CODE	RSB912CW	RSB1014CW	RSB1419CW
DIMENSIONS L x D x H	30,8 x 22,9 x 7,6 cm	37 x 27,3 x 9 cm	49,2 x 36,2 x 12 cm
APPROXIMATE CAPACITY	2,7 L	4,7 L	11,3 L
CASE PACK	12	4	4

Rectangular Ribbed Bowls are not available in White (148).

Round Ribbed Bowls

CODE	RSB6CW	RSB8CW	RSB10CW	RSB12CW
INSIDE DIAMETER	15,2 cm	20,3 cm	25,4 cm	30,5 cm
APPROXIMATE CAPACITY	564 mL	1,6 L	3 L	5,5 L
CASE PACK	12	12	12	12

CODE	RSB15CW	RSB18CW	RSB23CW
INSIDE DIAMETER	38,1 cm	45,7 cm	58,1 cm
APPROXIMATE CAPACITY	10,6 L	19,1 L	37,8 L
CASE PACK	4	4	4

BUDGET & FIBERGLASS BOWLS

Budget Salad Bowls

- An economical serving choice for fruit, salads, snacks and desserts.
- Impact resistant FDA approved material resists stains, acids and odors.

Colors: Birch (174), Black (110).

Personalization not available.

Capacities are calculated to rim.

CODE	SB55	SB60	SB80
INSIDE DIAMETER	14,5 cm	15,2 cm	20,3 cm
APPROX. CAPACITY	325 mL	375 mL	925 mL

Case Pack: 72

Fiberglass Bowls

- Combines the look of warm wood grains with the durability of fiberglass.
- Colors won't fade even after years of service and washing.

Color: Dark Basketweave (301).

Personalization not available.

For a swatch of this color and pattern, see Camtray® group section.

Capacities are calculated to rim.

CODE	6F	8F
INSIDE DIAMETER	15,6 cm	20,3 cm
APPROX. CAPACITY	425 mL	925 mL

Case Pack: 12

CAMWEAR® DISPLAY COVERS & TRAYS

- Display covers protect freshness of pastries, breads and desserts.
- Virtually unbreakable Camwear features the upscale look of glass.
- Openings on side or end provide quick and easy access to contents without removing cover.‡

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

RD1200CW, DD1220ECW, DD1220BECW, DD1220SCW, RD1220CW, DD1826CW: (135)

Display Covers
Color: Clear (135).

Personalization available. See cresting section for information and ordering.

*Dimensions include handle(s). Handle height is 2,06 cm.

Market Trays
Colors: Salmon (149), Yellow (145), Blue (142), Green (140), White (148), Black (110).
Colors NSF listed for food contact: White (148), Blue (142), Green (140).

Display Tray Colors: Clear (135), Black (110).

Personalization not available.

**Special order item not carried in stock – non-returnable.

Display Trays are stackable. Refer to Market Tray for information.

RD1220CW

RD1220CWH

RD1200CW

DD1220BECW‡

Dome with side cut – DD1220SCW‡

Display Tray – DT1220CW

CODE	APPROXIMATE DIMENSIONS W x L x H*	DESCRIPTION	CASE PACK
Display Covers			
RD1200CW	30,5 x 30,5 x 20,9 cm	Cake cover	1
DD1220CW	55,6 x 37,5 x 20,3	Dome cover	1
DD1220ECW	55,6 x 37,5 x 20,3	Dome w/end cut	1
DD1220BECW	55,6 x 37,5 x 20,3	Dome w/2 ends cut	1
DD1220SCW	55,6 x 37,5 x 20,3	Dome w/side cut	1
DD1826CW	67,9 x 47,9 x 22,5	Dome cover	1
RD926CW	67,2 x 25,4 x 15,9	Rectangular cover	1
RD1220CW	55,6 x 35,9 x 14,9	Rectangular cover	1
RD1220CWH	55,6 x 35,9 x 12,7	Rectangular w/hinge	1
RD1826CW	67,2 x 47,9 x 15,9	Rectangular cover	1
RD1826CWH	67,9 x 47,6 x 13	Rectangular w/hinge	1
Display Tray – Fits with all 1220 covers			
DT1220CW	32,5 x 53	Tray	1
Market Tray – Fits with all 1826 covers			
1826MT**	65,3 x 45,2 x 2,7	Tray	6

CROCKS & LADLES

Crocks

- Ideal for use with salad bars, on buffet tables or at food stations.
- Resists stains and odors caused by vinegar, salad oils, or mayonnaise.
- Made of high impact FDA accepted material.
- Smooth surface is easy-to-clean.
- Works in Salad Bar Holder SBH15 and Crock Holder CPH3.

Solid Color Crock Colors: Black (110), Beige (133), Reddish Brown (195).
Clear Crock Color: Clear (152).
Lid Color: White (148).

Personalization available.
See personalization section for details.

*Lids for Solid Color and Clear Crocks are not interchangeable.

Camwear® Ladles

- Portion control bowls serve the perfect amount of dressing or food ingredient.
- Angled for easy handling.
- Designed with a side rest so ladles don't slip into crocks or serving bowls.
- Made of virtually unbreakable Camwear for years of dependable service.

Colors: Black (110), Beige (133), Clear (135), White (148).

*Cambro's assortment pack is available in black only. It offers 8 imprinted ladles and 4 with no imprinting. The 8 imprints include: 1 Thousand Island, 1 French, 1 House, 1 Italian, 1 Bleu Cheese, 1 Ranch, 1 Low Cal, 1 Caesar. This makes a perfect start-up set for a salad bar.

Custom Order Ladle Imprints – See cresting section for information and ordering. Maximum imprint area is 2,5 x 1,2 cm. Six dozen minimum.

No broken cartons on assortment pack or imprinted ladles. Special order item not carried in stock, non-returnable.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

LD85, LD105: (135), (110)

CODE	HEIGHT	TOP DIAMETER	CUT OUT DIAMETER
Solid Color Crock with Lid			
CP12	13,2 cm	12,9 cm	12,1 cm
CP15	11	16,8	15,7
CP27	17,2	16,8	15,6
Clear Color Crock with Lid			
CCP12	13,7	13,3	12,4
CCP15	11,1	17,2	15,9
CCP27	17,5	17,2	15,7

CODE	CAPACITY	CASE PACK
Solid Color Crocks		
CP12	1,1 L w/Lid	12
CP15	1,4 L w/Lid	6
CP27	2,4 L w/Lid	6
Lids for Solid Color Crocks		
CPL12*	Fits Colored CP12 Crock	12
CPL27*	Fits Colored CP15 & CP27	12
Clear Crocks		
CCP12	1,1 L w/Lid	12
CCP15	1,4 L w/Lid	6
CCP27	2,4 L w/Lid	6
Lids for Clear Crocks		
CCPL12*	Fits Clear CCP12 Crock	12
CCPL27*	Fits Clear CCP15 & CCP27	12

Imprinted Ladles shown.

CODE	DESCRIPTION	LENGTH	CAPACITY
LD85	Plain	21,6 cm	25 mL
LD85A*	Assortment	21,6	25
LD105	Plain	26,8	30
LD105A*	Assortment	26,8	30
LD130	Plain	33	30

Case Pack: 12

CAMWEAR® SERVING SPOONS, TONGS & HIGH HEAT CAMTENSILS®

Serving Spoons

- Made of virtually unbreakable Camwear, spoons won't tarnish, bend or dent.
- A wide handle and molded in thumb rest ensure a solid, ergonomic grip.
- Spoons feature a notched back to rest on pans.
- Spoon capacities are approximate and are not intended for measuring.

Colors: Black (110), Beige (133), Clear (135), Red (404), White (148).

Personalization available. See cresting section for information, ordering and pricing.

*Cannot be personalized.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SPO11CW, SPO13CW, SPOP13CW: (110), (135)
SPO8CW, SPO10CW, SPOP11CW: (110)

Perforated

SPOP10CW
DESCRIPTION: 25,5 cm Perforated buffet spoon
DIMENSIONS: 26 x 4,3 cm
Case Pack: 12

SPOP11CW*
DESCRIPTION: 28 cm Perforated deli spoon
DIMENSIONS: 28,3 x 7,3 cm
Case Pack: 12

SPOP13CW*
DESCRIPTION: 33 cm Perforated deli spoon
DIMENSIONS: 33,3 x 7,3 cm
Case Pack: 12

Solid

SPO8CW
DESCRIPTION: 20,5 cm Salad spoon
DIMENSIONS: 20,6 x 3,8 cm
Case Pack: 12

SPO10CW
DESCRIPTION: 25,5 cm Buffet spoon
DIMENSIONS: 26 x 4,3 cm
Case Pack: 12

SPO11CW*
DESCRIPTION: 28 cm Deli spoon
DIMENSIONS: 28,3 x 7,3 cm
Case Pack: 12

SPO13CW*
DESCRIPTION: 33 cm Deli spoon
DIMENSIONS: 33,3 x 7,3 cm
Case Pack: 12

High Heat Camtensils, Spoons and Turners

- Ideal for preparing and serving hot and cold foods.
- Made of a durable high heat material that withstands temperatures from -40˚ to 190˚C.
- Handle includes a hole for hanging when not in use and notches to rest on pans.

SPO13
DESCRIPTION: 33 cm Solid spoon
DIMENSIONS: 33,3 x 7,3 cm
Case Pack: 12

SPA14
DESCRIPTION: 35,5 cm Solid turner
DIMENSIONS: 35,9 x 8,9 cm
Case Pack: 12

Colors: Amber (150), Black (110).

Personalization not available.

SPOP13 PERFORATED
DESCRIPTION: 33 cm Perforated spoon
DIMENSIONS: 33,3 x 7,3 cm
Case Pack: 12

SPASL14 SLOTTED
DESCRIPTION: 35,5 cm Slotted turner
DIMENSIONS: 35,9 x 8,9 cm
Case Pack: 12

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SP013, SPOP13, SPA14: (150)

LUGANO® TONGS

- Colored tongs are made from a durable heat resistant material that withstands temperatures up to 99˚C.
- Clear tongs are made from virtually unbreakable Camwear, which is safe to 99˚C.

Lugano Flat and Scallop Grip Tongs

- Flat Tongs are ribbed to provide a secure hold.
- Scallop Tongs feature an ergonomic design and secure finger grip.

Colors: Black (110), Beige (133), Clear (135), Red (404), White (148).

NSF 2 PRORATED

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

6TGS, 12TGS, TG9: (135), (110)
9TGS: (135), (110), (148)
TG6: (110)

FLAT GRIP

TG6
LENGTH: 15 cm
Case Pack: 12

TG9
LENGTH: 23 cm
Case Pack: 12

SCALLOP GRIP

6TGS
LENGTH: 15 cm
Case Pack: 12

9TGS
LENGTH: 23 cm
Case Pack: 12

12TGS
LENGTH: 30,5 cm
Case Pack: 12

Lugano Angled and Easy-Grasp Tongs

- Angled tongs feature an ergonomic design that makes it easy to serve a variety of foods.
- Easy-Grasp Tongs provide a secure grip for hard to hold items.

Angled Tong Color: Black (110).
Easy-Grasp Colors: Black (110), Beige (133), Clear (135), White (148).

Angled and Easy-Grasp Lugano Tongs are covered under U.S. Patent D 530,994 S.

NSF 2 PRORATED

ANGLED TONG

TGA8
LENGTH: 21 cm
Case Pack: 12

TGA11
LENGTH: 27,5 cm
Case Pack: 12

EASY-GRASP

TGG6
LENGTH: 17 cm
Case Pack: 12

TGG9
LENGTH: 24 cm
Case Pack: 12

CAMVIEW® SHAKERS/DREDGES & CAMWEAR® CONDIMENT JARS

CamView Shakers/Dredges

- A staple in the kitchen, at the condiment station or on the dining table.
- Clear shatter-resistant CamView and color coded lids make it easy to identify contents.
- Dishwasher safe and unaffected by food acids.

Shaker Color: Clear (135).

Personalization available. See cresting section for information, ordering and pricing.

96SKRLD
Salt & Pepper

96SKRLM
Med. Ground

96SKRLC
Cheese

96SKRLP
Parsley

CODE	LID COLOR
Shakers complete with lids (approx. capacity 300 mL)	
96SKRP (w/parsley lid)	White (148)
96SKRD (w/salt & pepper lid)	Beige (406)
96SKRC (w/cheese lid)	Yellow (405)
96SKRM (w/medium ground lid)	Rose (408)
Shaker Replacement Lids (Shaker Lids are not interchangeable with Camliter® Lids)	
96SKRLP parsley lid	White (148)
96SKRLD salt & pepper lid	Beige (406)
96SKRLC cheese lid	Yellow (405)
96SKRLM medium ground lid	Rose (408)

Case Pack: 12

Camwear Condiment Jar

- Use to hold condiments such as mustard, ketchup, dressings, jam or salsa.
- Made of clear, virtually unbreakable Camwear.
- Lids are slotted to hold serving spoons when not in use.

Color: Clear (135).

Personalization available. See cresting section for information, ordering and pricing.

CODE	APPROXIMATE CAPACITY	SIZE H x DIA.	CASE PACK
Condiment Jar Set			
CJ80CW	240 mL	10,2 x 8,3 cm	24

CHOOSE THE RIGHT TRAY FOR YOUR BUSINESS

Cambro is the global leader in manufacturing trays for the food service industry, offering the largest selection of materials, sizes, colors, shapes and personalization processes. Cambro's breadth of assortment provides the clear choice for the right tray for every need and budget.

Consider the following to select the right tray for your operation:

Step 1: What Will the Tray Be Used For?

In order to choose the correct tray, first identify the correct application.

Service Tray

Used by employees to carry items to serve to guests:

Non-Slip Tray

Patron Tray

Used by customers to carry menu items:

Smooth Surface Tray

Step 2: Who Will Be Using the Tray?

To determine the appropriate tray material, it is critical to identify who will be using the tray.

Children

Students

Military

Office Employees

Wait Staff

Step 3: How Will the Tray Be Used and Washed?

Consider how the tray will be used, and whether it will endure mild or excessive use and abuse. Determine how often the trays will be washed per day.

Extensive:
Wash as often and as frequently as needed

Normal:
Wash up to 3 times per day

Minimal:
Wash once per day

Step 4: Determine the Budget per Tray

Ensure that the correct tray has been selected for the right application. Selecting a low cost tray for a heavy application is not the most cost effective option. Tray pricing varies according to the following factors:

Manufacturing process

Material type and grade

Tray size

Personalization options

Warranty

Step 5: Personalization

Cambro offers high quality personalization on most of the trays that we manufacture. Look for the personalization logo throughout the brochure.

Step 6: Additional Features to Consider

Evaluate the importance of the following features to determine the best tray for your operation.

Stacking lugs - Promote air circulation for fast drying and perfect stacking

Surface impact resistance

Edge breaking resistance

Scratch and stain resistance

Type of Warranty

Technical test descriptions

All Cambro trays are submitted to an array of tests described to the right. The results are indicated on each tray page under Technical Test Results.

Textured Wood Trays

Versa Trays Anitmicrobial

Versa Lite Trays

Laminated Capri Trays

Laminated Corfu Trays

Laminated Mykonos Trays

Fast Food Trays

Non-Slip Trays

TESTS DESCRIPTIONS

Thermal Shock Resistance Test:
Test consists of applying a radical temperature change during a short period of time to the tray, by taking out the tray from icy water (0˚C) and placing it into boiling water (100˚C) and measuring any deformation.

Break Resistance Test:
Test consists of dropping a metal ball from specific heights onto the tray and measuring any deformation.

Scratch Resistance Test:
Observe scratches and abrasions as a result of friction between porcelain dinnerware and the tray surface.

Test consists of moving a porcelain dish placed on tray from left to right under hand pressure and measuring any abrasion on tray surface.

DISHWASHER SAFE DESCRIPTIONS

Extensive: Wash as often and as frequently as needed.

Normal: Wash up to 3 times per day.

Minimal: Wash once per day.

PERSONALIZATION

Value Added Personalization

Promote business to customers and employees alike by placing your custom logo, trademark, slogan or design on our trays.

How to Order

1) Select a tray size, color, pattern, or design.

2) Provide complete, camera-ready artwork and indicate positioning on the tray.

3) According to the tray type, Cambro can produce 1, 2, 3 and 4 color artwork as well as 4 color process artwork.

We require the following:

a. Electronic artwork file provided on CD-ROM for Mac or PC.

We accept the following file formats:

- Adobe Illustrator, Adobe Photoshop files in JPEG, TIFF or EPS formats.
- File dimensions must equal 100% of reproduction size at 300dpi resolution.

b. Illustration on paper: The quality of the art must be crisp and scannable. Please specify PANTONE number for each color or indicate if it is a four color process.

4) An artist's fee of *** per hour will be charged to any order submitted without complete, camera-ready artwork. Cambro will contact you if this fee will be charged and will give you an estimated cost.

5) Sample process:

a. For any new project, a finished sample will be submitted for the customer's approval.

b. The first sample with a firm purchase order is free. (Plus shipping cost.)

c. Samples not accompanied by a firm purchase order or requests for more than one sample will be charged a flat rate of:

– Polyester, Fiberglass and Laminated Trays:
*** Net per sample.
(Plus shipping cost.)

– Polypropylene Fast Food Trays:
*** Net per sample.
(Plus shipping cost.)

d. Upon receipt and shipment of a firm purchase order, a credit will be applied to your account for the cost of one sample.

6) Personalization charges apply to both original orders and returns.

POLYESTER TRAYS

Versa Trays VT/GP
Versa Lite Trays VL/GL

- Only the following tray models are suitable for personalization:

Versa Trays:
VT1216, VT1418, VT2632, VT3253, VT3343, VT3343C, VT3646C, VT3753, VT3853, GP0540, GP1070, GP1080, GP3074, GP3980, GP4002, GP4210, GP4004, GP4701, GP4709, GP4853

Versa Lite Trays:
VL1014, VL1216, VL1418, VL2632, VL3253, VL3343, VL3343C, VL3646C, VL3753, GL0540, GL1070, GL1080, GL3074, GL3980, GL4002, GL4210, GL4701, GL4709

- **Minimum Quantity:** 120 trays per size.
- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.
- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable:

Digital Printing - Inside Trays Process: allows printing of one color or multiple color artwork as well as photo reproduction.

Tray Colors Recommended for Personalized Versa Trays VT/GP:
Speckled Mocha (A21), Sahara (A22), Light Grey (A27), Pearl White (A33), Terrazzo (A86).

For the following colors, please call Cambro Customer Service for artwork review: Magic Yellow (A25), Magic Mint (A26).

Tray Colors Recommended for Personalized Versa Lite Trays VL/GL:
Speckled Smoke (A20), Speckled Mocha (A21), Sahara (A22), Light Grey (A27), Pearl White (A33) and Terrazzo (A86).

Printable Area:
The artwork can cover the flat surface of tray up to 1 cm from the internal tray edge.

Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
120-300	***
312-996	***
1,008 and up	***

***Contact your Cambro representative for pricing.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

FIBERGLASS TRAYS

Camtray® Trays

- All Camtray sizes can be personalized. (Except compartment trays shown in main Cambro catalog).
- **Minimum Quantity:** 144 trays per size.
- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.
- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable:

a. Digital Printing - Edge to Edge: allows printing of one color or multiple color artwork as well as photo reproduction.

Printable area: Print area covers 100% of surface, edge to edge on top and bottom of the tray.Available for Decor Series Camtrays and select Camtrays.

b. Digital Printing - Inside Trays: allows printing of one color or multiple color artwork as well as photo reproduction. This process can only be used on light color trays. Darker tray color will make the artwork colors go darker.

Tray Colors Recommended for Four Color Printing Process:
Antique Parchment (101), Light Peach (106), Dark Peach (117), White (148), Sky Blue (177), Key Lime (429), Lemon Chiffon (536), Cameo Yellow (537), Cottage White (538).

Printable area: The artwork can cover the flat surface of tray up to 3,5 cm from the internal tray edge.

c. Silkscreen Printing Personalization: allows up to four colors. This process is best used with light color artwork on dark tray color.

Printable area: covers 100% of surface, edge to edge on top and bottom of the tray.

Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
144-299	***
300 and up	Free

***Contact your Cambro representative for pricing.

PERSONALIZATION

LAMINATED TRAYS

Corfu, Capri, Mykonos, Madeira

- All Laminated tray sizes can be personalized or produced in any custom color. Custom color matching is treated as a personalization.
- Top and bottom parts of trays can be personalized with the exception of Corfu trays that can only be personalized on the backside of the tray. Personalization cost is per side of the tray.
- **Minimum Quantity:** 120 trays per size.

- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.
- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable: Four color process and Custom Color Matching.

a. Digital Printing - Inside Trays Process: This process allows the printing of one color or multiple color artwork as well as photo reproduction.

b. Custom Color Matching: Custom color matching is treated as a personalization. To produce any color tray provide Cambro with PANTONE number.

Printable area: The artwork can cover the total surface of tray from one edge to the other. Artwork dimensions must be 4 cm bigger than tray sizes on each side due to trimming. (example: Tray size: 36 x 46 cm – Artwork size: 40 x 50 cm)

Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
120 and up	***

***Contact your Cambro representative for pricing.

POLYPROPYLENE TRAYS

Fast Food Trays

- All Fast Food trays sizes manufactured in the United States can be personalized. All Fast Food tray sizes manufactured in Europe and China cannot be personalized.
- **Minimum Quantity:** 288 trays per size.
- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.

- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable:

Hot stamp 1 color process. Due to the application process onto textured tray surface, white can be selected but is not recommended.

Printable area: Artwork cannot exceed a maximum size of 15 x 15 cm.

Personalization Cost:

One-time die charge:
*** Net per order

Additional Net Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
288-767	***
768-1,199	***
1,200-5,999	***
6,000-11,999	***
12,000 and up	***

***Contact your Cambro representative for pricing.

CAMTREAD TRAYS

Tray Back Personalization and Rubber Surface Embossing

- **Camtread From USA:** Tray Back Personalization only on 1600CT. Rubber surface embossing all Camtread sizes.
- **Camtread From Europe:** Sizes Available: 1100CT, 1400CT, 1600CT and 1800CT.
- **Sample Production Time:** 10 business days + delivery and transit time from receipt of camera ready artwork.
- **Order Production Time:** Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Tray Back Personalization Printing Process Applicable:
Four Color Printing Process allows printing of one color or multiple color artwork as well as photo reproduction.

Camtread From USA: White trays are recommended for tray back personalization.

Printable area: The artwork can cover the flat surface of tray up to 2,54 cm from the external tray edge.

Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
Camtread From USA	
72-144	***
145-288	***
289-432	***
433 and up	Free
Camtread From Europe	
120 and up	***

Rubber Surface Embossing

- **Electronic File Format:** Adobe Illustrator EPS formats.

Embossing Process Printable Area: The artwork can cover the surface of the tray up to 2,54 cm from the internal tray of edge.

Embossing Personalization Charge Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
Camtread From USA	
72 and up	***
Camtread From Europe	
156 and up	***

***Contact your Cambro representative for pricing.

TRAY PRODUCT GUIDE

	POLYESTER TRAYS				
RECOMMENDED USE					
TRAY DESCRIPTION	**Century™ Textured Wood Trays** Page 216	**Century™ Fun Trays: Versa Trays VT/GP Versa Lite Trays VL/GL** Page 217	**Versa Tray Plus** Page 215	**Versa Trays VT/GP** Pages 218-219	**Versa Lite Trays VL/GL** Pages 220-221
MATERIAL	SMC-High Performance Fiberglass	SMC-High or Standard Performance Fiberglass Reinforced Polyester	SMC-High Performance Fiberglass Reinforced Polyester	SMC-High Performance Fiberglass Reinforced Polyester	SMC-Standard Performance Fiberglass Reinforced Polyester
SURFACE	Textured / Textured Non-Slip	Smooth	Smooth	Smooth	Smooth
PERFORMANCE	Excellent	Excellent	Excellent	Excellent	Excellent
PERSONALIZATION	No	Yes Δ Heat resistance: 90˚C	No	Yes Δ Heat resistance: 90˚C	Yes Δ Heat resistance: 90˚C
YEARS WARRANTIED**	5	3	5	5	3
STACKING LUGS*	Yes	Yes	Yes	Yes	Yes
DISHWASHER SAFE	Yes – Extensive	Yes – Normal	Yes – Extensive	Yes – Extensive	Yes – Normal
CHEMICAL RESISTANCE	Excellent	Good	Excellent	Excellent	Good
DRYING TEST	Excellent	Excellent	Excellent	Excellent	Excellent
THERMAL SHOCK RESISTANCE	Excellent	Good	Excellent	Excellent	Good
BREAK RESISTANCE	Excellent	Good	Excellent	Excellent	Good
SCRATCH RESISTANCE	Excellent	Good	Excellent	Excellent	Good
STAIN RESISTANCE	Excellent	Good	Excellent	Excellent	Good
HEAT RESISTANCE	-40˚ to +90˚C ‡	-40˚ to +90˚C ‡	-40˚ to +140˚C ‡	-40˚ to +140˚C ‡	-40˚ to +130˚C ‡
NUMBER OF SIZES	4	2	5	22	15
NUMBER OF SHAPES	1	1	4	9	7
NUMBER OF COLORS	7	4	1	12	7

*Stacking lugs allow free air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
‡Not recommended for heated cart.
ΔContact your Cambro representative for pricing.
If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

POLYESTER TRAYS

– **Versa Tray Plus**
– **Versa Trays**
– **Century™ Textured Wood Trays**
– **Versa Century Fun**

High performance polyester trays are made of rugged reinforced mat with long fibers and additional fiberglass to provide extremely high shock-resistance. Colored isophthalic polyester resin offers high chemical and UV-resistance.

(1) Personalized Versa Trays and Versa Trays with Décor have a Melamine Resin Layer on top increasing protection against stains, abrasions and scratches.

VERSA LITE TRAYS

– **VL/GL Century Fun**
– **VL/GL Trays**
– **VL/GL Trays with Non-Slip Surface**

Standard performance polyester trays are made of fiberglass and standard polyester resin.

Canteens / Cafeterias / Self-serve

Catering / Banquet Service

Educational

Hospitals

Hotel / Room service

Military

Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

TRAY PRODUCT GUIDE

	POLYESTER TRAYS	FIBERGLASS TRAYS				
RECOMMENDED USE						
TRAY DESCRIPTION	**Versa Lite Trays with Non-Slip Rubber Surface VL/GL** Page 222	**Decór Series Camtrays** Pages 223	**Camtray®** Pages 224-227	**EpicTread™ Trays** Page 228	**Dietary Trays** Page 229	**Camlite® Trays** Page 229
MATERIAL	SMC-Standard Performance Fiberglass Reinforced Polyester + Non-Slip Rubber Surface	Fiberglass Layers + Polyester Resin	Fiberglass Layers + Polyester Resin	Fiberglass Layers + Non-Slip, Water Repellent Surface	Fiberglass Layers + Polyester Resin	Fiberglass Layers + Polyester Resin
SURFACE	Non-Slip Rubber	Smooth	Smooth	Non-Slip	Smooth	Smooth
PERFORMANCE	Excellent	Excellent	Excellent	Good	Excellent	Excellent
PERSONALIZATION	No	Yes Δ Heat resistance: 100˚C	Yes Δ Heat resistance: 100˚C	No	No	No
YEARS WARRANTIED**	3	5	5	2	1	3
STACKING LUGS*	Yes	Yes	Yes	Yes	Yes	Yes
DISHWASHER SAFE	Yes – Normal	Yes – Extensive	Yes – Extensive	Yes – Normal	Yes – Extensive	Yes – Extensive
CHEMICAL RESISTANCE	Good	Good	Good	Good	Good	Good
DRYING TEST	Excellent	Excellent	Excellent	Good	Excellent	Excellent
THERMAL SHOCK RESISTANCE	Good	Excellent	Excellent	Good	Excellent	Excellent
BREAK RESISTANCE	Good	Excellent	Excellent	Good	Good	Good
SCRATCH RESISTANCE	Good	Excellent	Excellent	Good	Good	Good
STAIN RESISTANCE	Good	Excellent	Excellent	Good	Excellent	Excellent
HEAT RESISTANCE	-40˚ to +100˚C ‡	-10˚ to +100˚C ‡	-10˚ to +100˚C ‡	-10˚ to +90˚C ‡	-10˚ to +100˚C ‡	-10˚ to +100˚C ‡
NUMBER OF SIZES	7	3	40	6	6	6
NUMBER OF SHAPES	3	1	7	2	1	2
NUMBER OF COLORS	2	4	52	6	52	9

*Stacking lugs promote air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
ΔContact your Cambro representative for pricing.
‡Not recommended for heated cart.

VERSA LITE TRAYS

- **VL/GL Century Fun**
- **VL/GL Trays**
- **VL/GL Trays with Non-Slip Surface**
- **VL/GL Trays with Non-Slip Rubber Surface**

Standard performance polyester trays are made of fiberglass and standard polyester resin.

FIBERGLASS TRAYS

- **Camtray**
- **Decór Series Camtrays**
- **EpicTread Trays**
- **Dietary Trays**
- **Camlite Trays**

Made of rugged fiberglass interior to provide a tough inner foundation and smooth surface, coupled with polyester resin to resist impact and stains.

Canteens / Cafeterias / Self-serve

Educational

Food courts / Snack shops / Quick serve

Hospitals

Catering / Banquet Service

Hotel / Room service

Military

Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

TRAY PRODUCT GUIDE

	CAMWEAR® TRAYS		FIBERGLASS TRAYS		POLYPROPYLENE
RECOMMENDED USE					
TRAY DESCRIPTION	**Camwear Trays** Page 230	**Camwear Trays with Non-Slip Surface** Page 230	**Camtread® Trays** Page 232	**Treadlite™ Trays** Page 233	**Polytread® Trays** Page 233
MATERIAL	Camwear	Camwear + Non-Slip Surface	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface	Polypropylene + Non-Slip Rubber Surface
SURFACE	Textured	Non-Slip	Non-Slip Rubber	Non-Slip Rubber	Non-Slip Rubber
PERFORMANCE	Excellent	Excellent	Excellent	Good	Good
PERSONALIZATION	No	No	Yes Δ	No	No
YEARS WARRANTIED**	3	3	5	1	1
STACKING LUGS*	Yes	Yes	Yes	Yes	Yes
DISHWASHER SAFE	Yes – Extensive	Yes – Extensive	Yes – Extensive	Yes – Extensive	Yes – Minimal
CHEMICAL RESISTANCE	Good	Good	Good	Good	Good
DRYING TEST	Excellent	Excellent	Excellent	Good	Good
THERMAL SHOCK RESISTANCE	Excellent	Excellent	Excellent	Good	Good
BREAK RESISTANCE	Excellent	Excellent	Good	Good	Good
SCRATCH RESISTANCE	Very Good	Good	Excellent	Good	Good
STAIN RESISTANCE	Very Good	Good	Good	Good	Good
HEAT RESISTANCE	-40˚ to +99˚C ‡	-40˚ to +82˚C ‡	-10˚ to +80˚C ‡	-10˚ to +80˚C ‡	-10˚ to +80˚C ‡
NUMBER OF SIZES	2	2	16	2	6
NUMBER OF SHAPES	3	2	5	1	2
NUMBER OF COLORS	5	3	3	3	2

*Stacking lugs promote air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
ΔContact your Cambro representative for pricing.
‡Not recommended for heated cart.

CAMWEAR TRAYS

– Camwear Trays

Made of highly durable, virtually unbreakable Camwear.

– Camwear Trays with Non-Slip Surface

Made of highly durable, virtually unbreakable Camwear.
The non-slip, clear textured, surface is scratch resistant.

FIBERGLASS TRAYS

– Camtread Trays
– Treadlite Trays

Made of rugged fiberglass interior to provide a tough inner foundation and smooth surface, coupled with polyester resin to resist impact and stains.

POLYPROPYLENE TRAYS

– Polytread Trays

Polytread trays have non-slip rubber surface bonded directly into the tray.

Canteens / Cafeterias / Self-serve

Educational

Food courts / Snack shops / Quick serve

Hospitals

Catering / Banquet Service

Hotel / Room service

Military

Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

TRAY PRODUCT GUIDE

	WOOD TRAYS		LAMINATED TRAYS			
RECOMMENDED USE						
TRAY DESCRIPTION	**Wood Trays with Smooth Surface** Page 234	**Wood Trays with Non-Slip Surface** Page 235	**Corfu Laminated Trays with Non-Slip Rubber Surface** Page 235	**Capri Laminated Trays with Smooth Surface** Pages 236-237	**Mykonos Laminated Trays with Non-Slip Surface** Page 238	**Madeira Laminated Trays with Textured Wood Surface** Page 239
MATERIAL	Veneer Beechwood	Veneer Beechwood Mahogany + Non-Slip Surface	Laminate + Non-Slip Rubber Surface	Laminate	Laminate + Non-Slip Surface	Laminate
SURFACE	Smooth	Non-Slip	Non-Slip Rubber	Smooth	Non-Slip	Textured
PERFORMANCE	Good	Good	Excellent	Good	Good	Good
PERSONALIZATION	No	No	Yes†	Yes	Yes	No
YEARS WARRANTIED**	3	3	3	3	3	3
STACKING LUGS*	No	No	No	No	No	No
DISHWASHER SAFE	No	No	No	No	No	No
CHEMICAL RESISTANCE	Excellent	Good	Excellent	Excellent	Good	Excellent
DRYING TEST	Good	Good	Good	Good	Good	Good
THERMAL SHOCK RESISTANCE	Good	Good	Good	Good	Good	Good
BREAK RESISTANCE	Good	Good	Good	Good	Good	Good
SCRATCH RESISTANCE	Good	Good	Good	Good	Good	Good
STAIN RESISTANCE	Good	Good	Good	Excellent	Good***	Excellent
HEAT RESISTANCE	-10˚ to +100˚C ‡	-10˚ to +100˚C ‡	-10˚ to +100˚C ‡	-10˚ to +100˚C ‡	-10˚ to +100˚C ‡	-10˚ to +100˚C ‡
NUMBER OF SIZES	14	7	8	22	15	11
NUMBER OF SHAPES	4	3	2	5	3	4
NUMBER OF COLORS	1	1	1	13	6	5

*Stacking lugs allow free air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
***Limited stain resistance for Birch (E75).
‡Not recommended for heated cart.
†Only back side of Corfu trays can be personalized.

LAMINATED TRAYS

– Smooth Surface
– Clear Non-Slip Surface

Made of several layers of genuine beechwood veneer / mahogany combined with synthetic resin molded under high pressure and temperature. The surface is sealed with a double layer of high pressure melamine to allow regular washing.

LAMINATED TRAYS

– Corfu*
– Capri
– Mykonos
– Madeira

Made of compressed layers of melamine saturated paper combined with synthetic resin molded under high pressure and temperature. The surface is sealed with a double layer of high pressure melamine to allow regular washing.

* Laminated trays have a non-slip rubber surface bonded directly into the tray.

Note: All laminated trays must be dried before stacking.

Canteens / Cafeterias / Self-serve

Catering / Banquet Service

Hotel / Room service

Restaurants /Cafes / Brasseries / Pubs / Bars / Clubs

Cambro Beechwood Trays, Mahogany Wood Trays and Laminated Trays must be washed by hand with mild soap.

These trays cannot be washed at any time in a commercial dishwasher. They must be dried completely before stacking to avoid warping and void the warranty.

TRAY PRODUCT GUIDE

	POLYPROPYLENE	COMPARTMENT TRAYS				DISPLAY TRAYS
RECOMMENDED USE						

TRAY DESCRIPTION	**Fast Food Trays** Page 240	**Camwear® Trays** Pages 241-244	**ABS** Page 241	**Heat Resistant Trays** Page 244	**Co-Polymer Trays** Pages 245	**Market Trays** Page 245
MATERIAL	Polypropylene	Camwear	ABS	Heat Resistant Plastic	Co-Polymer	Fiberglass Layers + Polyester Resin
SURFACE	Textured	Textured	Textured	Textured	Textured	Smooth
PERFORMANCE	Good	Excellent	Excellent	Excellent	Excellent	Excellent
PERSONALIZATION	Yes Δ Heat Resistance: 80˚C	No	No	No	No	No
YEARS WARRANTIED**	3	3	2	2	2	3
STACKING LUGS*	Yes	Yes	Yes	Yes	Yes	Yes
DISHWASHER SAFE	Yes – Minimal	Yes – Extensive	Yes – Extensive	Yes – Extensive	Yes – Minimal	Yes – Extensive
CHEMICAL RESISTANCE	Excellent	Good	Excellent	Very Good	Excellent	Good
DRYING TEST	Good	Excellent	Excellent	Very Good	Excellent	Excellent
THERMAL SHOCK RESISTANCE	Good	Excellent	Good	Very Good	Good	Excellent
BREAK RESISTANCE	Good	Excellent	Good	Very Good	Good	Good
SCRATCH RESISTANCE	Good	Very Good	Very Good	Very Good	Very Good	Good
STAIN RESISTANCE	Good	Very Good	Very Good	Very Good	Very Good	Excellent
HEAT RESISTANCE	-10˚ to +80˚C ‡	-40˚ to +99˚C ‡	-10˚ to +82˚C ‡	-40˚ to +149˚C	-10˚ to +80˚C ‡	-10˚ to +100˚C ‡
NUMBER OF SIZES	4	8	1	1	4	19
NUMBER OF SHAPES	2	7	1	1	3	2
NUMBER OF COLORS	14	10***	6	1	7	5

*Stacking lugs promote air circulation and perfect stacking.
**Prorated warranty against manufacturer's defects.
***Not available for all tray styles.
ΔContact your Cambro representative for pricing.
‡Not recommended for heated cart.

POLYPROPYLENE TRAYS

– Fast Food Trays

Fast food trays have a textured surface to hide scratches and provides an additional grip to prevent slipping.

COMPARTMENT TRAYS

– Camwear Trays

Made of highly durable, virtually unbreakable Camwear.

– ABS Trays

Made of high impact resistance and heat and chemical resistance ABS.

– Co-Polymer Trays

Made of economical pliable and break-resistant co-polymer.

– Heat resistant Trays

Made of heat resistant material.

DISPLAY TRAYS

– Market Trays

Made of high-impact resistant fiberglass that resists odors.

Deli / Buffet displays

Educational

Food courts / Snack shops / Quick serve

Home meal delivery

Military

Prisons / Corrections

CENTURY™ TEXTURED WOOD TRAYS

SPECIFICATIONS

Material	SMC – high performance fiberglass
Surface Characteristic	Textured / Textured Non-Slip
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40˚ to +90˚C‡

PRORATED

‡Not for use in heated carts.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

Only available from Cambro European Logistics (CEL), Germany.

Minimum quantity order from CEL:



Light Oak (F86)

Brown Oak (F87)

Dark Oak (F88)

Light Olive (F89)

Brown Olive (F90)

CODE	SIZE	CASE PACK
Century Textured Smooth Surface		
VTC2632T	26,5 x 32,5 cm	12
VTC3343T	33 x 43	12
VTC3646T	35,5 x 45,7	12
VTC3253T	32,5 x 53	12
VTC3753T	37 x 53	12

CODE	SIZE	CASE PACK
Century Textured Clear Non-Slip Surface		
VTC2632TNS	26,5 x 32,5 cm	12
VTC3343TNS	33 x 43	12
VTC3646TNS	35,5 x 45,7	12
VTC3253TNS	32,5 x 53	12
VTC3753TNS	37 x 53	12

CODE	SIZE	CASE PACK
Century Plus Textured Surface		
VTC2632T	26,5 x 32,5 cm	12
VTC3343T	33 x 43	12
VTC3646T	35,5 x 45,7	12
VTC3253T	32,5 x 53	12
VTC3753T	37 x 53	12

Color: Solid Black (S60).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

VTC2632T, VTC3343T, VTC3646T, VTC3253T, VTC3753T: (F86), (F87), (F88), (F89), (F90).
For non-stock items, minimum order per size: 288 pieces.

VTC2632T, VTC3343T, VTC3646T, VTC3253T: (S60).
For non-stock items, minimum order per size: 300 pieces.

VTC2632TNS, VTC3343TNS, VTC3646TNS: (F86), (F89)

CENTURY™ FUN TRAYS – CREATE A VIBRANT TABLE TOP WITH COLOURFUL TRAYS

SPECIFICATIONS	Versa Tray	Versa Lite Tray
Material	SMC – high performance fiberglass	SMC – standard performance reinforced polyester fiberglass reinforced polyester
Surface Characteristic	Smooth	Smooth
Performance	Excellent	Excellent
Stacking Lugs	Yes	Yes
Dishwasher Safe	Yes – Extensive	Yes – Normal
Chemical Resistance	Excellent	Good
Drying Test	Excellent	Excellent
Shock Resistance	Excellent	Good
Break Resistance	Excellent	Good
Scratch Resistance	Excellent	Good
Stain Resistance	Excellent	Good
Heat Resistance*	-40˚ to +90˚C‡	-40˚ to +90˚C‡
	5 PRORATED	3 PRORATED

‡Not for use in heated carts.
Personalization, see page 208.
*Personalization Heat Resistance: 90˚C.

RECOMMENDED USE

High Traffic / Frequent Use

– Hospitals
– Schools
– Universities
– Canteens / Cafeterias / Self-Serve
– Military

Only available from Cambro European Logistics (CEL), Germany.

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

Personalization

Possibility to personalize to any PMS colors of your choice.

Minimum quantity: 120 pieces.

Please refer to personalization procedure and color availability in the Personalization section.

For assistance please contact your Cambro representative.

Reinforced polyester corners provide superior corner and edge protection against impact.

VT3646C

Century Fun Trays are made for intensive use. Scratch, stain, chemical and break-resistant, Century Fun trays are available on a pure white tray. Match the tray colour to your décor (dishes, furniture, walls, etc.).

Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

Raspberry on White Tray (F02)

Pearl Grey on White Tray (F04)

Light Oak (F86)

Brown Olive (F90)

CODE	DIMENSIONS	CASE PACK
Versa Trays		
VT1418	35,5 x 45,7 cm	12
VT3343C	33 x 43	12
VT3646C	35,5 x 45,7	12
Versa Lite Trays		
VL1418	35,5 x 45,7	12
VL3343C	33 x 43	12
VL3646C	35,5 x 45,7	12

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

VL3646C: (F02), (F04), (F86)

POLYESTER VERSA TRAYS PLUS

SPECIFICATIONS

Material	SMC – high performance fiberglass reinforced polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40˚ to +140˚C‡

PRORATED

‡Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

– Hospitals
– Schools
– Universities
– Canteens / Cafeterias / Self-Serve
– Military

Only available from Cambro European Logistics (CEL), Germany.

Minimum quantity order from CEL: Stock item one case, Non-stock item 240 pieces. No broken carton.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

VT3646C, GP1070, GP4002, GP4004: (S60)

Long Lasting

CODE	SIZE
Versa Trays – High Profile Shape	
VT1418	35,5 x 45,7 cm
VT3343	33 x 43
Versa Trays – Low Profile Shape	
VT2632	32,5 x 26,5
VT3253	32,5 x 53
VT3753	37 x 53
Versa Century™– Low Profile Design Shape	
VT3646C	35,5 x 45,7
Versa Trays – Flat Edge Shape	
GP1070	32,5 x 26,5
GP3980	37 x 53
GP4002*	32,5 x 53
GP4004**	32,5 x 53

Case Pack: 12 *Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers. **Textured top surface to reduce sliding of dishes.

Tray Color:

S60
Black

POLYESTER VERSA TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	SMC – High Performance Fiberglass Reinforced Polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance*	-40˚ to +140˚C ‡

PRORATED

‡Not for use in heated carts. Personalization, see page 208.
*Personalization Heat Resistance: 90˚C.

RECOMMENDED USE

High Traffic / Frequent Use

– Hospitals
– Schools
– Universities
– Canteens / Cafeterias / Self-Serve
– Military

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

VT1418: (A83)
VT2632: (A72), (A83)
VT3253, VT3343, VT3646C: (A72)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

High Profile Shape

Low Profile Shape

Low Profile Design Shape

Flat Edge Shape

Only available from Cambro European Logistics (CEL), Germany.

CODE	SIZE	CASE PACK
Versa Trays – High Profile Shape		
VT1216	30,5 x 41,5 cm	12
VT1418	35,5 x 45,7	12
VT1418TR – Trapezoid	35,5 x 45,7	12
VT1520	38 x 51,5	12
VT1520TR – Trapezoid	38 x 51,5	12
VT3343	33 x 43	12

Versa Trays – High Profile Shape

CODE	SIZE	CASE PACK
Versa Trays – Low Profile Shape		
VT2632	32,5 x 26,5 cm	12
VT3253	32,5 x 53	12
VT3753	37 x 53	12
VT3853	37,5 x 53	12

Versa Trays – Low Profile Shape

CODE	SIZE	CASE PACK
Versa Century™ Trays – Low Profile Design Shape		
VT3646C	35,5 x 45,7 cm	12
VT3343C	33 x 43	12

Versa Century Trays – Low Profile Design Shape

VT3646C

Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

POLYESTER VERSA TRAYS WITH SMOOTH SURFACE

CODE	SIZE	CASE PACK
Versa Trays – Flat Edge Shape		
GP0540*	46 x 34,4 cm	12
GP1070*	32,5 x 26,5	12
GP1080*	37 x 26,5	12
GP3074	45 x 32	12
GP3788	39 x 51	12
GP3980*	53 x 37	12
GP4002*	53 x 32,5	12
GP4004**	53 x 32,5	12
GP4701	42,5 x 32,5	12
GP4709	46 x 32,5	12
GP4856*	34,5 x 23	12

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.
**Textured top surface to reduce sliding of dishes. Not available in (A72).

Versa Trays – Flat Edge Shape

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GP0540: (A22), (A83), **GP1070, GP4709:** (A27), **GP3980, GP4210:** (A86)
GP4002: (A27), (A72), (A83), **GP4701:** (A33)

Minimum quantity order from CEL:
Stock item one case, Non-stock item 120 pieces. No broken carton.

CODE	SIZE	CASE PACK
Versa Trays – Café Trays		
GP55653	40 x 27 cm	12
GP55702	26 x 20	12
GP55703	29 x 21	12

Versa Trays – Café Trays

Only available from Cambro European Logistics (CEL), Germany.

CODE	SIZE	CASE PACK
Versa Trays – Space Saver Trays		
GP4210 – Trapezoid	48 x 34 cm	12
GP4410 – Trapezoid	32,5 x 42,5	12
GP4853	42,4 x 32,5	12

Versa Trays – Space Saver Trays


Hexagonal table
Lateral side:
70 cm GP4210

Square table
80 x 80 cm
GP4210

Round table
Diam. 135 cm
GP4853


Square Table
95 x 95 cm
GP4853

Tray Colors:


A19
Pebbled Grey*

A21
Speckled Mocha

A22
Sahara


A25
Magic Yellow

A26
Magic Mint


A27
Light Grey

A33
Pearl White

A36
Speckled Blue

A72
Charcoal*

A83
Granite


A86
Terrazzo

Polyester Versa Trays VT/GP are not recommended for use in heated meal delivery carts. Please contact Cambro Customer Service or Presswerk Köngen GmbH, with any questions related to proper usage or any special application. Cambro will provide you with clear instructions on correct usage of our trays to ensure you get the maximum life out of our products.

*Colors Pebbled Grey A19 and Charcoal A72 will show scratches if not handled properly.

POLYESTER VERSA LITE TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	SMC – standard performance fiberglass reinforced polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Normal
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance*	-40˚ to +130˚C‡

PRORATED

‡Not for use in heated carts.
Personalization, see page 208.
*Personalization Heat Resistance: 90˚C.

RECOMMENDED USE

Moderate Traffic / Economic Priority

– Schools
– Universities
– Canteens / Cafeterias / Self-Serve
– Military
– Hotel Room Service

Only available from Cambro European Logistics (CEL), Germany.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GL0540: (A22), **GL1070:** (A27), **GL3980:** (A20)
GL4002: (A20), (A83), (A86)

Minimum quantity order from CEL:
Stock item one case, Non-stock item 120 pieces. No broken carton.

High Profile Shape

Low Profile Shape

Low Profile Design Shape

Flat Edge Shape

Low Profile Flat Edge Shape

Versa Lite Trays – Flat Edge Shape

CODE	SIZE
Versa Lite Trays – Flat Edge Shape	
GL0540†	46 x 34,4 cm
GL1070†	32,5 x 26,5
GL1080†	37 x 26,5
GL3074	45 x 32
GL3980†	53 x 37
GL4002†	53 x 32,5
GL4060	40 x 60
GL4701	42,5 x 32,5

Case Pack: 12
†Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

GL4002

GL4002

Versa Lite Trays – Space Saver Trays

CODE	SIZE
Versa Lite Trays – Space Saver Trays	
GL4210 – Trapezoid	48 x 34 cm

Case Pack: 12


Hexagonal table
Lateral side:
70 cm GL4210

Square table
80 x 80 cm
GL4210

GL4210

POLYESTER VERSA LITE TRAYS WITH SMOOTH SURFACE

CODE	SIZE
Versa Lite Trays – High Profile Shape	
VL1014	27 x 35 cm
VL1216	30,5 x 41,5
VL3343	33 x 43
VL1418	35,5 x 45,7
VL1418TR – Trapezoid	35,5 x 46
VL1520	38 x 51,5
VL1520TR – Trapezoid	38 x 51,5

Case Pack: 12

Versa Lite Trays – High Profile Shape

VL1418

Only available from Cambro European Logistics (CEL), Germany.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

VL1418: (A20), (A27)
VL3253: (A20)
VL3343: (A20)
VL3343C: (A20)
VL1014: (A20)

Minimum quantity order from CEL:
Stock item one case, Non-stock item 120 pieces. No broken carton.

CODE	SIZE
Versa Lite Trays – Low Profile Flat Edge Shape	
GL220P	32,5 x 53 cm
GL210P	37 x 53

Case Pack: 12

Versa Lite Trays – Low Profile Flat Edge Shape

CODE	SIZE
Versa Lite Trays – Low Profile Shape	
VL2632	32,5 x 26,5 cm
VL3253	32,5 x 53
VL3753	37 x 53

Case Pack: 12

Versa Lite Trays – Low Profile Shape

CODE	SIZE
Versa Lite Century™ Trays – Low Profile Design Shape	
VL3646C	35,5 x 45,7 cm
VL3343C	33 x 43

Case Pack: 12

Versa Lite Century Trays – Low Profile Design Shape

Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

Tray Colors:



Speckled Smoke

Speckled Mocha

Sahara



Light Grey

Pearl White



Granite



Terrazzo

POLYESTER VERSA LITE TRAYS WITH NON-SLIP RUBBER SURFACE

SPECIFICATIONS

Material	SMC – standard performance fiberglass reinforced polyester + non-slip rubber
Surface Characteristic	Non-Slip Rubber
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Normal
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-40˚ to +100˚C‡

‡Not for use in heated carts.

PRORATED

RECOMMENDED USE

Moderate Traffic / Economic Priority

– Banquet Service
– Restaurant / Cafes
– Bars / Clubs / Pubs
– Catering
– Brasseries



High Profile Shape | Flat Edge Shape

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

Minimum quantity order from CEL:
Stock item one case, Non-stock item 120 pieces. No broken carton.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GL4002RNS: (A83)

CODE	DIA / SIZE	CASE PACK
Versa Lite Trays – High Profile Shape		
VL1418RNS	35,5 x 45,7 cm	12
Versa Lite Trays – Flat Edge Shape		
GL1070RNS*	32,5 x 26,5	12
GL4002RNS*	53 x 32,5	12
GL3980RNS*	53 x 37	12
Versa Lite Tray – Cafe Trays		
VL2129RNS	21 x 29	12
VL3200RNS	ø 32	12
VL3600RNS	ø 36	12

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Patterns and Tray Base Colors:

Black

Grey on Granite Tray

DÉCOR SERIES CAMTRAYS®

- Woodgrain textured surface creates the look feel of real wood.
- Durability of the classic Camtray.
- Ideal for upscale employee feeding, restaurant, cafeteria, schools, food courts and hospitals.
- Personalize a portion or an entire tray surface with a full color logo or design.
- Commercial dish washer safe.

Colors: Charcoal Grey (815), Light Olive (820), Dark Oak (825), Light Oak (830).

Personalization with a minimum order of 144 trays.

PRORATED

CODE	DIMENSIONS	CASE PACK
1216DC	30,5 x 41,5 cm	12
1418DC	35,5 x 45,7	12
1520DC	38 x 51	12

DÉCOR SERIES EPICTREAD™ CAMTRAYS

- The Décor Series design and texture with our clear EpicTread non-slip surface.
- Perfect for busy cafeterias to reduce food and dish spills.
- An excellent solution for hospital foodservice to provide a beautiful patient tray presentation without a paper tray mat.
- Personalize a portion or an entire tray surface with a full color logo or design.
- Commercial dish washer safe.

Colors: Charcoal Grey (815), Light Olive (820), Dark Oak (825), Light Oak (830).

Personalization with a minimum order of 144 trays.

PRORATED

CODE	DIMENSIONS	CASE PACK
1216DCET	30,5 x 41,5 cm	12
1418DCET	35,5 x 45,7	12
1520DCET	38 x 51	12

CAMTRAYS® FIBERGLASS TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	Fiberglass layers + polyester resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-10˚ to +100˚C‡

†Available in Group I colors and patterns and Group III patterns.

Available in Group I colors and patterns except Doily.

*Special order item not carried in stock – non-returnable.

PRORATED

‡Not for use in heated carts.
Personalization, see page 208.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service



High Profile Shape Low Profile Shape

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

1216: (204)

CODE		SIZE	CASE PACK
Rectangular – High Profile Shape			
810†		20,5 x 25 cm	12
915†		22 x 38	12
926*†		22,5 x 65 x 2,5	12
1014†	Made in USA/China	27 x 35	12
1015*		26 x 38	24
1116*		27,5 x 40,5	24
1216†	Made in USA/China	30,5 x 41,5	12
1313†		33 x 33	12
1318*†		32 x 45 x 3	12
1418†	Made in USA/China	35,5 x 45,7	12
1520†	Made in USA/China	38 x 51,5	12
1622†		40,5 x 56	12
16225*†		42 x 57	12
1826†		45,5 x 65,5	6
Rectangular – Low Profile Shape			
46†		11 x 15	12
57*†		12,5 x 18	12
2025*†		53 x 65	6
3253	Made in USA/China	32 x 53	12

CAMTRAYS® FIBERGLASS TRAYS WITH SMOOTH SURFACE

CODE	SIZE	CASE PACK
Metric Rectangular – High Profile Shape		
3242	31,9 x 41,9 cm	12
3853*	37,5 x 53	12
Metric Rectangular – Low Profile Shape		
2632*	26,5 x 32,5	12
3046*	30 x 46	12
3343	33 x 43	12
3753*	37 x 53	12
Camtray with Handles		
1418H*❖	35,5 x 45,7	12
1520H*❖	38 x 51,5	12

Metric Rectangular

*Special order item not carried in stock – non-returnable.

❖Available in Group I colors only.

1418H and 1520H available in Group I colors only and covered by 2 Year prorated warranty against manufacturer's defects.

NSF listed for non-direct food contact only.

PRORATED

Personalization, see page 208.
1418H and 1520H available in four color printing process only. Please refer to Fiberglass Tray Personalization section for details.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

Camtray with Handles

Trapezoid

CODE	DIA / SIZE	CASE PACK
Trapezoid – High Profile Shape		
1418TR*†	35,5 x 45,7 cm	12
1422TR*†	35,5 x 56	12
Trapezoid – Low Profile Shape		
1520TR*†	37 x 49,5	12
Oval – Low Profile Shape		
2500*	49 x 61	6
2700*	56 x 68,5	6
Round – High Profile Shape		
900*	ø 23	12
1000*	ø 25,5	12
1100	ø 28	12
1200*	ø 30,5	12
1300*	ø 33	12
1400	ø 35,5	12
1600	ø 40,5	12
Round – Low Profile Shape		
1550*	ø 40,5	12
1950*	ø 49,5	12



†Available in Group I colors and patterns and Group III patterns.

Available in Group I colors and patterns except Doily.

*Special order item not carried in stock – non-returnable.

PRORATED

Oval and Round



CAMTRAY® GROUP I COLORS

Colors listed alphabetically. See numerical reference on following page.

Amazon Blue

Antique Parchment

Bay Leaf Brown

Black

Blush

Brazil Brown

Burgundy Wine

Cambro Red

Cameo Yellow

Cherry Red

Citrus Orange

Cottage White

Dark Peach

Desert Tan

Earthen Gold

Ever Red



Grape

Horizon Blue

Key Lime

Lemon Chiffon

Light Peach

Lime-ade

Mustard

Olive Green

Orange Pizazz

Pearl Grey

Raspberry Cream

Real Rust

Robin Egg Blue

Sherwood Green

Signal Red

Sky Blue

Slate Blue

Suede Brown

Taupe

Teal

Tuscan Gold



White

Due to the catalog printing process, the colors & patterns shown may not be exact.
Contact Cambro or a Cambro representative for a color chip.

CAMTRAY® GROUP I PATTERNS

Galaxy

526, 531
Antique Parchment
(526 Gold), (531 Silver)

Swirl

270
Black & Gold (NR)

277
Grey (NR)

Doily

241
Antique Parchment (NR)

Abstract

214
Tan (NR)

215
Grey (NR)

(NR) Trays are non-returnable.

CAMTRAY GROUP III – WOOD

Wood

308
Burma Teak (NR)

304
Country Oak (NR)

301
Dark Basketweave (NR)

309
Java Teak (NR)

302
Light Basketweave (NR)

303
Light Butcher Block (NR)

307
Light Elm (NR)

204
Rattan (NR)

Linen

329
Toffee (NR)

(NR) Trays are non-returnable.

CAMTRAY GROUP I COLORS – NUMERICAL REFERENCE BY COLOR CODE

Antique Parchment (101),
Desert Tan (104), Horizon Blue (105),
Light Peach (106), Pearl Gray (107),
Black (110), Lime-ade (113),
Brazil Brown (116), Dark Peach (117),
Sherwood Green (119),
Amazon Blue (123), White (148),
Tuscan Gold (171), Sky Blue (177),
Taupe (199), Citrus Orange (220),
Ever Red (221) Orange Pizazz (222),
Slate Blue (401), Blush (409),
Raspberry Cream (410),
Teal (414), Olive Green (428),
Key Lime (429), Real Rust (501),
Mustard (504), Cherry Red (505),
Suede Brown (508), Signal Red (510),
Bayleaf Brown (513),
Earthen Gold (514),
Robin Egg Blue (518),
Cambro Red (521),
Burgundy Wine (522),
Lemon Chiffon (536),
Cameo Yellow (537),
Cottage White (538), Grape (551).

Due to the catalog printing process, the colors & patterns shown may not be exact.
Contact Cambro or a Cambro representative for a color chip.

EPICTREAD™ TRAYS

SPECIFICATIONS

Material	Fiberglass Layers + Non-Slip, Water Repellent Surface
Surface Characteristic	Non-Slip Surface
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes – Normal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10˚ to +90˚C‡

PRORATED

‡Not for use in heated carts.

Made in China

RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

1600ET

1520ET

Black (110)

Dark Brown (167)

Dark Green (206)

Dark Burgundy Wine (207)

Spanish Blue (503)

Cambro Red (521)

CODE	DIA / SIZE	CASE PACK
Rectangular		
1014ET	27 x 35 cm	12
1216ET	30,5 x 41,5	12
1418ET	35,5 x 45,5	12
1520ET	38 x 51,5	12
Round		
1400ET	ø 39	12
1600ET	ø 43,7	12

DIETARY TRAYS

SPECIFICATIONS

Material	Fiberglass layers + polyester resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10˚ to +100˚C‡

‡Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

Available in Group I colors and patterns and Group III Patterns.

*Special order item not carried in stock – non-returnable.

PRORATED

Low Profile Shape



CODE	SIZE	CASE PACK
Dietary Trays – Low Profile Shape		
1216D*	30,5 x 41,5 cm	12
1219D*	30,5 x 48,3	12
1220D*	30,5 x 51	12
1222D*	30,5 x 56	12
1418D*	35,5 x 45,7	12
1520D*	38 x 51,3	12

CAMLITE® TRAYS

SPECIFICATIONS

Material	Fiberglass layers + polyester resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10˚ to +100˚C‡

‡Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

Colors: Rose Red (163), Yellow (145), Green (162), Blue (142), Tan (161), Steel White (676), Steel Red (675), Steel Blue (674), Black (110).

12 dozen minimum order required for any special color orders.

PRORATED

High Profile Shape



Low Profile Shape

CODE	SIZE	CASE PACK
Rectangular Camlite Trays – High Profile Shape		
1014CL	27 x 35 cm	12
1216CL	30,5 x 41,5	12
1418CL	35,5 x 45,7	12
1520CL	38 x 51,5	12
1826CL	45,5 x 65,5	12
Rectangular Camlite Trays – Low Profile Shape		
3253CL	32,5 x 53	12

CAMWEAR® TRAYS

SPECIFICATIONS

Material	Camwear
Surface Characteristic	Textured
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Very Good
Stain Resistance	Very Good
Heat Resistance	-40˚ to +99˚C‡

PRORATED

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools
- Universities
- Canteens / Cafeterias / Self- Serve
- Military
- Quick Serve Restaurants
- Food Courts / Snack Shops

1418CW, 1520CW, 1418TRCW Colors: Blue (168), Beige (133).

1520CWH Colors: Black (110), Smoked Metal (485), Dark Cranberry (488).

NSF listed for non-direct food contact only.

CODE	SIZE	CASE PACK
Rectangular – High Profile Shape		
1418CW	35,5 x 45,7 cm	12
1520CW	38 x 51	12
Rectangular With Handles – High Profile Shape		
1520CWH	38 x 51	12
Trapezoid – High Profile Shape		
1418TRCW	35,5 x 45,7	12

CAMWEAR TRAYS WITH NON-SLIP SURFACE

SPECIFICATIONS

Material	Camwear
Surface Characteristic	Non-Slip
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-40˚ to +82˚C‡

PRORATED

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools / Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Quick Serve Restaurants
- Food Courts / Snack Shops
- Restaurants / Cafes
- Brasseries
- Hotels / Room Service
- Hospitals

Colors: Black (110), Smoked Metal (485), Dark Cranberry (488).

NSF listed for non-direct food contact only.

Black (110)

Dark Cranberry (488)

Smoked Metal (485)

CODE	SIZE	CASE PACK
Rectangular – High Profile Shape		
1418CWNS	35,5 x 45,7 cm	12
1520CWNS	38 x 51	12
Rectangular With Handles – High Profile Shape		
1418CWNSH	35,5 x 45,7	12
1520CWNSH	38 x 51	12

CAMTREAD® FIBERGLASS TRAYS WITH NON-SLIP RUBBER SURFACE

SPECIFICATIONS

Material	Fiberglass layers + polyester resin + non-slip rubber surface molded from edge-to-edge
Surface Characteristic	Non–Slip Rubber
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Excellent
Stain Resistance	Good
Heat Resistance	-10˚ to +80˚C‡

‡Not for use in heated carts.

Orders for non-standard Camtread Tray colors will be handled by special quotation only.

*Special order item not carried in stock – non-returnable.

Not for use in heated carts.

Personalization see page 209 for size and detail.

PRORATED

RECOMMENDED USE

High Traffic / Frequent Use

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

1014CT, 1100CT, 1216CT, 1826CT, 2500CT, 2900CT, 3253CT, 1418CT: (110)
1800CT, 2700CT: (110), (522)
1400CT, 1600CT: (110), (138), (522)

High Profile Shape

Low Profile Shape

Low Profile Shape Oval

Tray Colors:

Black Satin



Tavern Tan

Burgundy Wine

CODE	DIA / SIZE	CASE PACK
Round – High Profile Shape		
900CT*	ø 23 cm	12
1100CT	ø 28	12
1400CT	ø 35,5	12
1600CT	ø 40,5	12
1800CT	ø 45	6
Round – Low Profile Shape		
1550CT*	ø 40,5	12
1950CT*	ø 49,5	12
Oval – Low Profile Shape		
2500CT	49 x 59	6
2700CT	56 x 68,5	6
2900CT	73,5 x 60	6
Rectangular – High Profile Shape		
1014CT*	27 x 35	12
1216CT	30,5 x 41,5	12
1418CT	35,5 x 45,7	12
1520CT*	38 x 51,5	12
1622CT*	40,5 x 56	12
1826CT	45 x 65	6
Rectangular – Low Profile Shape		
3253CT	32,5 x 53	12

TREADLITE™ TRAYS

SPECIFICATIONS

Material	Fiberglass layers + polyester resin + Non-slip rubber surface
Surface Characteristic	Non-Slip rubber surface
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10˚ to +80˚C‡

PRORATED

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

– Brasseries
– Restaurants / Cafes
– Bars / Clubs / Pubs

Tray Colors:

110
Black Satin

138
Tavern Tan

522
Burgundy Wine

CODE	DIA	CASE PACK
Round – High Profile Shape		
1400TL	ø 35,5 cm	12
1600TL	ø 40,5	12

POLYTREAD® TRAYS

SPECIFICATIONS

Material	Polypropylene + Non-Slip rubber surface
Surface Characteristic	Non-Slip rubber surface
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes – Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10˚ to +80˚C‡

PRORATED

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

– Brasseries
– Restaurants / Cafes
– Bars / Clubs / Pubs

High Profile Shape

Tray Colors:

110
Black

167
Brown

CODE	DIA / SIZE	CASE PACK
Round – High Profile Shape		
PT1100	ø 28 cm	12
PT1400	ø 35,5	12
PT1600	ø 40,5	12
Rectangular – High Profile Shape		
PT1014	27 x 34,5	24
PT1216	30 x 41,5	24
PT1418	36 x 46	12

BEECHWOOD TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	Veneer Beechwood
Surface Characteristic	Smooth
Performance	Good
Stacking Lugs	No
Dishwasher Safe	No*
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10˚ to +100˚C‡

PRORATED

‡Not for use in heated carts

***Washing Instruction**

RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

– Banquet Service
– Restaurants / Cafes
– Catering

Only available from Cambro European Logistics (CEL), Germany.

Tray Color:

Beechwood

CODE	DIA / SIZE	CASE PACK
Rectangular – 60 Series		
PH556010	45 x 32 cm	12
PH556020	58 x 38	12
PH556030	63 x 40	12
PH556040	70 x 45	12
PH556050	75 x 48	12
Rectangular – 65 Series		
PH556510	27 x 20	12
PH556520	33 x 23	12
Oval		
PH557010	23 x 16	24
PH557020	26 x 20	24
PH557030	29 x 21	24
PH557040	33 x 24	24
Round Beer Tray		
PH558510	ø 32	12
PH558520	ø 36	12
PH558530	ø 42	12

BEECHWOOD TRAYS WITH NON-SLIP SURFACE

SPECIFICATIONS

Material	Veneer Beechwood
Surface Characteristic	Non-Slip Surface
Performance	Good
Stacking Lugs	No
Dishwasher Safe	No*
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10˚ to +100˚C‡

PRORATED

‡Not for use in heated carts.

***Washing Instruction**

RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

– Banquet Service
– Restaurants / Cafes
– Bars / Clubs / Pubs
– Catering
– Brasseries

Only available from Cambro European Logistics (CEL), Germany.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PH556056: (000)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

Tray Color:

Beechwood

CODE	DIA / SIZE	CASE PACK
Rectangular – 60 Series		
PH556016	45 x 32 cm	12
PH556026	58 x 38	12
PH556036	63 x 40	12
PH556046	70 x 45	12
PH556056	75 x 48	12
Rectangular – 65 Series		
PH556516	27 x 20	12
PH556526	33 x 23	12
Oval		
PH557016	23 x 16	24
PH557026	26 x 20	24
PH557036	29 x 21	24
PH557046	33 x 24	24
Round Beer Tray		
PH558516	ø 32	12
PH558526	ø 36	12
PH558536	ø 42	12

MAHOGANY WOOD TRAYS WITH NON-SLIP SURFACE

SPECIFICATIONS

Material	Mahogany Veneer
Surface Characteristic	Non-Slip Surface
Performance	Good
Stacking Lugs	No
Dishwasher Safe	No*
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10˚ to +100˚C‡

‡Not for use in heated carts.

***Washing Instruction**

RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

– Banquet Service
– Restaurants / Cafes
– Bars / Clubs / Pubs
– Catering
– Brasseries

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

Mahogany (W02)

CODE	DIA / SIZE	CASE PACK
Rectangular		
MW3245	32 x 45 cm	12
MW3858	37,5 x 57,5	12
MW3646	36 x 46	12
Oval		
MW2129	21 x 29	12
Round Beer Tray		
MW3200	ø 32	12
MW3600	ø 36	12
MW4200	ø 42	12

CORFU – LAMINATED TRAYS WITH NON-SLIP RUBBER SURFACE

SPECIFICATIONS

Material	Laminate + non-slip rubber surface
Surface Characteristic	Non-Slip rubber surface
Performance	Excellent
Stacking Lugs	No
Dishwasher Safe	No*
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10˚ to +100˚C‡

PRORATED

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

Personalization, see page 209.

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

C03800, C04300, C03646: (D01)

***Washing Instruction**

RECOMMENDED USE

Normal Use / Emphasis on style with limited washing

– Canteens / Cafeterias / Self-Serve
– Banquet Service
– Restaurants / Cafes
– Bars / Clubs / Pubs
– Catering

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

Tray Color:

Black on Grey

CODE	DIA / SIZE	CASE PACK
Rectangular		
C02632	26,5 x 32,5 cm	12
C03253	32,5 x 53	12
C03343	33 x 43	12
C03646	36 x 46	12
C03753	37 x 53	12
Round		
C03200	ø 32	12
C03800	ø 38	12
C04300	ø 43	12

CAPRI – LAMINATED TRAYS WITH SMOOTH SURFACE

SPECIFICATIONS

Material	Laminate
Surface Characteristic	Smooth
Performance	Good
Stacking Lugs	No
Dishwasher Safe	No*
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10˚ to +100˚C‡

PRORATED

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

Personalization, see page 209.

***Washing Instruction**

FSC
www.fsc.org
FSC™ A000522

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Canteens / Cafeterias / Self-Serve
- Hotel Room Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

Minimum quantity order from CEL:
Stock item one case, Non-stock item 120 pieces. No broken carton.

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CA3646: (E73), (E76), (E78), (E82)
CA3343: (E76), (E79), (E82)
CA3253: (E76), (E82)
CA3753: (E76)
CA2738: (E89)
CA3446: (E73), (E75)

Capri – Rectangular

Capri – Round

Tray Pattern:
Thank You (E01) available in CA1300 only.

CODE	DIMENSIONS	CASE PACK
Rectangular		
CA2028	20 x 28 cm	24
CA2632	26,5 x 32,5	24
CA2738	27 x 38	24
CA2836	28 x 36	24
CA3244	32 x 44	24
CA3253	32,5 x 53	24
CA3343	33 x 43	24
CA3446	34 x 46	24
CA3646	36 x 46	24
CA3748	37 x 48	24
CA3753	37 x 53	24
CA3952	39 x 52	24
CA4361	43 x 61	12
Round		
CA1300	ø 13	24
CA3200	ø 32	24
CA3800	ø 38	24
CA4300	ø 43	24
Trapezoid		
CA3247TR	32 x 47	24
Oval		
CA1623	16 x 23	24
CA2026	20 x 26,5	24
CA2129	21 x 29	24
Rectangular with Handles		
CA4064H*	40 x 64	12

*Only available in Walnut (E76), Venge (E84) and Brushed Steel (E85).

CAPRI – LAMINATED TRAYS WITH SMOOTH SURFACE

Mahogany
(E73)

Birch
(E75)

Walnut
(E76)

Teak
(E77)

White
(E78)

Black
(E79)

Grey
(E81)



Charcoal
Granite (E82)

Venge
(E84)

Brushed
Steel (E85)

Light
Oak (E86)

Brown
Oak (E87)



Dark
Oak (E88)

Light
Olive (E89)



Brown
Olive (E90)

MYKONOS – LAMINATED TRAYS WITH NON-SLIP SURFACE

SPECIFICATIONS

Material	Laminate + Non-Slip Surface
Surface Characteristics	Non-Slip Surface
Performance	Good
Stacking Lugs	No
Dishwasher Safe	No**
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good*
Heat Resistance	-10˚ to +100˚C‡

Personalization, see page 209.

PRORATED

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

*Limited stain resistance for Birch (E75).

****Washing Instruction**

RECOMMENDED USE

Moderate Use / Emphasis on Style with Limited Washing

- Banquet Services
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MY3253, MY4361: (E76)
MY3343: (E75), (E76), (E82)
MY3646: (E73), (E76), (E79)

CODE	DIA / SIZE	CASE PACK
Rectangular		
MY2632	26,5 x 32,5 cm	24
MY2738	27 x 38	24
MY3244	32 x 44	24
MY3253	32,5 x 53	24
MY3343	33 x 43	24
MY3446	34 x 46	24
MY3646	36 x 46	24
MY3753	37 x 53	24
MY3952	39 x 52	24
MY4361	43 x 61	12
Oval		
MY2026	20 x 26,5	24
MY2129	21 x 29	24
Round		
MY3200	ø 32	24
MY3800	ø 38	24
MY4300	ø 43	24

FSC
www.fsc.org
FSC™ A000522

Tray Colors:

E73
Mahogany

E75
*Birch


E76
Walnut

E77
Teak

E79
Black

E82
Charcoal Granite

MADEIRA – LAMINATED TRAYS WITH TEXTURED WOOD SURFACE

SPECIFICATIONS

Material	Laminate
Surface Characteristics	Textured – Top and Bottom
Performance	Good
Stacking Lugs	No
Dishwasher Safe	No*
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10˚ to +100˚C‡

PRORATED

Personalization, see page 209.

‡Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

***Washing Instruction**

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Canteens / Cafeterias / Self-Serve
- Hotel Room Service
- Restaurants / Cafes
- Bars / Clubs / Pubs

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Bulgaria.

Minimum quantity order from CEL:
Stock item one case, Non-stock item 120 pieces. No broken carton.

STOCK PRODUCTS & PATTERNS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MA2028, MA2435, MA3343, MA3646, MA3753:
(E86), (E87), (E88), (E89), (E90)

CODE	DIA / SIZE	CASE PACK
Rectangular		
MA2028	20 x 28 cm	24
MA2435	24 x 35	24
MA3343	33 x 43	24
MA3646	36 x 46	24
MA3753	37 x 53	24
MA4361	43 x 61	12
Rectangular with handle		
MA3142H	31 x 42	24
Trapezoid		
MA3652TR	36 x 52	24
Round		
MA3200	ø 32	24
MA3800	ø 38	24
MA4300	ø 43	24

Tray Colors:

Light Oak

Brown Oak

Dark Oak

Light Olive

Brown Olive

FAST FOOD TRAYS

SPECIFICATIONS

Material	Polypropylene
Surface Characteristic	Textured
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes-Minimal**
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10˚ to +80˚C‡

PRORATED

‡Not for use in heated carts.

**Wash once per day for 60 seconds at a maximum temperature of 80˚C.

RECOMMENDED USE

Moderate Traffic / Economic Priority

– Quick Serve Restaurants
– Food Courts / Snack Shops

High Profile Shape

High Profile Shape with handles

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES

1216FF: (110), (119), (163), (167), (168), (186)
1418FF: (107), (110), (119), (163), (167), (168), (186)
1217FFH: (110), (166), (167), (416)
1014FF: (107), (110), (163), (167), (416)

1418FF

1217FFH

Available Colors:

104 Desert Tan

106 Light Peach

107 Pearl Gray

108 Primrose Yellow

110 Black

119 Sherwood Green

163 Red

166 Orange

167 Brown

168 Blue

186 Navy Blue

409 Blush

414 Teal

416 Cranberry

CODE	SIZE	CASE PACK
Rectangular – High Profile Shape		
1014FF	26,5 x 34,5 cm	24
1216FF	30 x 41	24
1418FF	35,5 x 45,7	12
Rectangular – High Profile Shape with Handles		
1217FFH*	30 x 43	24

***Available in the following colors:** Black (110), Sherwood Green (119), Orange (166), Brown (167), Cranberry (416). All Fast Food trays sizes manufactured in the United States can be personalized. All Fast Food trays sizes manufactured in Europe and China cannot be personalized.

COMPARTMENT TRAYS

SPECIFICATIONS

Code	10146CW	BCT1014	PS1014
Material	Camwear®	ABS	Co-Polymer
Surface Characteristic	Textured	Textured	Textured
Performance	Excellent	Excellent	Excellent
Stacking Lugs	Yes	Yes	Yes
Dishwasher Safe	Yes – Extensive	Yes – Extensive	Yes – Minimal
Chemical Resistance	Good	Excellent	Excellent
Drying Test	Excellent	Excellent	Excellent
Shock Resistance	Excellent	Good	Good
Break Resistance	Excellent	Good	Excellent
Scratch Resistance	Very Good	Very Good	Very Good
Stain Resistance	Very Good	Very Good	Very Good
Heat Resistance	-40˚ to +99˚C‡	-10˚ to +82˚C‡	-10˚ to +80˚C‡

‡Not for use in heated carts.

PS1014

150CW, 100CW, 50CW, 45CW, 35CW, 10CW and SRB5CW reusable bowls fit in this tray and can be used to serve cereal, soup & salads.

BCT1014

PS1014 on OETR314 Open End Tray Rack.

CODE	SIZE	CASE PACK
Camwear		
10146CW	25,4 x 36,5 cm	24
ABS - BPA FREE		
BCT1014	25,4 x 36,5	24
Co-Polymer - BPA FREE		
PS1014	25,4 x 36,5	24

BCT1014, PS1014 & 10146CW

RECOMMENDED USE

Moderate Traffic / Economic Priority

– School
– Universities
– Military

ABS and Co-Polymer trays are not NSF listed.

Camwear Only

Camwear

NSF 3 PRORATED

119 Sherwood Green
133 Beige
145 Yellow
186 Navy Blue
416 Cranberry
110 Black

ABS

2 PRORATED

119 Sherwood Green
163 Red
161 Tan
414 Teal
186 Navy Blue
416 Cranberry

Co-Polymer

2 PRORATED

437 Grass Green
145 Yellow
161 Tan
186 Navy Blue
414 Teal
416 Cranberry

COMPARTMENT TRAYS

SPECIFICATIONS

Material	Camwear®	Co-Polymer
Surface Characteristic	Textured	Textured
Performance	Excellent	Excellent
Stacking Lugs	Yes	Yes
Dishwasher Safe	Yes – Extensive	Yes – Minimal
Chemical Resistance	Good	Excellent
Drying Test	Excellent	Excellent
Shock Resistance	Excellent	Good
Break Resistance	Excellent	Excellent
Scratch Resistance	Very Good	Very Good
Stain Resistance	Very Good	Very Good
Heat Resistance	-40˚ to +99˚C‡	-10˚ to +80˚C‡

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

– School
– Universities
– Military

100CW, SRB13CW and 50CW bowls fit in round compartment. 10CW and 150CW bowls fit in square compartment. See Dinnerware and Swirl Bowl sections.

ABS and Co-Polymer trays are not NSF listed.

Camwear Only

915CP

1596CW



915CW & 915CP



1596CW & 1596CP

915CW and 1596CW inside two PR314 Camracks.

CODE	SIZE	CASE PACK
Camwear		
1596CW	22,9 x 38 cm	24
915CW	22,2 x 38	24
Co-Polymer - BPA FREE		
1596CP	22,9 x 38	24
915CP	22,2 x 38	24

Camwear

NSF 3 PRORATED

119 Sherwood Green

404 Red

133 Beige

414 Teal

168 Blue

416 Cranberry

186 Navy Blue

110 Black

431 Translucent Blue

Co-Polymer

2 PRORATED

416 Cranberry

186 Navy Blue

MEAL DELIVERY TRAYS

- Three deep-dish food compartments for large portions.
- Snap-on cover fits securely.
- Textured surface minimizes scratching.

Camwear Colors:
Beige (133), Teal (414).
Lid Color: Clear (135).

Co-Polymer Colors:
Teal (414), Brown (167), Tan (161).
Lid Color: White (148).

Co-Polymer is not NSF Listed.

Not for use in heated carts.

Camwear®

NSF 3 PRORATED

133 Beige

414 Teal

Co-Polymer

2 PRORATED

161 Tan

167 Brown

414 Teal



9113CW/9113CP



9114CW/9114CP

CODE	DESCRIPTION	DIMENSIONS W x L x D
Camwear		
9113CW	3 Compartments	22,8 x 27,9 x 6,8 cm
9114CW	4 Compartments	22,8 x 27,8 x 6,7
911CWC	Lid fits both trays	22,9 x 28 x 1,4
Co-Polymer - BPA FREE		
9113CP	3 Compartments	22,5 x 27,2 x 6,6
9114CP	4 Compartments	22,6 x 27,2 x 6,6
911CPC	Lid fits both trays	22,6 x 27,4 x 1,4

Case Pack: 24

SEPARATOR® COMPARTMENT TRAYS

- Six compartment tray designed specifically for in-cell feeding programs.
- Serve both hot and cold food from the same tray.
- Tray with cover separates each compartment to retain food temperature and reduce spills.
- Locking ridges on top of cover and bottom of tray ensure more secure stacking.

Camwear Color: Beige (133).
Lid Color: Clear (135).

Co-Polymer Colors:
Teal (414), Brown (167), Tan (161).
Lid Color: Translucent (190).

Co-Polymer is not NSF Listed.

Not recommended for heated cart.

Camwear

NSF 3 PRORATED

133 Beige

Co-Polymer

2 PRORATED

161 Tan

167 Brown

414 Teal



10146DCW/10146DCP

CODE	DESCRIPTION	DIMENSIONS W x L x D
Camwear		
10146DCW	6 Compartments	25,4 x 36,1 x 3,3 cm
10146DCWC	Lid fits 10146DCW	26 x 36,2 x 3,5
Co-Polymer - BPA FREE		
10146DCP	6 Compartments	25,4 x 36 x 2,9
10146DCPC	Lid fits 10146DCP	25,6 x 35,6 x 3,6

Case Pack: 24

TRAY ON TRAY MEAL DELIVERY SYSTEM

Base Tray

- Combine hot and cold food portions into a reusable, single service unit.
- Works as a tray or for in-cell feeding with the insert tray.
- Base tray has 5 compartments with 1 compartment for resting the insert tray.

Camwear Color: Beige (133).

Co-Polymer Colors:
Brown (167), Tan (161).

Co-Polymer is not NSF Listed.

Not for use in heated carts.

1411CW

1411CW base tray with 853FH insert tray



1411CW/1411CP

Camwear®

NSF 3 PRORATED

133
Beige

Co-Polymer

2 PRORATED

161
Tan

167
Brown

CODE	DESCRIPTION	DIMENSIONS W x L x D
Camwear		
1411CW	Compartments	26,8 x 36,5 x 3,3 cm
Co-Polymer - BPA FREE		
1411CP	Compartments	26,8 x 36,5 x 3,3

Case Pack: 24

Insert Tray

- Eight trays efficiently fit on a standard sheet pan or in an 45,5 x 65,5 cm wire rack.

Camwear Color: Beige (133).
Lid Color: Clear (135).

Co-Polymer Colors:
Brown (167), Tan (161).
Lid Color: Translucent (190).

Heat Resistant Plastic
Tray and Lid Color: Amber (150).

Co-Polymer is not NSF Listed.

Not for use in heated carts.

Camwear

NSF 3 PRORATED

133
Beige

Co-Polymer

2 PRORATED

161
Tan

167
Brown

Heat Resistant Plastic

NSF 3 PRORATED

150
Amber

853FCW/853FCP/853FH

CODE	DESCRIPTION	DIMENSIONS W x L x D
Camwear		
853FCW	Compartments	16 x 22,1 x 4,8 cm
853FCWC	Lid for 853FCW	17,1 x 22,4 x 0,6
Co-Polymer		
853FCP	Compartments	16 x 22,1 x 4,8
853FCPC	Lid for 853FCP	17,1 x 22,4 x 0,6
Heat Resistant Plastic		
853FH	Compartments	16 x 22,1 x 4,8
853FHC	Lid for 853FH	17,1 x 22,4 x 0,6

Case Pack: 24

COMPARTMENT SERVING TRAYS

- For cafeteria-style feeding in high security environments.
- Compartment configurations designed to meet all menu requirements.
- Trapezoid Compartment Trays space saving for self serve correctional facility feeding.

Camwear 6-Compartment Colors: Navy (186), Cranberry (416), Yellow (145), Sherwood Green (119), Beige (133), Black (110).
5-Compartment Color: Beige (133).
Co-Polymer Color: Tan (161).

14105CP is not NSF Listed.

Trapezoid Compartment Trays are covered by the following U.S. Patent D 508,634.

Camwear®

NSF 3 PRORATED

Co-Polymer

2 PRORATED

NT9CP Co-Polymer Cup: For details contact your Cambro representative.

10146CW

10145CW

10146CW

14105CW / 14105CP

CODE	DESCRIPTION	DIMENSIONS W x L x D	CASE PACK
Camwear			
10146CW	6 compartments	25,4 x 36,8 x 2,4	24
14105CW	5 compartments	27,2 x 35,2 x 2,9	24
10145CW	5 compartments	25,4 x 36,8 x 2,4	24
Co-Polymer - BPA FREE			
14105CP	5 compartments	27,2 x 35,2 x 2,9	24

MARKET TRAYS AND PANS

SPECIFICATIONS

Material	Fiberglass layers + polyester resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes – Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10˚ to +100˚C‡

‡Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

– Deli / Buffet Displays

Colors: Yellow (145)**, Blue (142), Green (140), White (148), Black (110).

*Special order item not carried in stock – non-returnable.

**NSF listed for non-direct food contact only.

NSF 3 PRORATED

CODE	DIMENSIONS W x L x D	CASE PACK
Market Trays		
630MT*	16,4 x 76,2 x 1,9 cm	12
826MT*	21,6 x 64,1 x 1,9	12
830MT*	21,4 x 76,2 x 1,9	12
913MT*	22 x 31,6 x 2,1	12
918MT*	22 x 45,7 x 2,1	12
926MT*	22,5 x 64,9 x 2,5	12
1015MT*	25,7 x 38,1 x 1,9	24
1030MT*	26,5 x 76,2 x 1,9	12
1218MT*	29,2 x 45,1 x 2,5	12
1224MT*	31,6 x 61 x 1,9	12
1230MT*	31,6 x 76,2 x 1,9	12
1318MT*	32,1 x 45,1 x 2,7	12
1826MT*	45,2 x 65,2 x 2,7	6
2025MT*	52,7 x 64,9 x 2,1	6
Market Pans		
6302MT*	16,7 x 76,2 x 5,1	12
8262MT*	21,5 x 64,1 x 5,1	12
8302MT*	21,4 x 76,2 x 5,1	12
92615MT*	22,5 x 64,8 x 3,8	12
10302MT*	26,5 x 76,2 x 5,1	12

CAMDUCTION® COMPLETE HEAT SYSTEM – HOT MEAL DELIVERY SYSTEM

Camduction innovative hot meal delivery system is fast and efficient. Camduction is perfect for any facility with a hot tray line system. One charger can accommodate up to 300 meals per service.

Camduction Charger covered by U.S. Patent 8,263,906 B2. Camduction Base covered by U.S. Patent D630,897 S.

Camduction Charger comes with 1 year warranty.

1

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES

MDSCDB9EU24V: (487), (497)

Quickly and efficiently heats up to 20 Camduction bases at one time. Initial start-up takes approximately 4 - 6 minuets.

Supports up to 5 trays per minute, improving operational efficiency.

Holds hot foods safe at 60°C or higher for up to 60 minutes. Based on voltage supply.

Energy efficient unit turns off after 45 minutes of inactivity.

Camduction charger is made of high-grade, durable stainless steel that remains cool to the touch.

Easy to operate: amber slot LED indicates bases are heating. Green light indicates ready.

Independent functionality of each compartment reduces the risk of service interruption.

Specify cord and plug for country of usage.

Camduction Charger and Base

The Camduction Base provides reliable hot temperature retention.

CODE	MDSCDC9X5EU24V
DESCRIPTION	Camduction base charger, three phase
CAPACITY	20 Bases
OVERALL DIMENSIONS W x D x H	76,2 x 47,9 x 87,9 cm
VOLTAGE / PHASE	PE AC 380-480V, three phase
AMPS / HERTZ	16, 50/60
PLUG TYPE	Available in multiple plug types
ELECTRICAL CORD	2 m
INITIAL HEAT UP TIME	4 - 6 minuets
ALL INDICATOR LIGHTS	LED
UNIT WEIGHT	52,6 kg
CASE PACK	1

Color: Stainless Steel (000).

CODE	MDSCDB9EU24V
DESCRIPTION	Camduction base holds 22,86 cm plate
OUTSIDE DIAMETER	24,31 cm
OUTSIDE HEIGHT	2,26 cm
FULL-SIZE CAMRACK®	PR59314
CASE PACK	12

CAMDUCTION® COMPLETE HEAT SYSTEM – HOT MEAL DELIVERY SYSTEM

- Cool rims are safe to touch.
- Bases are durable and dishwasher safe.
- Resistant to chips, cracks, and breaks.
- Bases and Domes are available in navy blue and cranberry.
- Energy Efficient Unit goes in to heat retention mode. Keeps bases hot and saves energy.

The Results of the Camduction Complete Heat System



Results based on heated plate between 90°-100°C and hot food at approximately 85°C.

NOTE: Operator results may vary based on menu items and starting temperatures.

The Camduction Base System

A heated Camduction Base, combined with a properly heated 22,8 cm Cambro Ceramic Plate, covered with a Cambro Shoreline Insulated Dome will hold hot food at safe temperatures 65°C or higher for up to 60 minutes.

2 year pro-rated warranty on Bases.

Cranberry

Navy Blue

Safe to the touch even when fully charged.

TEMPERATURE RETENTION SYSTEMS

Cambro offers an array of products that support a variety of temperature retention systems. As each facility has its own separate needs and challenges, different serving solutions are needed.

MDSCDB9, HK39B, MDSD9 and MDSL9 Colors: Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110), Smoked Metal (485)*.

MDSPC9 Color: Black (110).

MDSP9 Color: Dark Gray (477).

MDSPL Color: (000).

*Only available for Harbor Dome and Camduction Base.

MDSPL not NSF listed.

MDSCDB9 is covered by U.S. Patent D 630, 8975 S and 8,263,906 B2.

MDSCDB9 PRORATED

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES

MDSCDB924VSI: (487), (497)

Camduction®



A. Insulated Dome

B. 22,86 cm Ceramic Plate

C. Camduction Base

Insulated Base



A. Insulated Dome

B. 22,86 cm Ceramic Plate

C. Heat Keeper Insulated Base

Thermal Pellet



A. Insulated Dome

B. 22,86 cm Ceramic Plate

C. Hot Thermal Pellet

D. Underliner

Cold Pellet



A. Insulated Dome

B. 22,86 cm Ceramic Plate

C. Cold Pellet

D. Underliner

Camduction Complete Heat System

The most efficient heat retention solution, holds hot food at safe temperatures 65˚C or higher for up to 60 minutes.

- Camduction Bases are durable and dishwasher safe.
- Resistant to chips, cracks and breaks.
- Revolutionary technology eliminates errors or issues with spikes in voltage.

MDSCDB924VSI

Camduction base holds 22,86 cm plate

OUTSIDE DIAMETER: 24,31 cm

OUTSIDE HEIGHT: 2,26 cm

FULL-SIZE CAMRACK®: PR59314

Case Pack: 12

Heat Keeper Insulating Base System

The cost-effective solution for heat retention, holds temperature for 20 minutes or more.

- Resists stains, odors and scratches.

HK39B

Insulating base holds 22,86 cm plate

OUTSIDE DIAMETER: 24,48 cm

OUTSIDE HEIGHT: 4,07 cm

FULL-SIZE CAMRACK: PR59314

Case Pack: 12

MEAL DELIVERY WARE SYSTEM – THE HARBOR COLLECTION

- Attractive design provides a pleasant dining experience.
- Supports temperature maintenance.
- Available in six popular colors to complement any decor.
- Mugs and bowls fit existing line of Cambro disposable CamLids® for Shoreline Collection.
- Made of polypropylene, won't chip or break.
- High temperature dishwasher safe.
- Dome fits 22,86 cm plate.
- Works with all Cambro Temperature Retention Systems, Camduction® Complete Heat System, Camtherm® Thermal Pellet System, Heat Keeper Insulating Base System and Camchiller® Pellet System.

Cambro insulated ware is not recommended for use in a microwave oven as this will increase the likelihood of staining and cracking, neither of which is covered under the manufacturers warranty.

Insulated Harbor bowl is covered by U.S. Patent D795,017 S.

PRORATED

CODE	MDSHD9	MDSHB5	MDSHB9	MDSHM8
DESCRIPTION	Insulated dome covers 22,86 cm plate	Insulated small bowl	Insulated large bowl	Insulated mug
LID CODE	—	CLSM8B5, CLRSM8B5	CLSB9, CLRSB9	CLSSM8B5, CLSM8B5, CLRSM8B5
APPROX. CAPACITY	—	150 mL	270 mL	240 mL
OUTSIDE DIAMETER	25,94 cm	8,89 cm	11,11 cm	11,43 cm
HEIGHT	8,17 cm	6,1 cm	6,1 cm	10,16 cm
FULL-SIZE CAMRACK®	PR59314	16C414	9S318	16C414
CASE PACK	12	48	48	48

Harbor Meal Delivery Ware Colors:

MEAL DELIVERY WARE SYSTEM — THE SHORELINE COLLECTION

- Classic design, high performance, and unequalled safety at a budget-friendly price.
- Works with all Cambro Temperature Retention Systems, Camduction® Complete Heat System, Camtherm® Thermal Pellet System, Heat Keeper Insulating Base System and Camchiller® Pellet System.
- Mugs and bowls fit Cambro disposable CamLids®.
- Domes and delivery ware are made of durable polypropylene.

Cambro insulated ware is not recommended for use in a microwave oven as this will increase the likelihood of staining and cracking, neither of which is covered under the manufacturers warranty.

PRORATED

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES

MDSB9, MDSLD9, MDSB16, MDSD9, MDSM8, MDSB5: (487), (497)

Insulated Meal Delivery Ware

CODE	MDSD9	MDSLD9	MDSM8	MDSB5	MDSB9	MDSB16
DESCRIPTION	Insulated dome covers 22,86 cm plate	Low profile insulated dome covers 22,86 cm plate	Insulated mug	Insulated sm. Bowl	Insulated lg. Bowl	Insulated entree bowl
LID CODE	—	—	CLSSM8B5, CLSM8B5, CLRSM8B5	CLSSM8B5, CLSM8B5, CLRSM8B5	CLSB9, CLRSB9	CLRSB16
APPROX. CAPACITY	—	—	240 mL	150 mL	270 mL	500 mL
OUTSIDE DIAMETER	25,94 cm	25,94 cm	8,89 cm*	8,89 cm	11,11 cm	13,65 cm
HEIGHT	8,17 cm	6,99 cm	10,16 cm	6,1 cm	6,1 cm	6,1 cm
FULL-SIZE CAMRACK®	PR59314	PR59314	16C414	16C414	9S318	9S318
CASE PACK	12	12	48	48	48	48

*MDSM8 Diameter 11,43 cm with Handle.

Shoreline Meal Delivery Ware Colors:

Black

Meadow

Wheat

Speckled Gray

Cranberry

Navy Blue

TEMPERATURE RETENTION SYSTEMS

Camtherm® Thermal Pellet System

The perfect choice for maximum heat retention, holds temperature for 60 minutes or more.

- Holds heat at its core to keep hot foods at safe temperatures.
- Stays 11˚C cooler on the edge than metal pellets to protect staff and patients from burns.
- Is a high-density plastic material that won't dent like metal pellets.

MDSP9
Thermal pellet holds 22,86 cm plate
OUTSIDE DIAMETER: 24 cm
OUTSIDE HEIGHT: 4,45 cm
FULL-SIZE CAMRACK®: PR59314
Case Pack: 12

MDSL9
Pellet underliner holds 24,13 cm pellet
OUTSIDE DIAMETER: 24,29 cm
OUTSIDE HEIGHT: 4,6 cm
FULL-SIZE CAMRACK: PR59314
Case Pack: 12

MDSPL
Camtherm thermal pellet lifter
OUTSIDE DIAMETER: 8 cm
OUTSIDE HEIGHT: 7,6 cm
Case Pack: 1

Camchiller® Pellet System

Keeps cold food below or at 4˚C for up to 45 minutes when used with a chilled plate and insulated dome.

- Shatter-resistant at freezing temperature.
- Stackable for easy transport and storage.
- Can be used with or without an underliner.
- High-temperature dishwasher safe.

MDSPC9
Camchiller pellet holds 22,86 cm plate
OUTSIDE DIAMETER: 24,31 cm
OUTSIDE HEIGHT: 3,42 cm
FULL-SIZE CAMRACK: PR59314
Case Pack: 12

MDSL9
Pellet underliner holds 24,13 cm pellet
OUTSIDE DIAMETER: 24,29 cm
OUTSIDE HEIGHT: 4,6 cm
FULL-SIZE CAMRACK: PR59314
Case Pack: 12

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
MDSP9: (477)
MDSL9: (487), (497)

Domes, Plate Cover and Plate for all Cambro Temperature Retention Systems

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE
MDSD9, MDSLD9: (487), (497)
MDSPLT9: (148)

CODE	MDSD9	MDSLD9	MDSHD9	909CW	MDSPLT9
DESCRIPTION	Insulated dome covers 22,86 cm plate	Low profile insulated dome covers 22,86 cm plate	Insulated dome cover for 22,86 cm plate	Camwear Camcover	Ceramic plate
OUTSIDE DIAMETER	25,94 cm	25,94 cm	25,94 cm	26,2 cm	22,86 cm
OUTSIDE HEIGHT	8,17 cm	6,99 cm	8,17 cm	6,99 cm	2,54 cm
FULL-SIZE CAMRACK	PR59314	PR59314	PR59314	PR59314	PR314
CASE PACK	12	12	12	12	24

MDSD9, MDSLD9 and MDSHD9 Colors: Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110), Smoked Metal (485)*.
909CW Colors: Clear (152), Amber (153), Beige (133), Silver (486). **MDSPLT9 Color:** White (148). *Smoked Meal (485) only available for Harbor Dome.
MDSPLT9 Sold in full cases only.

REUSABLE CAMLIDS® FOR MEAL DELIVERY SYSTEMS

- Save up to 75% in lid costs each year.
- Reduce your waste-stream significantly each year when you switch from disposables to reusables.
- Dishwasher safe.
- Made of durable polypropylene.
- Fits both Shoreline and Harbor Collection mugs and bowls.
- Contact your Cambro Sales Representative for a Customized Savings Calculator!

Reusable CamLid Color: White (148).

Camrack Wash and Store Rack Color: Kelly Green (452).

Camrack Base Full Size Color: Soft Grey (151).

Full Rack Cover Color: Grey (180).

CLRWSR36 is covered under U.S. patent D 617,069.

Full Rack Cover not NSF certified.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROP EAN WAREHOUSE

CLRWSR36: (452)
BR578: (110), (163), (167), (168), (184), (186), (414), (416), (119), (151)
DRC2020: (180)
E3: (151)
CRPHDG2878: (000)

Visit www.cambro.com/savemoney for a Customized Savings Calculator!

EcoSafe

Camrack® Wash and Store Rack

- Designed for safe and secure washing and storing of Reusable CamLids, CLRSB9 and CLRSM8B5 only.
- Each Camrack Wash and Store Rack holds 36 Reusable CamLids.
- 2 Wash and store Racks fit in a Full Size Base Rack.





CODE	DESCRIPTION	DIMENSIONS	CASE PACK
Reusable CamLids		**H x Dia.**	
CLRSM8B5	Fits 240 mL mug and 150 mL bowl	0,71 x 9,05 cm	240
CLRSB9	Fits 270 mL bowl	0,71 x 11,32	240
CLRSB16	Fits 500 mL bowl	0,71 x 13,97	240
Accessories for CLRSM8B5 and CLRSB9		**L x W x H**	
CLRWSR36	Camrack wash and store rack to wash 36 reusable lids	20,96 x 45,4 x 13,97	4
BR578	Camrack full size base rack with 2 extenders	50 x 50 x 18,4	4
DRC2020	Full rack cover	50 x 50 x 2,4	1
Accessories for CLRSB16		**L x W x H**	
PR500	9 x 9 peg rack with 1 extender	50,17 x 50,17 x 14,29	5
E3	Full size open extender	50,17 x 50,17 x 2	12
CRPHDG2878	Full size square hold down grid	46,67 x 46,67	6

Reusable CamLids sold in cases only. No broken cartons.

CAMSHELVING® HYGIENIC DRYING RACKS

- Keep tray line and warewashing areas organized and prevent wet stacking by storing newly washed products upright for faster drying before storing.
- Non-corrosive, break resistant and easy to assemble.
- Mobile racks allow for easy floor clean up and maneuverability.
- Drying cradles are removable and are high temperature dishwasher safe.
- Combine individual drying cradles to build custom drying racks on 600 mm deep Camshelving units.
- Lifetime warranty against rust and corrosion on posts and traverses.
- Drying Cradles are made of high impact ABS material.

***Camshelving Premium Series Color:** Speckled White (490).
****Drying Cradle Color:** Soft Gray (151).

Casters:
4 Premium Casters: (2 swivel with total locking brake, 2 swivel with no brake).

Vertical Drying and Storage Rack

- Securely holds various sizes of trays, cutting boards, baking sheet pans, lids and plates 20,5 to 34,3 cm.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.

7-Slot Drying Cradle is covered by U.S. Patent D 663,912 S.

NSF COMPONENT

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSDR7, CSDR73: (151)
MPMU61117DRPKG, MPMU61317DRPKG: (490)



CSDR7
7-Slot Drying Cradle
Width Per Slot: 3,3 cm

CODE	DESCRIPTION	DIMENSIONS D x L x H	HOLDING CAPACITY	CASE PACK
Camshelving Premium*				
MPMU61117DRPKG	Vertical drying rack	600 x 1180 x 1790 mm	84 Trays	1
MPMU61317DRPKG	Vertical drying rack	600 x 1380 x 1790	105	1
Drying Cradles**				
CSDR7	7-Slot drying cradle	597 x 260 x 95	—	1
CSDR73	7-Slot drying cradle	597 x 260 x 95	—	3

Drying Cradles fit on Camshelving Premium Series, mobile or stationary 600 mm deep shelves.
Package Includes: Pre-assembled mobile post kits, 6 traverses for each model, 12 or 15 drying cradles and premium swivel casters with total locking brake. Assembly required.

MPMU61117DRPKG
Camshelving Premium

CAMSHELVING® HYGIENIC DRYING RACKS

Angled Drying and Storage Rack

- Securely holds up to 128 meal delivery Pellets/Bases or a variety of food pan sizes, pots and kitchen wares.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.

***Camshelving Premium Series Color:** Speckled White (490).
****Drying Cradle Color:** Soft Gray (151).

8-Slot Drying Cradle is covered by U.S. Patent D739,989 S.

COMPONENT

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSDR8, CSDR84: (151)
MPMU61217PDPKG: (490)



CSDR8
8-Slot Drying Cradle
Width Per Slot: 6 cm

CODE	DESCRIPTION	DIMENSIONS D x L x H	HOLDING CAPACITY	CASE PACK
Camshelving Premium*				
MPMU61217PDPKG	Angled drying rack	600 x 1280 x 1790 mm	128 pellets and bases or 16 GN 1/1 food pans	1
Drying Cradles**				
CSDR8	8-Slot drying cradle	592 x 263 x 160	—	1
CSDR84	8-Slot drying cradle	592 x 263 x 160	—	4

Individual Drying Cradles fit on Camshelving Premium Series 600 mm deep shelves only, mobile or stationary.
Package Includes: Units ship complete with 2 mobile post kits, 8 traverses, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required.

MPMU61217PDPKG
Camshelving Premium

Dome Drying and Storage Rack

- Securely holds 100 meal delivery domes.
- Drying Cradles are installed directly onto shelf traverses.
- Fits 600 mm shelves.

***Camshelving Premium Series Color:** Speckled White (490).
****Drying Cradle Color:** Soft Gray (151).

10-Slot Drying Cradle is covered by U.S. Patent D 736,488 S.

COMPONENT

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSDDC24, CSDDC245: (151)
MPMU6917DDPKG: (490)

CSDDC24
10-Slot Drying Cradle
Width Per Slot: 7,8 cm

CODE	DESCRIPTION	DIMENSIONS D x L x H	HOLDING CAPACITY	CASE PACK
Camshelving Premium*				
MPMU6917DDPKG	Dome drying rack	600 x 980 x 1790 mm	100 Domes	1
Drying Cradles**				
CSDDC24	10-Slot drying cradle	597 x 415 x 86	—	1
CSDDC245	10-Slot drying cradle	597 x 415 x 86	—	5

Individual Drying Cradles fit on Camshelving Premium Series 600 mm deep shelves only, mobile or stationary.
Package Includes: Pre-assembled mobile post kits, 10 traverses, 10 drying cradles and premium swivel casters with total locking brake. Assembly required.

MPMU6917DDPKG
Camshelving Premium

TABLOTHERM CAM GOBOX® MEAL DELIVERY SYSTEM

The Tablotherm Cam GoBox is the cost-effective solution for delivering single-served meals. This lightweight insulated tray separates hot and cold foods, keeping meals at safe temperatures for up to 60 minutes. Extra compartments can be used for beverages and snacks for a convenient and complete meal delivery.

Lids 122701118, 122700021 and 122700023 are BPA Free.

TABLOTHERM CAM GOBOX® MEAL DELIVERY SYSTEM

ITENEPP

EPP Tablotherm without dishes

EXTERIOR DIM. L x W x H:
37 x 53 x 11,8 cm

UNIT WEIGHT: 0,55 kg

Case Pack: 1 **Color:** Grey (107).

ITENEPP1118

EPP Tablotherm with dishes - 2 rectangular dishes 11 x 18 cm, 2 bowls 14 cm, reusable covers

EXTERIOR DIM. L x W x H:
37 x 53 x 11,8 cm

UNIT WEIGHT: 2,53 kg

Case Pack: 1 **Color:** Grey (107).

ITENEPP21

EPP Tablotherm with dishes - 1 plate 21 cm, 2 bowls 14 cm, reusable covers

EXTERIOR DIM. L x W x H:
37 x 53 x 11,8 cm

UNIT WEIGHT: 2,27 kg

Case Pack: 1 **Color:** Grey (107).

ITENEPP23

EPP Tablotherm with dishes - 1 two-compartment plate 23 cm, 2 bowls 14 cm, reusable covers

EXTERIOR DIM. L x W x H:
37 x 53 x 11,8 cm

UNIT WEIGHT: 2,32 kg

Case Pack: 1 **Color:** Grey (107).

ITENEPP1118H

EPP Tablotherm with dishes - 2 rectangular dishes 11 x 18 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

EXTERIOR DIM. L x W x H:
37 x 53 x 11,8 cm

UNIT WEIGHT: 1,82 kg

Case Pack: 1 **Color:** Grey (107).

ITENEPP21H

EPP Tablotherm with dishes - 1 plate 21 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

EXTERIOR DIM. L x W x H:
37 x 53 x 11,8 cm

UNIT WEIGHT: 1,57 kg

Case Pack: 1 **Color:** Grey (107).

ITENEPP23H

EPP Tablotherm with dishes - 1 two-compartment plate 23 cm, 2 Shoreline bowls MDSB16 (13,6 cm) (500 mL), 2 reusable covers CLRSB16

EXTERIOR DIM. L x W x H:
37 x 53 x 11,8 cm

UNIT WEIGHT: 1,62 kg

Case Pack: 1 **Color:** Grey (107).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

All TABLOTHERM CAM GOBOXES: (107)
122401118, 122601118, 122600021, 122600023: (000)
MDSB16: (487), (497)

Ceramicware

CODE	122401118	122701118	122400021	122700021	122400023	122700023	122500014	122700014	MDSB16
DESCRIPTION	Porcelain rectangular dish	Rectangular dish cover for 122400018	Porcelain plate	Plate cover for 122400021	2-compartment porcelain plate	Plate cover for 122400023	Porcelain bowl 14 cm	Bowl cover	Insulated Shoreline bowl - 500 mL
EXTERIOR DIM. (CM)	11 x 18	11 x 18	Ø 21	Ø 21,5	Ø 23	Ø 23,5	Ø 14 x 0,7	Ø 14,5	Ø 13,6 x 6
UNIT WEIGHT (KG)	0,45	0,06	0,58	0,18	0,6	0,2	0,44	0,04	0,13

Case Pack: 1 **Color:** (000).

TABLOTHERM MEAL DELIVERY SYSTEM

The ideal single-serve meal delivery system for in-home service

- Transport and serve hot and cold food in one complete unit.
- Maintain safe food temperatures for over 1 hour.*
- Lightweight design makes transportation easy and convenient.
- Two sizes accommodate a variety of meal options.
- Dishwasher safe.

Tablotherms stack for easy transportation and storage.

Molded-in dimples secure the sealed lids on dishware to prevent spills and enhances temperature retention.

Break-resistant china dishware.

Compact design makes transport easy.

Safely hold hot and cold meals in one unit.

Meal set-up is convenient with Tablotherm trays and dishes.

	Starting Temperature	20 min.	40 min.	1 hr.
ITPD3253 model with Heated Pellet	85˚C	80˚C	77˚C	74˚C	71˚C
ITPD3253 model without Heated Pellet	85˚C	72˚C	68˚C	64˚C	—
ITPD3753T model with Heated Pellet	89˚C	75˚C	70˚C	65˚C	62˚C
ITPD3753T model without Heated Pellet	87˚C	67˚C	60˚C	—

*With heated pellet. Not for use in heated carts.

TABLOTHERM INSULATED TRAYS

Minimum Food & Plate Temperature before Plating: 85˚ - 90˚C

Only available from Cambro European Logistics (CEL), Germany.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

IT3753T, ITPD3753T, 112 430 000, 122 400 050, 122 450 050, 122 500 050, 122 600 050, 122 650 050, 122 700 050, 122 201 050, 122 200 050, 122 260 050: (000)
MDSB16, MDSB9: (487), (497)
165PW: (A42)
165PW: (A42)

ITPD3753T - Euronorm size

Light gray polypropylene lid with integrated rubber seal. Lids cannot be used in microwave oven.

CODE	DESCRIPTION	DIMENSIONS W x L x H
Tablotherm – Insulated Tray with Porcelain Dishes, seal covers and pellet		
ITPD3753T	**Euronorm insulated tray including:** 1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. Pellet (165PW), 3 ea. multi-purpose bowls: 2 ea. 400 mL (122 500 050), 1 ea. 500 mL (122 450 050) and 3 ea. reusable covers: 2 ea. (122 700 050) and 1 ea. (122 650 050)	37 x 53 x 10,5 cm
Tablotherm – Insulated Tray without porcelain dishes, seal covers and pellet		
IT3753T	Euronorm insulated tray – empty	37 x 53 x 10,5
Porcelain dishes		
122 400 050	Two compartment plate. Outside ø 254 mm capacity 750 mL (white)	—
122 450 050	Multi-purpose bowl. Outside ø 142,2 mm capacity 500 mL (white)	—
122 500 050	Multi-purpose bowl. Outside ø 120 mm capacity 400 mL (white)	—
Reusable polypropylene covers, light gray with integrated rubber seal		
122 600 050	For two compartment plate	—
122 650 050	For multi-purpose bowl – 500 mL	—
122 700 050	For multi-purpose bowl – 400 mL	—
Pellet System		
165PW	SMC pellet ø 16,5 cm	—
Menu card		
112 430 000	Yellow menu cards 100 x 70 mm	—
Latches		
122 201 050	Latches with menu card holder (IT3753T, ITPD3753T)	—
122 200 050	Latches without menu card holder (IT3753T, ITPD3753T)	—
122 260 050	Latches and screw kit: 1 ea. latch, 4 ea. screws (IT3753T, ITPD3753T)	—
Tablotherm with Insulated Dishware		
ITPD3753TH	1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. Pellet (165PW), 3 ea. multi-purpose bowls: 2 ea. 270 mL (MDSB9), 1 ea. 500 mL (MDSB16) and 3 ea. reusable covers: 2 ea. (CLRSB9T) and 1 ea. (CLRSB16T)	37 x 53 x 10,5
Insulated Dishware for ITPD3753TH		
MDSB9	Insulated large bowl. Outside ø 111,1 mm – 270 mL	—
MDSB16	Insulated entree bowl. Outside ø 136,5 mm – 500 mL	—
CLRSB9T	Reusable CamLid®– 270 mL	—
CLRSB16T	Reusable CamLid – 500 mL	—

ITPD3753T, IT3753T, ITPD3753TH Color: Gray and Blue. **ITPD3253, IT3253 Color:** Two Tone Gray. **165PW Color:** (A42).
MDSB16, MDSB9 Color: Speckled Gray (480). **CLRSB16T, CLRSB9T Color:** Speckled White (490). **165PW Case Pack:** 1 Each.
For a complete guide to maximizing heat retention, contact your Cambro representative.

ANTIMICROBIAL CAMGUARD® VERSA TRAYS

- High performance polyester tray for ultra-intensive use.
- Built-in antibacterial protection eliminates bacteria between tray washings and will not wash off or wear away for the life of the tray.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40˚ to 140˚C. ‡
- Dishwasher safe – Wash as often and as frequently as needed.

‡ Not for use in heated carts.

PRORATED

Minimum quantity order from CEL:
Non-stock item 240 pieces.
No broken carton.

Only available from Cambro European Logistics (CEL), Germany.

High Profile Shape

Low Profile Design Shape

Flat Edge Shape

GP4002AB

camguard
ANTIMICROBIAL TRAYS

Trays have built-in antimicrobial properties to protect against mildew growth and bacterial odors. This protection will not wash or wear off.

Unprotected Surface versus Camguard Protected Surface 24 Hour Test.



Unprotected | Protected with Camguard

CODE	DIMENSIONS
Versa Trays – High Profile Shape	
VT1418AB	35,5 x 45,7 cm
VT3343AB	33 x 43
Versa Century™ Trays – Low Profile Design Shape	
VT3646CAB	35,5 x 45,7
VT3343CAB	32,9 x 42,9
Versa Trays – Flat Edge Shape	
GP1070AB*	26,5 x 32,5
GP1080AB*	26,5 x 37
GP3980AB*	37 x 53
GP4002AB*	32,5 x 53

Case Pack: 12
*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

Reinforced polyester corners provide superior corner and edge protection against impact.



Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Tray Color:

Granite

POLYESTER DECORATED VERSA TRAYS WITH SMOOTH OR NON-SLIP SURFACE

- Reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Your Green Initiatives will get rapid results with the elimination of up to 10 tons of trash each year.
- High performance polyester tray for ultra-intensive use.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Dishwasher safe – Wash as often and as frequently as needed.

‡ Not for use in heated carts.

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application

Personalization: Contact your Cambro representative for pricing.

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

Flat Edge Shape

Only available from Cambro European Logistics (CEL), Germany.

EcoSafe

Non-Slip Trays grip firmly providing safer meal delivery service.

CODE	SIZE	CASE PACK
Smooth surface – Flat Edge Shape		
GP0540*	46 x 34,4 cm	12
GP3980*	53 x 37	12
GP4002*	53 x 32,5	12
GP4004	53 x 32,5	12

Temperature range resistance from -40˚ to 90˚C.‡

5 PRORATED

CODE	SIZE	CASE PACK
Non-slip surface – Flat Edge Shape		
GP3980NS*	53 x 37 cm	12
GP4002NS*	53 x 32,5	12
GP0540NS*	46 x 34,4	12
GP1080NS*	37 x 26,5	12

Only available in colors: B22, B93, B99, B100.
Temperature range resistance from -40˚ to 80˚C.‡

2 PRORATED

Patterns and Tray Base Colors:



B101 Brushed Steel on Light Grey Tray

B27 Light Grey on Light Grey Tray

B95 Pebbled White on Light Grey Tray

B93 Titan on Granite Tray

B100 Pebbled Black on Terrazzo Tray

B22 Sahara on Sahara Tray

B99 Pebbled Black on Light Grey Tray

B96 Pebbled White on Terrazzo Tray

POLYESTER NON-SLIP VERSA LITE TRAYS

- Non-Slip surface provides a better grip for safer meal delivery.
- Reduce your environmental waste-stream each year when you switch from paper tray mats to Non-Slip Versa Lite Trays.
- Standard performance polyester tray for intensive use.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40˚ to 80˚C.‡
- Dishwasher safe – Wash up to 3 times per day.

Colors: Sahara on Sahara Tray (B22), Titan on Speckled Smoke Tray (B14), Sahara on Pearl White Tray (B11), Pebbled Black on Light Grey Tray (B99).

Personalization: Contact your Cambro representative for pricing.

‡ Not for use in heated carts.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GL4002NS: (B22)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

Only available from Cambro European Logistics (CEL), Germany.

High Profile Shape

Low Profile Design Shape

Flat Edge Shape

EcoSafe

Versa Lite Century Trays have low edges and ergonomic corners that enhance comfort.

Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Reinforced polyester corners provide superior corner and edge protection against impact.

CODE	DIMENSIONS
Versa Lite Trays – High Profile Shape	
VL1418NS	35,5 x 45,7 cm
VL3343NS	33 x 43
Versa Lite Century™ Trays – Low Profile Design Shape	
VL3646CNS	35,5 x 45,7
VL3343CNS	33 x 43
Versa Lite Trays – Flat Edge Shape	
GL3980NS*	37 x 53
GL4002NS*	32,5 x 53

Case Pack: 12

*Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Non-Slip Trays grip firmly providing safer meal delivery service.

Tray Colors:

Sahara on Sahara Tray

Pebbled Black on Light Grey Tray

NON-SLIP VERSA CAMTRAYS®

- Non-Slip Trays reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Green Initiatives will get rapid results with the elimination of tons of trash each year.
- Non-Slip Camtrays provide a better grip for safer meal delivery.
- Dishwasher safe in low and high temperatures.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Temperature range resistance from -40˚ to 80˚C.‡

Camtray and Dietary Tray Colors:
Black with Pebbled Black (382),
Pearl Gray with Titan (381),
Ivory with Sahara (380).

Personalization: Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.

NSF Listed for non-direct food contact only.

PRORATED

Non-Slip trays grip table top items firmly.

High Profile Shape Flat Edge Shape

EcoSafe

CODE	DESCRIPTION	DIMENSIONS
1418VC	Non-Slip Versa Camtray	35,5 x 45,7 cm
1520VC	Non-Slip Versa Camtray	38 x 51

Case Pack: 12

Black with Pebbled Black (382)

Pearl Gray with Titan (381)

Ivory with Sahara (380)

NON-SLIP VERSA CAMTRAYS FOR ROOM SERVICE

- Ergonomic handles allow for safe and elegant meal delivery.
- Trays fit within existing meal delivery carts that accommodate 35,5 x 45,7 or 38 x 51 cm trays.
- Non-Slip surface eliminates the need for tray mats saving time and money.
- Dishwasher safe at high and low temperatures.
- Stacking lugs allow for quick drying.
- Temperature range resistance from -40˚ to 80˚C.‡
- 38 x 51 cm tray is ideal for room service.

Room Service Tray Colors:
Black with Pebbled Black (382),
Pearl Gray with Titan (381),
Ivory with Sahara (380).

Personalization: Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.

Non-Slip Versa Camtrays for Room Service is covered by U.S. Patent D 683,191 S.

NSF Listed for non-direct food contact only.

PRORATED

EcoSafe

CODE	DESCRIPTION	DIMENSIONS
1418VCH	Non-Slip Versa Camtray with handles	35,5 x 45,7 cm
1520VCRST	Non-Slip Versa Camtray with handles	38 x 51

Case Pack: 12

CAMWEAR® NON-SLIP TRAY

- Ideal for healthcare patient meal delivery and in high-traffic cafeterias.
- Scratch-resistant, made of durable Camwear.
- Non-Slip eliminates the need for tray mats, saving time and money.
- Enhances stability, providing safer transport and service.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Commercial dishwasher safe at high and low temperatures.
- Trays with handles are also available without non-slip surface.

Colors: Black (110), Dark Cranberry (488), Smoked Metal (485).

*Not recommended for use in heated carts.

NSF Listed for non-direct food contact only.

PRORATED

1520CWNS

Black (110)

Dark Cranberry (488)

Smoked Metal (485)

CODE	DESCRIPTION	DIMENSIONS
Non-Slip Surface		
1418CWNS	Camwear non-slip tray	35,5 x 45,7 cm
1520CWNS	Camwear non-slip tray	38 x 51
1418CWNSH*	Camwear non-slip tray with handles	35,5 x 45,7
1520CWNSH*	Camwear non-slip tray with handles	38 x 51
Smooth Surface		
1520CWH	Camwear tray with Handles	38 x 51

Case Pack: 12

1520CWNSH

CAMTRAYS® WITH HANDLES

- Enhance your tray presentation with these easy-to-grip, ergonomic, contoured handles.
- Stain, Scratch and odor resistant.
- Made of durable lightweight and high-impact fiberglass.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Dishwasher safe at high and low temperatures.

Available in Group I colors.

Special order item not carried in stock, non-returnable. One case order minimum.

NSF listed for non-direct food contact only.

Personalization through digital printing process only. Please refer to Camtray Personalization section for details.

PRORATED

1520H

CODE	DESCRIPTION	DIMENSIONS
1418H	Camtray with handles	35,5 x 45,7 cm
1520H	Camtray with handles	38 x 51

Case Pack: 12

MEAL DELIVERY CARTS FOR TRAY SERVICE

Transport meal trays from the kitchen to acute care patients, long-term acute care patients, nursing home residents, or correctional facility inmates during in-room service.

Enhance patient satisfaction with high-quality room service-style meals served quietly and efficiently.

- Thick insulation protects hot or cold meals, while venting increases air circulation to maintain food quality.
- Tough, one-piece double-wall polyethylene carts are durable and easy to clean, resisting rust, dents, chipping, or breakage.

- Ergonomic molded-in handle design provides comfort maneuvering.
- Molded-in rails ensure quiet meal delivery while bottom bumper protects the cart, walls, and furniture during transport.
- Features secure doors with a magnetic latch to hold door in place during service. Doors swing to 270 degrees. MDC1520T20 doors swing to 190 degrees when the end table is utilized.

- Features non-marking, quiet casters for easy maneuverability and to optimize patient rest. MDC1411T60 comes standard with plated casters.

- Lightweight doors allow for fast and quiet access to trays during service.

10-TRAY DUAL ACCESS AND SINGLE DOOR ROOM SERVICE CART — LOW PROFILE

Single door 10-Tray Meal Delivery Cart is covered by U.S. Patent D 723,237 S.

CODE	MDC1520S10D	MDC1520S10	MDC1520S10HD
TRAY SIZE	38 x 51 / 37 x 53 cm	38 x 51,5 cm / 37 x 53 cm	38 x 51,5 cm / 37 x 53 cm
TRAYS PER RAIL / RAIL SPACING	2 / 13,3 cm	2 / 13,3 cm	2 / 13,3 cm
TRAYS PER COMPARTMENT	10	10	10
EXTERNAL DIMENSIONS W x D x H	77,5 x 97,5 x 109 cm	77,5 x 97,5 x 109 cm	77,5 x 97,5 x 110,5 cm
INTERNAL DIMENSIONS W x D x H	53,6 x 78,7 x 66,6 cm	53,7 x 78,7 x 66,7 cm	53,7 x 78,7 x 66,7 cm
CASTER TYPE	Nylon, 12,7 cm 2 rigid, 2 swivel with brake	Nylon, standard casters 12,7 x 3,2 cm	15,2 Heavy Duty casters, 2 front rigid, 2 rear swivel with brake
UNIT WEIGHT	42 kg	35,4 kg	46,3 kg

Case Pack: 1 **Colors:** Granite Gray (191) and Granite Sand (194).

Airpot and Condiment Station

- Holds three airpots for safe transport and service.
- Compartments are designed for stir sticks, napkins and a variety of condiments.
- Stain and odor resistant.
- Made of durable ABS material.
- Fits Cambro's 10-tray room service carts.

BSACS patent applied for.

CODE	DIMENSIONS W x D x H	CASE PACK
BSACS	59 x 39 x 15,2 cm	1

Color: Black (110). Airpots not included.

20-TRAY MEAL DELIVERY CART — LOW PROFILE

Marine rail is designed for use during service, not transport.

CODE	MDC1520S20	MDC1418S20
TRAY SIZE	38 x 51,5 cm	36 x 46 cm
TRAYS PER CART / PER COMPARTMENT	20 / 10	20 / 10
RAILS PER COMPARTMENT	5	5
TRAYS PER RAIL / RAIL SPACING	2 / 14 cm	2 / 14 cm
NUMBER OF COMPARTMENTS AND VENTS	2	2
NUMBER OF MENU CLIPS	2	2
MENU CLIPS - LOCATION	1 per door	1 per door
HANDLES - TYPE AND LOCATION	Molded in, each end	Molded in, each end
CASTER TYPE	15,24 cm nylon, 2 swivel with brake / 2 Rigid	Nylon, 12,7 cm, 2 swivel w/brake, 2 rigid, offset
LATCHES	Lockable paddle latches, 1 per door, 2 total	2 internal nylon friction
EXTERNAL DIMENSIONS W x L x H	92,1 x 122,6 x 144,3 cm	82,6 x 123,2 x 111,8 cm
INTERNAL DIMENSIONS W x D x H	52,4 x 78,1 x 69,9 cm	46,7 x 71,1 x 73,7 cm
REQUIRED DOOR WIDTH	72,39 cm	83,82 cm
UNIT WEIGHT	58,06 kg	64,18 kg
CASE PACK	1	1
COLORS (All carts with cream color doors)	Granite Gray (191), Granite Sand (194)	Slate Blue (401), Granite Gray (191), Granite Green (192), Granite Sand (194)

TALL 20-TRAY MEAL DELIVERY CART WITH OPTIONAL END TABLE

Optimize space while allowing for a large capacity to serve meals with in-room service. Operators can conveniently use the end table to set up the tray and meal for the next patient as they manage the delivery process. The end table simply folds down and fits the side of the cart, allowing for easy accessibility.



CODE	MDC1520T20
TRAY SIZE	38 x 51 cm
TRAYS PER CART / PER COMPARTMENT	20 / 10
RAILS PER COMPARTMENT	10
TRAYS PER RAIL / RAIL SPACING	12,7 cm
HANDLES – TYPE AND LOCATION	Molded in, each end
CASTER TYPES	15,24 cm nylon, 2 swivel with brake / 2 Rigid
LATCHES	Lockable paddle latches, 1 per door, 2 total
EXTERNAL DIMENSIONS L x W x H	102,36 x 72,39 x 163,2 cm
INTERNAL DIMENSIONS L x W x H	38,86 x 53,6 x 128,91 cm
REQUIRED DOOR WIDTH	72,39 cm
UNIT WEIGHT KGS	64,86 kg
CASE KG (M^3)	82,27 kg (1,41) not including pallet

Case Pack: 1 **Colors:** Granite Gray (191), Granite Sand (194). All carts with cream color doors.

Optional Accessory

MDCET

Optional End Table

Overall Exterior Dimensions L x W x H: 57,79 x 41,91 x 6,6 cm

Color: Granite Gray (191)

16 AND 30 TRAY MEAL DELIVERY CARTS – TALL PROFILE

Marine rail is designed for use during service, not transport.

Tall Profile

SPECIFICATIONS	MDC1520T30	MDC1520T16**	MDC1418T30	MDC1418T16**
TRAY SIZE	38 x 51,5 cm	38 x 51,5 cm	36 x 46 cm	36 x 46 cm
TRAYS PER CART	30	16	30	16
TRAYS PER COMPARTMENT	10	16	10	16
RAILS PER COMPARTMENT	10	8	10	8
TRAYS PER RAIL	1	2	1	2
RAIL SPACING	12,7 cm	13,3 cm	12,7 cm	13,3 cm
NUMBER OF DOORS	3	1	3	1
NUMBER OF COMPARTMENTS	3	1	3	1
NUMBER OF MENU CLIPS	5	1	5	1
MENU CLIPS - LOCATION	Each door, each end	Door	Each door, each end	Door
HANDLES - TYPE AND LOCATION	Heavy-duty nylon, mounted 1 per end	Molded-in, 1 per end MDCET16 optional accessory	Heavy-duty nylon, mounted 1 per end.	Molded-in, 1 per end MDCET16 optional accessory
CASTER TYPE	Nylon, 15,2 cm, 2 rigid, 4 swivel w/brake, offset	Nylon, 15,2 cm, 2 rigid, 2 swivel w/brake	Nylon, 15,2 cm, 2 rigid, 4 swivel w/brake, offset	Nylon, 15,2 cm, 2 rigid, 2 swivel w/brake
LATCHES	Friction catch, transit latch*	Lockable paddle latch	Friction catch, transit latch*	Large paddle latch
EXTERNAL DIMENSIONS W x L x H	74,3 x 152,4 x 161,6 cm	69,1 x 95,5 x 147,3 cm	74,3 x 152,4 x 161,6 cm	63,91 x 90,48 x 147,32 cm
INTERNAL DIMENSIONS W x D x H	39 x 53,34 x 127 cm	52,4 x 78,1 x 110,8 cm	37 x 55 x 127 cm	47,30 x 72,39 x 113,34 cm
REQUIRED DOOR WIDTH	77 cm	78 cm	77 cm	79 cm
UNIT WEIGHT	95,25 kg	48,53 kg	97,07 kg	45,13 kg

Case Pack: 1 **Colors:** Slate Blue (401), Granite Grey (191), Granite Green (192), Granite Sand (194). (All carts with cream door.)
*Stainless steel transit latch at top of each door. MDC1418T16 are covered by U.S. Patent D 398,727.
For lighter-duty applications, 30-tray carts may be ordered without the steel transit latches by using product code MDC1520T30NL or MDC1418T30NL.
**MDC1520T16, MDC1418T16 comes in Granite Gray (191) and Granite Sand (194) only.

60-TRAY MEAL DELIVERY CART FOR CORRECTIONAL TRAY SERVICE

- For use in correctional facilities.
- Holds 60 each 1411CW or 1411CP Cambro Base Trays with 853 Insert Trays or 60 each 10146DCW or 10146DCP Separator Compartment Trays.
- Security features include security screws on handles, stop locks on door knuckles, security bolts for transit latches and caster carriage bolts with lock nuts.

1411CP base tray with 853FH insert tray

CODE	MDC1411T60
TRAY SIZE	35,6 x 27,9 cm base tray 1411CW and 1411CP
TRAYS PER CART / PER COMPARTMENT	60 / 20
RAILS PER COMPARTMENT	10
TRAYS PER RAIL / RAIL SPACING	2 / 12,7 cm
NUMBER OF COMPARTMENTS	3
HANDLES - TYPE AND LOCATION	Heavy-duty aluminum with security screws, black finish, 1 per end
CASTER TYPE	15,2 cm heavy-duty casters, 5,1 cm wide tread, 2 swivel with brake, 2 rigid
LATCHES	Internal friction catch, 2 per door, transit latch*
EXTERNAL DIMENSIONS W x L x H	74,3 x 152,4 x 161,6 cm
INTERNAL DIMENSIONS W x D x H	36,8 x 54,6 x 127 cm
REQUIRED DOOR WIDTH	76,2 cm
UNIT WEIGHT	97,98 kg

Case Pack: 1 **Colors:** Granite Gray (191), Granite Sand (194), Slate Blue (401).
*Stainless steel transit latch at top of each door.

MEAL DELIVERY CARTS FEATURES AND CASTER CONFIGURATIONS

Standard Caster Configurations:

These caster configurations are designed to provide stability and maneuverability over uneven surfaces.

For optional caster configurations, contact your Cambro representative.



MDC1520S20, MDC1418S20, MDC1520T20, MDC1411T60



MDC1520S10, MDC1520S10D, MDC1520T16, MDC1418T16, MDC1520T20



MDC1520T30, MDC1418T30

Handles

MDC1520S20, MDC1418S20

Molded in handles on each end for smooth transporting.

MDC1520T16, MDC1418T16

Molded in handles for easy transporting.

MDC1520T20, MDC1520T30, MDC1418T30, MDC1411T60**

Heavy duty nylon handles are securely mounted and nested into each end.
**MDC1411T60 has tamper resistant heavy duty aluminum tubing handles.

Lead in Casters

Casters are offset to ease movement over uneven surfaces. This is standard on MDC1520S10, MDC1520S10D, MDC1520S20, MDC1418S20, MDC1520T20, MDC1520T30, MDC1418T30 and MDC1411T60.

CAMBRO® EQUIPMENT COLOR CHART

Gray (180)

Coffee Beige (157)

Hot Red (158)


Cold Blue (159)

Speckled Gray (480)

Dark Taupe (417)

Brick Red (402)

Navy Blue (186)

Granite Gray (191)

Granite Sand (194)

Cambro provides a wide selection of colors to help you coordinate with your decor and color code items to simplify use.

Color selections vary by product. Please see individual products for specific colors offered.


Slate Blue (401)

Charcoal Gray (615)

Dark Brown (131)


Granite Green (192)

Black (110)

Kentucky Green (519)

CAMBRO® APP

Download the Cambro App!

Access helpful Cambro tools and resources on the go with the Cambro App.
Customize a tray, find the right lid for your containers, play the trivia challenge to win free products and more!

Download on the App Store

ANDROID APP ON Google play



Cambro® Warranty

Cambro offers a 5-year pro-rated warranty against damage or manufacturer's defects found in excess to normal wear and tear on our Camtrays®, Camtread® trays and Dinnerware. Commercial Electrical Equipment models hold a 1-year warranty. Non-Skid Versa Camtrays, Tongs, Camwear® Food Storage Pans, all high heat material products, Squares, Rounds and Lids have a 2-year pro-rated warranty. All Camshelving® Series have a 1-year warranty on workmanship and a lifetime limited warranty against rust and corrosion, excluding mobile posts. For all other Cambro products, Cambro warrants to the original buyer a 3-year pro-rated warranty unless otherwise noted. If product proves defective during this time, Cambro grants a pro-rated credit of the original price toward replacement product. The warranty applies on all Cambro products only when used under normal foodservice industry conditions.

Note: Temperature ranges noted throughout this catalog are based on specific test criteria and provide a general guideline. Individual use may vary due to differences in loading temperatures or ambient temperature.

Product Accessories: Contents and accessories shown in photos are not included, except where noted.

Photo credits:

Cambro products help foodservice operators throughout the world. To represent our global presence, images of Cambro products in use have been taken on locations throughout southern California, USA; in Cancun, Mexico; on the island of Rugen, Germany; and in the city of Huizhou, China.
In particular, special thanks to the staffs of the Ambience Hotel, Rugen; Jin Hua Palace Hotel, Huizhou; Southern California Gas Company, Downey; Orange Coast College, Santa Ana and California Hospital, Los Angeles for their assistance in our photo shoots.

CAMBRO TRUSTED DURABILITY

CAMBRO U.S.A.
TEL: 1(714) 848-1555
FAX: 1(714) 843-2630
international@cambro.com

CAMBRO EUROPE
TEL: (49) 7022 90 100 0
FAX: (49) 7022 90100 19
cambroeurope@cambro.com

CAMBRO UK
TEL: 0800 587 0057 Toll Free
FAX: 0845 280 3411
cambrouk@cambro.com

CAMBRO IRELAND
TEL: 1800 509 046 Toll Free
FAX: 01 633 55 76
cambroireland@cambro.com

ISO 9001:2008 CERTIFIED

Cambro is a proud recipient of the U.S. President's E-Award for Excellence in Exporting.

© Copyright Cambro Manufacturing Company. Printed in the U.S.A.

CAMBRO®
TRUSTED DURABILITY

THE **ESSENTIALS**

www.cambro.com

Scan to download
PDF version

ABOUT CAMBRO®



THE CAMBRO STORY

Cambro Manufacturing was founded in 1951 in Huntington Beach, California by brothers William and Argyle Campbell. Today, Cambro is globally recognized leader in the foodservice industry, renowned for its extensive offering of trays, food storage containers, insulated transport carts, shelving, mobile trolleys, dish racks and more. Guided by a commitment to food safety, efficiency and quality, Cambro products continue to exceed the demands of foodservice professionals around the world.

WHY CHOOSE CAMBRO?

Foodservice professionals around the world confidently rely on Cambro products to perform in any environment, supported by the industry's best warranty. Choosing Cambro isn't just an investment in equipment - it's an investment in lasting quality, reliability and peace of mind.

Innovate Solutions:

Cambro is renowned for continuously developing innovative products that help businesses save time and money, enhance operational efficiency, and improve service.

Unmatched Quality and Durability:

Cambro products are designed for longevity, made from high-quality materials that set them apart from the competition. Designed to endure the rigorous demands of commercial use and guarantee exceptional performance backed by the best warranty in the industry.

Comprehensive Product Range:

With a diverse portfolio of durable products to meet the needs of foodservice operators, Cambro provides complete system solutions that will support everything from food safety and storage to transport, catering to businesses of all sizes.

www.cambro.com

TABLE OF CONTENTS

00 ABOUT CAMBRO

01 TRAYS

01 - Choose the Right Tray for Your Business
02 - Considerations for The Best Fit
03 - Century™ Textured Wood Trays
05 - Polyester Versa Trays with Smooth Surface
07 - Polyester Versa Lite Trays with Smooth Surface
09 - Camtread® Fiberglass Trays with Non-Slip Rubber Surface
10 - Corfu – Laminated Trays with Non-Slip Rubber Surface
Mykonos – Laminated Trays with Non-Slip Surface
11 - Capri – Laminated Trays with Smooth Surface
12 - Madeira – Laminated Trays with Textured Wood Surface
13 - Gastronorm Polypropylene Trays
Euronorm Polypropylene Trays
14 - Fast Food Trays

02 TABLE SERVICE

15 - Newport – SAN Tumblers
Laguna® – SAN Tumblers
16 - Colorware – SAN Tumblers
CamView® Camliter Beverage Decanters

03 FOOD STORAGE

17 - FreshPro CamRounds™ Food Storage Containers
19 - FreshPro Camsquare® Food Storage Containers
22 - ColdFest® Gastronorm Food Pan GN 1/6
23 - Camview GN Food Pans
24 - Camview GN Food Pans, Lids, and Drain Shelf
25 - Translucent GN Food Pans and Drain Shelves
26 - Translucent GN Food Pan Lids
27 - Color-Coded SafeTRAK™ GN Food Pans
28 - Translucent GN Food Pan Lids
29 - H-Pan™ High Heat GN Food Pans and Lids
30 - H-Pan™ High Heat GN Food Pans and Drain Shelves
31 - High Heat Measuring Cups
StoreSafe® Food Rotation Labels
32 - Pizza Dough Boxes
Polyethylene Food Storage Boxes

04 CAMSHELVING

34 - Camshelving® Series Buyers Guide
35 - Dunnage Racks
36 - Camshelving Universal Storage Rack - Custom Drawer System
37 - Mobile Pan Trolleys

05 INSULATED TRANSPORT

41 - Camtainers® - Insulated Beverage Servers
Ultra Camtainers®
42 - Camcarrier® UPC400
43 - Cam GoBox® Insulated Carriers - Top Loaders
44 - Cam GoBox® Insulated Carriers - GN Front Loaders
45 - Cam GoBox® Professional Grade Insulated Carriers
46 - Foldable Cam GoBox®
47 - Cam GoBox® Accessories
48 - Cam GoBox® 4060 – Insulated Carrier
49 - Cam GoBox® Beverage Carriers & GN ½ Size Top Loaders
Cam GoBox® Beverage Cup Holder

06 WAREWASHING

50 - Camrack® 4-in-1 System
53 - Camrack® Full Size Glass Racks For Stemware & Tumblers
54 - Camrack® Base Rack
55 - Camrack® Peg Rack and Tray Rack
56 - Camrack® Flatware Rack and 8 Compartment Flatware Basket
Camrack® Extender ID Clips
57 - Camrack® Glass Rack Component System
58 - Camrack® Hold Down Grid
Camrack® Cover and Dolly
59 - Compact Adjustable Dish Caddy R-Series
60 - Compact Adjustable Dish Caddy S-Series
61 - Standard Adjustable Dish Caddy
Service Cart Pro
62 - KD Service Cart and KD Utility Cart

07 MERCHANDISING

63 - Versa Organizers

08 FOOD DISPLAY

64 - Lugano® Tongs
Deli Crocks / Covers

TRAYS

Choose the Right Tray for Your Business

Consider the following questions to select the right tray for your operation:

Versa Lite Trays

Camtray® Trays

Fast Food Trays

Camtread® Trays

Laminated Capri Trays

Century™ Wood Grain Trays

Versa Trays

Euronorm Polypropylene Trays

Step 1: What Will the Tray Be Used For?

In order to choose the correct tray, first identify the correct application for the tray.

Service Tray – Used by employees to carry items to serve to guests
- Non-Slip Tray

Patron Tray – Used by customers to carry menu items (self-service).
- Smooth Surface Tray

Step 2: Who Will Be Using the Tray?

To determine the appropriate tray material, it is critical to identify who will be using the tray.
- Children
- Students
- Military
- Office Employees
- Wait Staff

Step 3: How Will the Tray Be Used and Washed?

Consider how the tray will be used, and whether it will endure moderate or excessive use. Determine how often the trays will be washed per day.

Dishwasher:
- **High temperature dishwasher:** 88°C +
- **Extensive:** Wash as often and as frequently as needed
- **Normal:** Wash up to 3 times per day
- **Minimal:** Wash once per day

Handwash only

Step 4: Determine the Budget per Tray

Ensure that the correct tray has been selected for the right application. Selecting a low cost tray for a heavy application is not the most cost effective option. Tray pricing varies according to the following factors:
- **Manufacturing process**
- **Material type and grade**
- **Tray size**
- **Personalization options**
- **Warranty**

Step 5: Personalization

Cambro offers high quality personalization on most of the trays that we manufacture. Look for the personalization logo throughout the brochure.

Step 6: Additional Features to Consider

Evaluate the importance of the following features to determine the best tray for your operation.
- **Stacking lugs –** Promote air circulation for fast drying and perfect stacking
- **Surface impact resistance**
- **Edge breaking resistance**
- **Scratch and stain resistance**
- **Type of Warranty**

Technical test descriptions

All Cambro trays are submitted to an array of tests described on the following page. The results are indicated on each tray page under Technical Test Results.

Gastronorm Polypropylene Trays

Laminated Madeira Trays

Considerations for The Best Fit

SMOOTH SURFACE POLYESTER TRAYS

Tray Description	Material	Personalization	Years Guaranteed	Stacking Lugs**	Dishwasher Safe
Century™ Wood Grain Trays	SMC – High Performance Fiberglass Reinforced Polyester	Yes****	5*	Yes	Yes – Extensive Wash as often as needed
Versa Trays VT/GP	SMC – High Performance Fiberglass Reinforced Polyester	Yes	5*	Yes	Yes – Extensive Wash as often as needed
Versa Lite Trays VL/GL	SMC – Standard Performance Fiberglass Reinforced Polyester	Yes	3*	Yes	Yes – Normal Wash up to 3 times per day

FIBERGLASS TRAYS WITH NON-SLIP SURFACE

Tray Description	Material	Personalization	Years Guaranteed	Stacking Lugs**	Dishwasher Safe
Camtread® Trays	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface	Yes****	5*	Yes	Yes – Extensive Wash as often as needed

LAMINATED TRAYS WITH SMOOTH SURFACE

Tray Description	Material	Personalization	Years Guaranteed	Stacking Lugs***	Dishwasher Safe
Capri Laminated Trays with Smooth Surface	Laminate	Yes	3*	No	Yes – Minimal*** Wash once per day
Madeira Laminated Trays with Textured Surface	Laminate	No	3*	No	Yes – Minimal*** Wash once per day

LAMINATED TRAYS WITH NON-SLIP SURFACE

Tray Description	Material	Personalization	Years Guaranteed	Stacking Lugs***	Dishwasher Safe
Mykonos Laminated Trays with Non-Slip Surface	Laminate + Non-Slip Surface	Yes****	3*	No	No – Handwash only

POLYPROPYLENE TRAYS

Tray Description	Material	Personalization	Years Guaranteed	Stacking Lugs**	Dishwasher Safe
Polypropylene Trays	Polypropylene	Yes	3*	Yes	Yes – Minimal Wash once per day
Fast Food Trays	Polypropylene	Yes	3*	Yes	Yes – Minimal Wash once per day

* 3 or 5 years prorated warranty.
** Stacking lugs allow free air circulation and perfect stacking.
*** Laminated trays must be dried completely before stacking to avoid warping and void the warranty. Laminated trays do not have stacking lugs; which are designed to separate trays for faster drying when stacked together.
**** Limited. Please contact your Cambro representative for more information.

Century™ Textured Wood Trays

- Ideal for use in high traffic, self-serve restaurants.
- Textured wood grain pattern covers both sides of tray from edge to edge.
- Lightweight, durable and hygienic.
- Temperature range resistance from -40˚C to 90˚C.
- Dishwasher safe – wash as often and as frequently as needed.
- Scratch, stain, chemical and break-resistant.
- 5-year prorated warranty.

DISHWASHER SAFE | STACKABLE | 5 YEAR PRORATED WARRANTY

CODE	DIMENSIONS	CASE PACK
Century Textured Surface		
VTC2632T	26,5 x 32,5 cm	12
VTC3343T	33 x 43	12
VTC3646T	32,5 x 45,7	12
VTC3253T	32,5 x 53	12
VTC3753T	37 x 53	12
Century Textured Clear Non–Slip Surface		
VTC2632TNS	26,5 x 32,5	12
VTC3343TNS	33 x 43	12
VTC3646TNS	35,5 x 45,7	12
Century Plus Textured Surface		
VTC2632T*	26,5 x 32,5	12
VTC3343T*	33 x 43	12
VTC3646T*	35,5 x 45,7	12
VTC3253T*	32,5 x 53	12

CEL In-Stock

VTC2632T, VTC3343T, VTC3646T, VTC3253T, VTC3753T: (F86), (F87), (F88), (F89), (F90).
VTC2632TNS, VTC3343TNS, VTC3646TNS: (F86), (F89).
Non-stock items require a minimum order of 24 cases (288 pieces) per size.
*Century Plus Textured Surface non-stock items require a minimum order of 25 cases (300 pieces) per size.

COLORS

F86 Light Oak | F87 Brown Oak | F88 Dark Oak | F89 Light Olive | F90 Brown Olive

Stacking lugs keep trays securely in place and ensure proper air flow for drying.

Century Textured Surface

Century Textured Clear Non–Slip Surface

Century Plus Textured Surface

GN 1/2 Size

Century™ Textured Wood Trays

Light
Oak (F86)

Brown
Oak (F87)

Dark
Oak (F88)

Light
Olive (F89)

Brown
Olive (F90)

Reinforced polyester corners and edges provide superior protection against impact.

Innovative low profile and ergonomic edges are designed for customer comfort while eating. Increases space and utilization of the tray surface.

RECOMMENDED USE

High Traffic / Frequent Use

- EMPLOYEE CANTEENS CAFETERIAS SELF-SERVE
- FOOD COURTS SNACK SHOPS QUICK SERVE CHAINS
- SCHOOLS UNIVERSITY
- HOSPITALS
- HOTELS

Polyester Versa Trays with Smooth Surface

- High performance polyester tray for ultra heavy duty usage.
- Reinforced corners and edges protect and strengthen the tray.
- Stacking lugs allow free air circulation and perfect stacking.
- High stain resistance.
- Temperature range resistance against thermal distortion: -40˚C to 140˚C.
- Dishwasher safe – Wash as often and as frequently as needed.
- 5-year prorated warranty.
- Complies with NF T54-801.

PERSONALIZATION | STACKABLE | DISHWASHER SAFE | 5 YEAR PRORATED WARRANTY | RECYCLABLE

CODE	DIMENSIONS	CASE PACK
Versa Trays – Low Profile Shape		
VT2632	32,5 x 26,5 cm	12
VT3253	32,5 x 53	12

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (12 pieces)
Other sizes: Please contact our customer service team for details

CEL In-Stock

VT2632: (A72), (A83).
VT3253: (A72), (A83), (A86).

Reinforce Your Image
Minimum order quantity for personalization: 120 Trays.

High Profile Shape

Low Profile Shape



Low Profile Design Shape

RECOMMENDED USE
High Traffic / Frequent Use

EMPLOYEE CANTEENS CAFETERIAS SELF-SERVE | MILITARY | SCHOOLS UNIVERSITIES | HOSPITALS | HOTELS

Polyester Versa Trays with Smooth Surface

VT1418

CODE	DIMENSIONS	CASE PACK
Versa Trays – High Profile Shape		
VT1418	35,5 x 45,7 cm	12
VT3343	33 x 43	12

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (12 pieces)
Other sizes: Please contact our customer service team for details

CEL In-Stock

VT1418: (A72), (A83).
VT3343: (A72).

VT3646C

CODE	DIMENSIONS	CASE PACK
Versa Century™ Trays – Low Profile Design Shape		
VT3646C	35,5 x 45,7 cm	12

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (12 pieces)
Other sizes: Please contact our customer service team for details

CEL In-Stock

VT3646C: (A72).

RECOMMENDED USE
High Traffic / Frequent Use

EMPLOYEE CANTEENS CAFETERIAS SELF-SERVE
MILITARY
SCHOOLS UNIVERSITY
HOSPITALS
HOTELS

Polyester Versa Lite Trays with Smooth Surface

- Standard performance polyester tray for intensive use.
- Reinforced corners and edges protect and strengthen the tray.
- Temperature range resistance against thermal distortion: -40˚C to 140˚C.
- Stacking lugs allow free air circulation and perfect stacking.
- 3 year prorated warranty.

PERSONALIZATION | STACKABLE | DISHWASHER SAFE | 3 YEAR PRORATED WARRANTY | RECYCLABLE

VL1014

VL3343

CODE	DIMENSIONS	CASE PACK
Versa Lite Trays – High Profile Shape		
VL1014	27 x 35 cm	12
VL3343	33 x 43	12
VL1418	35,5 x 45,7	12

VL1418

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (12 pieces)
Other sizes: Please contact our customer service team for details

CEL In-Stock

VL1014: (A20), (A27).
VL3343: (A20), (A21).
VL1418: (A20), (A21), (A22), (A27), (A86).

RECOMMENDED USE
High Traffic / Frequent Use

SCHOOLS UNIVERSITY | EMPLOYEE CANTEENS CAFETERIAS SELF-SERVE | HOTELS | MILITARY | CATERING BANQUET

Reinforce Your Image
Minimum order quantity
for personalization: 120 Trays.

Polyester Versa Lite Trays with Smooth Surface

CODE	DIMENSIONS	CASE PACK
Versa Lite Trays – Low Profile Shape		
VL3253	32,5 x 53 cm	12

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (12 pieces)
Other sizes: Please contact our customer service team for details

CEL In-Stock

VL3253: (A20), (A86).

VL3646C

CODE	DIMENSIONS	CASE PACK
Versa Lite Century Trays – Low Profile Design Shape		
VL3646C	32,5 x 45,7 cm	12
VL3343C	33 x 43	12

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (12 pieces)
Other sizes: Please contact our customer service team for details

CEL In-Stock

VL3643C: (A27).
VL3343C: (A20).

RECOMMENDED USE
High Traffic / Frequent Use

SCHOOLS UNIVERSITY
EMPLOYEE CANTEENS CAFETERIAS SELF-SERVE
HOTELS
MILITARY
CATERING BANQUET

Camtread® Fiberglass Trays with Non-Slip Rubber Surface

- Crafted with high-quality fiberglass SMC for lasting strength and performance in demanding environments.
- Features a molded, edge-to-edge non-slip rubber surface to ensure maximum grip and prevent accidents.
- Shock, scratch, stain, and break-resistant.
- Excellent drying performance helps streamline cleaning and turnaround times.
- Wide temperature tolerance: -10˚C to +80˚C.

LISTED BY NSF INTERNATIONAL | STACKABLE | NOT FOR USE IN HEATED CARTS | DISHWASHER SAFE | 5 YEAR PRORATED WARRANTY

CODE	DIMENSIONS	CASE PACK
Round – High Profile Shape		
1100CT	ø 28 cm	12
1400CT	ø 35,5	12
1600CT	ø 40,5	12
1800CT	ø 45	6
Oval – Low Profile Shape		
2500CT	49 x 59	6
2700CT	56 x 68,5	6
2900CT	73,5 x 60	6
Rectangular – High Profile Shape		
1014CT	27 x 35	12
1216CT	30,5 x 41,5	12
1418CT	35,5 x 45,7	12
1826CT	45 x 65	6
Rectangular – Low Profile Shape		
3253CT	32,5 x 53	12

Special order item: Not stocked and non-returnable.
In stock items: Minimum order of 1 case

CEL In-Stock

11014CT, 1100CT, 1216CT, 1418CT, 1600CT, 1800CT, 1826CT, 2700CT, 2900CT, 3253CT: (110).
1400CT: (110), (138).
1400CT, 1600CT, 1800CT: (522).

COLORS



Black | Tavern Tan | Burgundy

Cambro Branding

Non-slip trays help minimize accidents and drive long-term profitability.

High Profile Shape | Low Profile Shape | Low Profile Shape Oval

RECOMMENDED USE
High Traffic / Frequent Use

HOSPITALS | CATERING BANQUET | COFFEE SHOPS BAKERY SHOPS RESTAURANT CHAINS

Corfu – Laminated Trays with Non-Slip Rubber Surface

CODE	DIMENSIONS	CASE PACK
Rectangular		
CO3646	36 x 46 cm	12
Round		
CO3800	ø 38	12
CO4300	ø 43	12

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (12 pieces)

CEL In-Stock

CO3646, CO3800, CO4300: (D01).

CO3646

CO3800

COLORS

D01

Black on Grey

RECOMMENDED USE
High Traffic / Frequent Use

COFFEE SHOPS
BAKERY SHOPS
RESTAURANT CHAINS

EMPLOYEE
CANTEENS
CAFETERIAS
SELF-SERVE

CATERING
BANQUET

FSC
LISTED BY NSF INTERNATIONAL
NOT FOR USE IN HEATED CARTS
STACKABLE
DISHWASHER SAFE MINIMAL
YEAR PRORATED WARRANTY

Mykonos – Laminated Trays with Non-Slip Surface

CODE	DIMENSIONS	CASE PACK
Rectangular		
MY3353	32,5 x 53 cm	12
MY3253	33 x 43	12
MY3646	36 x 46	12
MY4361	43 x 61	12

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (12 or 24 pieces. See case pack)

CEL In-Stock

MY3253, MY4361: (E76).
MY3343: (E75), (E76), (E82).
MY3646: (E73), (E76), (E79).

FSC
LISTED BY NSF INTERNATIONAL
NOT FOR USE IN HEATED CARTS
PERSONALIZATION
STACKABLE
DISHWASHER SAFE MINIMAL
YEAR PRORATED WARRANTY

RECOMMENDED USE
High Traffic / Frequent Use

EMPLOYEE
CANTEENS
CAFETERIAS
SELF-SERVE

CATERING
BANQUET
SERVICE

Capri – Laminated Trays with Smooth Surface

- Top and bottom melamine surface seal has excellent chemical and stain resistance and allows for intensive washing.
- Dishwasher safe – wash once per day.
- Personalization available (minimum quantity of 120 trays per size).

FSC · LISTED BY NSF INTERNATIONAL · NOT FOR USE IN HEATED CARTS · PERSONALIZATION · STACKABLE

DISHWASHER SAFE MINIMAL · 3 YEAR PRORATED WARRANTY

CA2738

CA3343

CODE	DIMENSIONS	CASE PACK
Rectangular		
CA3253	32,5 x 53 cm	24
CA3343	33 x 43	24
CA3446	34 x 46	24
CA3646	36 x 46	24
CA2738	27 x 38	24

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (24 pieces)

CEL In-Stock

CA3253: (E76).
CA3343: (E75), (E76), (E79), (E82).
CA3446: (E75), (E79).
CA3646: (E73), (E76), (E82).

Other Tray Colors:

Light Oak · Brown Oak · Dark Oak · Light Olive · Brown Olive

RECOMMENDED USE
High Traffic / Frequent Use

CATERING BANQUET · HOTELS · EMPLOYEE CANTEENS CAFETERIAS SELF-SERVE

Madeira – Laminated Trays with Textured Wood Surface

- Top and bottom melamine surface seal has excellent chemical and stain resistance and allows for intensive washing.
- Textured top and bottom surface gives the feel and look of real wood.
- Excellent chemical, stain and scratch resistance.
- Dishwasher safe – wash once daily.

MA3343

CODE	DIMENSIONS	CASE PACK
Rectangular		
MA2028	20 x 28 cm	24
MA2435	24 x 35	24
MA3343	33 x 43	24
MA3646	36 x 46	24
MA3753	37 x 53	24

Non-stock items: Minimum order of 10 cases (120 pieces)
In-stock items: Minimum order of 1 case (24 pieces)

CEL In-Stock

MA2028, MA2435, MA3343, MA3646, MA3753:
E86, E87, E88, E89, E90

FSC www.fsc.org FSC™ A000522

LISTED BY NSF INTERNATIONAL

NOT FOR USE IN HEATED CARTS

STACKABLE

DISHWASHER SAFE MINIMAL

3 YEAR PRORATED WARRANTY

Other Tray Colors:

E73
Mahogany

E77
Teak

E75
Birch

Light Oak (E86)

Brown Oak (E87)

Dark Oak (E88)

Light Olive (E89)

Brown Olive (E90)

RECOMMENDED USE
High Traffic / Frequent Use

RESTAURANTS
CAFES
BRASSERIES
PUBS/BARS/CLUBS

EMPLOYEE CANTEENS
CAFETERIAS
SELF-SERVE

HOTELS

Gastronorm Polypropylene Trays

BPA FREE

- Quality construction with high rigidity and an attractive textured surface to hide scratches.
- Chemical Resistance-Excellent.
- Heat Resistance: -10°C to +80°C.

DISHWASHER SAFE MINIMAL | NOT FOR USE IN HEATED CARTS | STACKABLE | PERSONALIZATION | 3 YEAR PRORATED WARRANTY | RECYCLABLE

CODE	DIMENSIONS	CASE PACK
Rectangular GN PP Trays		
SP3253	32,5 x 53 cm	12

CEL In-Stock

All Colors

COLORS

Royal Gray | Royal Blue | Black

SP3253



RECOMMENDED USE

High Traffic / Frequent Use

CATERING BANQUET | HOTELS | EMPLOYEE CANTEENS CAFETERIAS SELF-SERVE

Euronorm Polypropylene Trays

BPA FREE

- Quality construction with an attractive textured surface to hide scratches.
- Chemical Resistance-Excellent.
- Heat Resistance:-10˚C to +80˚C.

DISHWASHER SAFE MINIMAL | NOT FOR USE IN HEATED CARTS | STACKABLE | PERSONALIZATION | 3 YEAR PRORATED WARRANTY | RECYCLABLE

CODE	DIMENSIONS	CASE PACK
Rectangular Euronorm PP Trays		
3753PP	37 x 53 cm	15

CEL In-Stock

All Colors

COLORS



Black | Beige

RECOMMENDED USE

High Traffic / Frequent Use

CATERING BANQUET | HOTELS | EMPLOYEE CANTEENS CAFETERIAS SELF-SERVE

3753PP

Fast Food Trays

BPA FREE

- Made of highly durable, long lasting virgin polypropylene and impact resistant. These trays provide good rigidity and have an attractive textured surface.
- Dishwasher safe, recommended washing of once per day for 60 seconds at normal temperature of 80˚C.
- Polypropylene trays, with or without ergonomic handles, include high edges for extra stability during transport.

CODE	DIMENSIONS	CASE PACK
Rectangular – High Profile Shape		
1014FF	26,5 x 34,5 cm	24
1216FF	30 x 41	24
1418FF	36 x 46	12
Rectangular – High Profile Shape with Handles		
1217FFH	30 x 41	24

CEL In-Stock

1216FF: (110), (163), (186).
1217FFH: (110), (167).
1014FF: (107), (110), (163), (167), (416).
1418FF: (107), (110), (119), (163), (167), (186).

1217FFH

1216FF (186)

LISTED BY NSF INTERNATIONAL
NOT FOR USE IN HEATED CARTS
PERSONALIZATION
STACKABLE
FIT FOR FOOD
3 YEAR PRORATED WARRANTY
RECYCLABLE

COLORS

1014FF (416)

RECOMMENDED USE
High Traffic / Frequent Use

FOOD COURTS
SNACK SHOPS
QSR CHAINS

Newport – SAN Tumblers

BPA FREE

- Fluted design features the upscale look of glass with the safety benefits and cost savings of plastic.
- Impact resistant SAN plastic resists chips and breaks.
- Stacking lugs prevent sticking.
- Sani-Rim lip provides a sanitary drinking surface.

CODE	MAX. DIA.	MAX. HEIGHT	CAPACITY TO RIM
HT5	6,4 cm	9,4 cm	189 mL
HT8	6,8	10,2	228
HT9	8,3	8,4	275
HT10	7,1	11,6	300
HT12	7,6	13	373

Case Pack: 36

Color: Clear (152), Amber (153), Slate Blue (401).

CEL In-Stock

NT5, NT8, NT9, NT10, NT12: (152).

PERSONALIZATION | DISHWASHER SAFE | SHIPPED BY PARCEL | STACKABLE

Laguna® – SAN Tumblers

BPA FREE

- Hammered texture hides water spots and scratches.
- Made of impact resistant SAN.
- Lightweight and easy to carry.

CODE	MAX. DIA.	MAX. HEIGHT	CAPACITY TO RIM
LT8	6,9 cm	10,9 cm	236,6 mL
LT10	7,4	12,1	295,7
LT12	7,9	12,7	354,9
LT22	9,3	15,4	650,6

Case Pack: 36

Color: Clear (152), Spanish Green (427).

CEL In-Stock

LT8, LT10, LT12, LT22: (152).

PERSONALIZATION | DISHWASHER SAFE | SHIPPED BY PARCEL | STACKABLE

Colorware – SAN Tumblers

BPA FREE

- A classic value tumbler ideal for casual dining.
- Textured on the outside to resist scratching.
- Made of impact resistant SAN.
- Interior stacking lugs for easy storing.
- Sani-Rim lip provides a sanitary drinking surface.

CODE	MAX. DIA.	MAX. HEIGHT	CAPACITY TO RIM
1200P	7,5 cm	13,2 cm	373 mL

Case Pack: 72

Color: Blush (409), Slate Blue (401), Clear (152), Amber (153), Ruby Red (156).

CEL In-Stock

1200P: (152).

PERSONALIZATION · DISHWASHER SAFE · SHIPPED BY PARCEL · STACKABLE

Camview® Camliter Beverage Decanters

BPA FREE

- Ideal for serving beverages at restaurants, buffets, and outdoor events.
- Spill-proof, snap tight flat lids included to protect contents from cross-contamination.
- Flip lid design seals beverages and makes it easy to pour.
- Pour spout lid available to protect content while allowing free pour.
- Lightweight; dent, impact, and scratch resistant material.
- NSF Listed (bottles only; lids not listed)

CODE	CAPACITY	HEIGHT
Camliters Complete with Lids		
WW1000	1 L	24,8 cm
WW750	0,75	
WW500	0,5	20
WW250	0,25	15,9
Camliters with Threaded Top		
WW1000T	1	
WW750T	0,75	

WW1000LS · WW1000L · WW1000LT

CODE	DESCRIPTION	FITS
Lids		
WW1000LS	Pour Spout Lid	WW1000, WW750, WW500, WW250
WW1000L	Flat Lid	WW1000, WW750, WW500, WW250
WW1000LT	Flip Lid	WW1000T, WW750T

Case Pack: 12

Camliter Color: Clear (135), Lid Color: White (148).

CEL In-Stock

WW1000, WW500, WW750T, WW1000T, WW250: (135).
WW1000L, WW1000LS, WW750: (148).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · SHIPPED BY PARCEL · FIT FOR FOOD

FreshPro CamRounds™ Food Storage Containers

BPA FREE

Storage

Air tight lids prevent spills

CamSquares® can stack on top of CamRounds for maximum space-saving storage

Efficiency

3 Lids

Share the same lids as FreshPro CamSquares

17 Containers

Color-coded matching seal covers, drain shelves, and graduation marks

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · SHIPPED BY PARCEL · 2 YEAR PRORATED WARRANTY · STACKABLE · FIT FOR FOOD · FOODSAFETY

FreshPro CamRounds™ Food Storage Containers

BPA FREE

- Translucent polypropylene material is durable and provides easy content visibility.
- Easy-carry handles and smooth interior facilitate comfortable transport and effortless stirring.
- The FreshPro's curved corners and molded-in handles enable safer, four-sided pouring and easier handling.
- 11,4, 17,2 and 20,8 L sizes are available with Pail with Bail handles for ergonomic carrying, pouring, and transporting of heavy ingredients such as beverages and ice.
- Withstands -40°C to 85 °C.
- 2-year pro-rated warranty.
- Stain, acid, odor, and chemical resistant.

FreshPro CamRounds™ Translucent Polypropylene Containers

CODE	2RFSPROPP	4RFSPROPP	6RFSPROPP	8RFSPROPP	12RFSPROPP	18RFSPROPP	22RFSPROPP
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L

FreshPro Pails with Bails

CODE	PWB12PROPP	PWB18PROPP	PWB22PROPP
CAPACITY	11,4 L	17,2 L	20,8 L

Seal Covers

CODE	SFC2FPPP	SFC6FPPP	SFC12FPPP
SIZE	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2, 20,8 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Drain Shelves



CODE	2RFSFPDPP265	6RFSFPDPP266	12RFSFPDPP267
SIZE	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2, 20,8 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Case Pack: 6

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · SHIPPED BY PARCEL · 2 YEAR PRORATED WARRANTY · STACKABLE · FIT FOR FOOD · FOODSAFETY

FreshPro Camsquare® Food Storage Containers

BPA FREE

The Most Efficient Food Storage System Ever

7 SIZES
1.9L - 20.8L

Withstands temperatures
-40°C to 85°C

Cross stacking allows sanitary drying

Color-Coded Efficiency

- Tight-fitting Seal Cover prevents spills, prevents cross-contamination and extends food shelf life.
- Matching covers, drain shelves and graduation marks.

Ergonomic handling

25% SPACE SAVING
MORE Storage Capacity



with 11,4 to 20,8 L FreshPro CamSquare containers

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · SHIPPED BY PARCEL · 2 YEAR PRORATED WARRANTY · PERSONALIZATION · STACKABLE · FIT FOR FOOD · FOODSAFETY

FreshPro CamSquare® Food Storage Containers

BPA FREE

- The FreshPro's curved corners and molded-in handles enable safer, four-sided pouring and easier handling.
- The color-coded system with matching covers, drain shelves and easy-to-read graduations offers at-a-glance inventory and ease of use, essential for fast paced kitchens.
- The Easy Seal Cover fits tightly and protects contents from cross-contamination while offering shelf-life extension of ingredients.
- Optional drain shelves help boost ingredients' freshness by lifting items out of their juices and can extend shelf life by 2 days.
- Chemical resistant.

FreshPro CamSquares® Translucent Polypropylene Containers

CODE	2SFSPROPP	4SFSPROPP	6SFSPROPP	8SFSPROPP	12SFSPROPP	18SFSPROPP	22SFSPROPP
SIZE	19,1 x 19,1 x 9,8cm	19,1 x 19,1 x 18,3	22,9 x 22,9 x 18	22,9 x 22,9 x 24,3	28,9 x 28,9 x 21,6	28,9 x 28,9 x 32,7	28,9 x 28,9 x 40.1
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L

Easy Seal Covers

CODE	SFC2FPPP	SFC6FPPP	SFC12FPPP
SIZE	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2, & 20,8 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Drain Shelves

CODE	2SFSFPDPP	6SFSFPDPP	12SFSFPDPP
SIZE	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2, & 20,8 L
COLOR	Translucent Green (265)	Translucent Red (266)	Translucent Blue (267)

Case Pack: 6 **All sizes Colors:** (190).

CEL In-Stock

All container sizes: (135).

SFC1FPPP: (190). SFC2FPPP: (265). SFC6FPPP: (266). SFC12FPPP: (267).

SFC2FPPP: (265). SFC6FPPP: (266). SFC12FPPP: (267).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · SHIPPED BY PARCEL · 2 YEAR PRORATED WARRANTY · STACKABLE · FIT FOR FOOD · FOODSAFETY

FreshPro CamSquare® Food Storage Containers

BPA FREE

- Ideal for storing fresh herbs, spice blends, condiments, and mise en place.
- One Easy Seal Cover fits both 0,47 and 0,95 L container sizes.
- Durable, sustainable alternative to single-use disposable containers.
- Withstands temperatures from: -40°C to 85°C.

Translucent Polypropylene Food Storage Containers

CODE	HFSFSPROPP	1SFSPROPP	SFC1FPPP
SIZE	12,4 x 12,4 x 6,5 cm	12,4 x 12,4 x 11,9 cm	12,4 x 12,4 x 1,6 cm
CAPACITY	0,47 L	0,95 L	Fits 0,47L & 0,95L
CASE PACK	6	6	6

In-Stock Colors: Translucent (190).

CEL In-Stock

All Sizes: (190).

Easy Seal Cover

- Prevents spills
- Extends food shelf life
- Easy on/off seal cover
- Peg hole for sanitary drying

- Includes 2 pcs of 0.47L, 2 pcs of 0.95L, and 4 pcs of seal covers.
- Extend food freshness and operate with confidence using this cost-efficient, sustainable solution.

CODE	1HFPRO4PKI190
DESCRIPTION	Master Carton of 12 boxes of Polypropylene Food Containers and Lids
CASE PACK	1

In-Stock

All Sizes: (190).

DISHWASHER SAFE | LISTED BY NSF INTERNATIONAL | FOODSAFETY | SHIPPED BY PARCEL | FIT FOR FOOD

ColdFest® Gastronorm Food Pan GN 1/6

BPA FREE

- Keeps contents chilled at or below HACCP guidelines of 4˚C without the use of messy ice.
- Freeze upside down for eight hours or overnight before filling with pre-chilled product.
- Half and third-size pans hold contents cold for up to eight hours. Sixth size pans and crocks hold contents cold for up to six hours.
- Conforms to Gastronorm exterior dimensions to fit standard food bars or make tables.
- Stackable to save space when freezing and storing.
- Can be used for direct food contact with all types of food products.

Pan

CODE	CONFIGURATION	DEPTH	APPROX. CAP.
66CF	GN 1/6 – 16,2 x 17,6	15 cm	1,4 L

Case Pack: 1

Colors: Black (110), White (148).

In-Stock

66CF: (110)

LISTED BY NSF INTERNATIONAL | DISHWASHER SAFE | STACKABLE | FIT FOR FOOD | SHIPPED BY PARCEL

Camview GN Food Pans

BPA FREE

Precisely designed by Gastronorm GN specifications, with large radius corners to reduce food waste.

DURABLE

The Camview Food Pan is virtually unbreakable for a lasting storage solution.

CLARITY

Check contents while reducing handling and cross contamination.

HOT or NOT

Withstands a wide range of temperatures: -40˚C to 90˚C

Cold Test

Tests prove Camview food pans keep products as cold as stainless steel. Stainless may feel colder, but as these test results demonstrate, Camview food pans keep products just as cold for just as long.

Camview Pans

1,7˚C	2,1˚C	2,5˚C	3,2˚C	3.4˚C
Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

Stainless Steel Pans

1,6˚C	1,9˚C	2,4˚C	3,3˚C	3.4˚C
Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · SHIPPED BY PARCEL · 2 YEAR PRORATED WARRANTY · STACKABLE · FIT FOR FOOD · FOODSAFETY

Camview GN Food Pans, Lids, and Drain Shelf

BPA FREE

Meets Gastronorm GN food pan specifications EN-631-1.

Drain Shelves
Keeps products out of liquids and promotes drainage.

Cover with Handle
Deep molded handle provides secure grip.

Flat Cover
Available in all pan sizes.

Notched Cover with Handle
Notched cover allows utensils to remain in pan and off of potentially contaminated counters.

	CONFIGURATIONS	CODE	DEPTH	CAPACITY/DESCRIPTION
	GN1/1 32,5 x 53 cm	12CV1	6,5 cm	8,5 L
		14CV1	10 cm	13,0 L
		16CV1	15 cm	19,5 L
		18CV1	20 cm	25,6 L
		10CV1D	—	Drain shelf
		10CV1C	—	Cover with Handle
	GN1/2 26.5 x 32.5 cm	22CV1	6,5 cm	3,9 L
		24CV1	10 cm	5,9 L
		26CV1	15 cm	8,9 L
		28CV1	20 cm	11,7 L
		20CV1D	—	Drain shelf
		20CV1CH	—	Cover with Handle
	GN1/3 17,6 x 32,5 cm	32CV1	6,5 cm	2,4 L
		34CV1	10 cm	3,6 L
		36CV1	15 cm	5,3 L
		38CV1	20 cm	6,9 L
		30CV1D	—	Drain shelf
		30CV1CH	—	Cover with Handle
	GN1/4 16,2 x 26,5 cm	42CV1	6,5 cm	1,7 L
		44CV1	10 cm	2,5 L
		46CV1	15 cm	3,7 L
		40CV1D	—	Drain shelf
		40CV1CH	—	Cover with Handle
	GN1/6 16,2 x 17,6 cm	62CV1	6,5 cm	1 L
		64CV1	10 cm	1,5 L
		66CV1	15 cm	2,2 L
		60CV1D	—	Drain shelf
		60CV1CH	—	Cover with Handle
	GN1/9 10,8 x 17,6 cm	92CV1	6,5 cm	0,57 L
		94CV1	10 cm	0,85 L
		90CV1D	—	Drain shelf
		90CWC	—	Flat Cover

In-Stock Colors: Clear (335)

Case Pack: 6

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · SHIPPED BY PARCEL · 2 YEAR PRORATED WARRANTY · STACKABLE · FIT FOR FOOD · FOODSAFETY

Translucent GN Food Pans and Drain Shelves

BPA FREE

- An economical choice for storing food.
- Translucent polypropylene material provides content visibility and high chemical resistance.
- Withstands temperature ranges from -40˚C to 85˚C.
- Non-stick smooth interior surface promotes easy cleaning.

	CONFIGURATIONS	CODE	DEPTH	CAPACITY/DESCRIPTION
	GN1/1 32,5 x 53 cm	12PP	6,5 cm	8,5 L
		14PP	10	13
		16PP	15	19,5
		18PP	20	25,6
		10PPD	Drain Shelf	—
	GN1/2 26,5 x 32,5 cm	22PP	6,5	3,9
		24PP	10	5,9
		26PP	15	8,9
		28PP	20	11,7
		20PPD	Drain Shelf	—
	GN1/3 17,6 x 32,5 cm	32PP	6,5	2,4
		34PP	10	3,6
		36PP	15	5,3
		38PP	20	11,7
		30PPD	Drain Shelf	—
	GN1/4 16,2 x 26,5 cm	42PP	6.5	1,7
		44PP	10	2,5
		46PP	15	3,7
		40PPD	Drain Shelf	—
	GN1/6 16,2 x 17,6 cm	62PP	6,5	1,5 L
		64PP	10	2,2 L
		66PP	15	Seal Cover
		60PPD	Drain Shelf	—
	GN1/9 10,8 x 17,6 cm	92PP	6,5	0,57
		90PPCWSC	10	0,85
		90PPD	Drain Shelf	—

Case Pack: 6 **Color:** Translucent (190). **In-Stock Color:** Translucent (190).

Meets Gastronorm GN food pan specifications EN-631-1.

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · FIT FOR FOOD · 2 YEAR PRORATED WARRANTY · SHIPPED BY PARCEL · FOODSAFETY

Translucent GN Food Pan Lids

BPA FREE

60PPCH

Cover with Handle
Deep molded handle gives secure grip. Available for all food pan sizes except 1/9.

60PPCHN

Notched Cover with Handle
Easy access for ladles or spoons. Available for 1/3 and 1/6 food pans.

60PPCWSC

Seal Cover
Designed to fit Camview and translucent food pans, Seal Covers feature an inner seal that provides superior spill resistance and extends shelf life up to 3 days. Available for all food pan sizes.

Lids for Translucent GN Food Pans

FITS PAN	CODE	DESCRIPTION
GN1/1 32,5 x 53 cm	10PPCWSC	Seal Cover
	10PPCWSCT6C	Seal Cover Multi-Pack
GN1/2 26,5 x 32,5 cm	20PPCH	Cover with Handle
	20PPCWSC	Seal Cover
	20PPCWSCT6C	Seal Cover Multi-Pack
GN1/3 17,6 x 32,5 cm	30PPCH	Cover with Handle
	30PPCWSC	Seal Cover
	30PPCWSCT6C	Seal Cover Multi-Pack
GN1/3 17,6 x 32,5 cm	40PPCH	Cover with Handle
	40PPCWSC	Seal Cover
	40PPCWSCT6C	Seal Cover Multi-Pack
GN1/6 16,2 x 17,6 cm	60PPCH	Cover with Handle
	60PPCWSC	Seal Cover
	60PPCWSCT6C	Seal Cover Multi-Pack
GN1/9 10,8 x 17,6 cm	90PPCWSC	Seal Cover
	90PPCWSCT6C	Seal Cover Multi-Packr

Case Pack: 6

Seal Cover Colors: Translucent (190), SafeTrak Red (544), SafeTrak Blue (545), SafeTrak Green (546), SafeTrak Yellow (547), SafeTrak Purple (548).



LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · FIT FOR FOOD · SHIPPED BY PARCEL · FOODSAFETY

Color-Coded SafeTRAK™ GN Food Pans

BPA FREE

The most hygienic way to label, store & serve

6 LID COLORS

6 SIZES
GN 1/1 to GN 1/9

Built-In Labeling for Safer Storage

- Made from FDA-approved, BPA, BPS, and PFAS free material.
- Meets Worldwide Gastronorm (GN EN 631-1) food pan specifications.
- Translucent material provides content visibility and high chemical resistance.
- Available in 6 sizes.
- Six color-coded lids are available for every container size, matching the food types shown on the label.

SafeTrak Pen

Won't smudge during use.
Comes off when washed.

STP

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · FIT FOR FOOD · FOODSAFETY

Translucent GN Food Pan Lids

BPA FREE

Eliminate waste, reduce risk, & simplify compliance.

- Translucent GN pans made from FDA-Approved, BPA-, BPS-, and PFAS-free material provide at-a-glance visibility, delivering reliable performance across storage, preparation, and service applications.
- Permanently molded-in label will never peel, fade, or smudge.
- HACCP-compliant design allows you to write key traceability information straight onto the pan or safe and consistent food tracking.
- 6 Color-Coded Seal Covers help prevent cross-contamination by clearly identifying food types.

CONFIGURATIONS	PRODUCT CODE	PAN DEPTH (cm)	CAPACITY (L)
 GN 1/1 32,5 x 53 cm	12PPT	6,5	8,5
	14PPT	10	13
	16PPT	15	19,5
	18PPT	20	25,6
	10PPCWSC	–	Seal Cover
	10PPCWSCT6C	–	Seal Cover Multi-Pack
 GN 1/2 26,5 x 32,5 cm	22PPT	6,5	3
	24PPT	10	5,9
	26PPT	15	8,9
	28PPT	20	11,7
	20PPCWSC	–	Seal Cover
	20PPCWSCT6C	–	Seal Cover Multi-Pack
 GN 1/3 17,6 x 32,5 cm	32PPT	6,5	2,4
	34PPT	10	3,6
	36PPT	15	5,3
	38PPT	20	6,9
	30PPCWSC	–	Seal Cover
	30PPCWSCT6C	–	Seal Cover Multi-Pack
 GN 1/4 16,2 x 26,5 cm	42PPT	6,5	1,7
	44PPT	10	2,5
	46PPT	15	3,7
	40PPCWSC	–	Seal Cover
	40PPCWSCT6C	–	Seal Cover Multi-Pack
 GN 1/6 16,2 x 17,6 cm	62PPT	6,5	1
	64PPT	10	1,5
	66PPT	15	2,2
	60PPCWSC	–	Seal Cover
	60PPCWSCT6C	–	Seal Cover Multi-Pack
 GN 1/9 10,8 x 17,6 cm	92PPT	6,5	0,57
	94PPT	10	0,85
	90PPCWSC	–	Seal Cover
	90PPCWSCT6C	–	Seal Cover Multi-Pack

Case Pack: 6 **Food Pan Color:** Translucent (190).

Seal Cover Colors: Translucent (190), SafeTrak Red (544), SafeTrak Blue (545), SafeTrak Green (546), SafeTrak Yellow (547), SafeTrak Purple (548).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · FIT FOR FOOD · FOODSAFETY

H-Pan™ High Heat GN Food Pans and Lids

BPA FREE

190°C

-40°C

Withstands temperatures from **-40°C** to **190°C**

ONE PAN THAT DOES IT ALL

GOES FROM...

PREP > OVEN > FREEZER > MICROWAVE > STEAM TABLE

Pan edges are COOL to the touch for safe handling.

- Reduce handling and save expenses with one pan that can go from prep to cooler to oven to steam table.
- Gastronorm dimensions to fit in standard prep tables.
- Unlike metal pans, H-pans are safe for use in microwave ovens.
- Ideal for heated carts, steam tables and chafing dishes.
- Withstands temperatures from -40°C to 190°C.

Meets Gastronorm GN food pan specifications EN-631-1.

LISTED BY NSF INTERNATIONAL | DISHWASHER SAFE | 2 YEAR PRORATED WARRANTY | STACKABLE | FIT FOR FOOD | SHIPPED BY PARCEL | FOODSAFETY

H-Pan™ High Heat GN Food Pans, Lids, and Drain Shelves

BPA FREE

Drain Shelf
Supports product and promotes drainage. Available to fit all food pan sizes.

Flat Cover
Available in all pan sizes.

Cover with Handle
Deep molded handle provides secure grip.

Notched Cover with Handle
Notched cover allows utensils to remain in pan and off of potentially contaminated counters.











CONFIGURATIONS	CODE	DEPTH	CAPACITY/DESCRIPTION
GN 1/1 32,5 X 53 cm	12HP	6,5 cm	8,5 L
	14HP	10 cm	13 L
	16HP	15 cm	19,5 L
	10HPD	—	Drain Shelf
	10HPC	—	Flat Cover
	10HPCH	—	Cover w/ Handle
GN 1/2 Long 16,5 x 53 cm	22LPHP	6,5 cm	3 L
	24LPHP	10 cm	5 L
GN 1/2 26,5 x 32,5 cm	22HP	6,5 cm	3,9 L
	24HP	10 cm	5,9 L
	26HP	15 cm	8,9 L
	20HPD	—	Drain shelf
	20HPC	—	Flat Cover
	20HPCH	—	Cover w/ Handle
GN 1/3 17,6 x 32,5 cm	32HP	6,5 cm	2,4 L
	34HP	10 cm	3,6 L
	36HP	15 cm	5,3 L
	30HPD	—	Drain shelf
	30HPC	—	Flat Cover
	30HPCH	—	Cover w/ Handle
	30HPCHN	—	Notched Cover w/ Handle
GN 1/6 16,2 x 17,6 cm	64HP	10 cm	1,5 L
	66HP	15 cm	2,2 L
	60HPD	—	Drain shelf
	60HPC	—	Flat Cover
	60HPCH	—	Cover w/ Handle
	60HPCHN	—	Notched Cover w/ Handle

32HP1H

32HP2H

CONFIGURATIONS	CODE	DESCRIPTION	DEPTH
GN1/3 17,6 x 32,5 cm	32HP1H	Single Handle	6,5 cm
	32HP2H	Double Handle	6,5
	34HP1H	Single Handle	10
	34HP2H	Double Handle	10

Case Pack: 6

All Covers: Amber (150).

CEL In-Stock

10HPD, 14HP, 16HP, 20HPD, 32HP, 34HP, 30HPD, 36HP, 60HPD, 64HP, 66HP: (150).
22LPHP, 24LPHP: (110).
32HP1H, 32HP2H, 34HP1H, 34HP2H: (110).

H-Pan™ High Heat Measuring Cups

- Use to heat liquids or sauces in the microwave, collect hot water from a dispenser, fill steam tables or chafing dishes or rehydrate food products.
- Withstands temperatures ranging from -40˚ to 190˚C.
- Will not crack or shatter from regular use with hot liquids/ingredients.
- Molded-in standard and metric graduations ensure accuracy and will hold up to the rigors of foodservice.
- Molded-in handle is positioned for both comfort and safety, and stays cool to the touch out of the microwave or oven.
- Optional Splatter-Proof Cover fits both 2 and 4 L measuring cups.

CODE	DESCRIPTION	DIMENSIONS H x DIA.
200MCH	2 L Measuring Cup	16,2 x 19,4 cm
400MCH	4 L Measuring Cup	26,4 x 19,4
MCCH	Optional Lid for 200MCH & 400MCH	

Case Pack: 1

Color: Amber (150).

CEL In-Stock

200MCH, 400MCH, MCCH: (150).

400MCH

200MCH with Cover

DISHWASHER SAFE

SHIPPED BY PARCEL

StoreSafe® Food Rotation Labels

- Label and adhesive dissolve in less than 30 seconds.
- Run under hot or cold water or through the dishwasher.
- Safe for all sewer and septic systems and will not build up in drains.
- Withstands freezing temperatures as low as -40˚C.
- Withstands high heat temperatures up to 93˚C for 4 hours.
- Microwave safe.
- Leaves behind no sticky residue which can be a breeding ground for bacteria.
- Assists in a proper First In First Out (FIFO) food storage system.
- 100% dissolvable and biodegradable.

1252SLB250

CODE	PRODUCT DESCRIPTION
Bulk Dispenser Pack – Half Size Labels	
1252SLB250	24 rolls, 250 labels per roll
1252SLINB250	24 rolls, 250 labels per roll
Bulk Dispenser Pack	
23SLB250	24 rolls, 250 labels per roll, English Instructions
23SLB6250	6 rolls, 250 labels per roll,
Bulk Dispenser Pack – Blank Labels	
23SLINB250	24 rolls, 250 labels per roll

CEL In-Stock

1252SLB250, 1252SLINB250, 23SLB250, 23SLB6250, 23SLINB250: (000).

SHIPPED BY PARCEL

FOODSAFETY

Pizza Dough Boxes

BPA FREE

- Ideal for storing, transporting, proofing and cooling dough.
- Lightweight, durable, and impact resistant.
- Chemical resistant material won't absorb odors and is easy to clean.
- Boxes nest tightly together to keep out dirt and contaminants, extending product freshness.
- Each box acts as a tight lid for the box below, reducing the need and expense of covers.
- Withstands temperatures from -40°C to 70°C.

CODE	EXTERNAL DIMENSIONS	INTERNAL DIMENSIONS
Polyethylene Pizza Dough Box		
DB60407	40 x 60 x 7 cm	36,5 x 56,5 x 6,5 cm
DB604010	40 x 60 x 10	36,5 x 56,5 x 9,5
Polyethylene Cover		
DB6040C	40 x 60 cm	

Color: White (148).

Case Pack: 6

CEL In-Stock

DB60407, DB604010, DB6040C: (148).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · STACKABLE · FIT FOR FOOD · SHIPPED BY PARCEL · FOODSAFETY

Polyethylene Food Storage Boxes

BPA FREE

- Extend the freshness of ingredients and eliminate points of cross contamination by transferring product into food boxes at the receiving dock.
- A safe solution for storing bulk fruits and vegetables.
- Withstands temperatures -40°C to 99°C and come with a 2-year pro-rated warranty.
- Stain, acid and odor resistant, Boxes are dishwasher safe and NSF Listed.

182615P

18269P

1826CCW

CODE	CAPACITY	CASE PACK
PE Boxes		
18269P	49,2 cm	6
182615P	83,3	3
Polycarbonate Covers		
1826CP Flat Lid	45,7 x 66	6

CEL In-Stock

18269P, 182615P, 1826CP: (148).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · SHIPPED BY PARCEL · STACKABLE · YEAR PRORATED WARRANTY · FIT FOR FOOD · FOODSAFETY

Camshelving® Series Buyers Guide

When we say Shelving for Life, we mean it. All Camshelving® storage systems are designed to withstand the toughest conditions and the harshest environments. With our lifetime warranty against rust and corrosion, only Cambro offers SHELVING for LIFE™.

Cambro storage and transportation products that support safe food handling.

Products that meet the NSF International criteria for sanitation and cleanability.

Products that help meet HACCP guidelines.

Products Approved by Technischer Uberwachungs-Verein

DISHWASHER SAFE

FIT FOR FOOD

Cadmium-free products

Recyclable polypropylene

camguard
ANTIMICROBIAL SHELF PLATES

Antimicrobial protection permanently molded into shelf plates to inhibit the growth of mold, fungus and bacteria.

Scan QR Code

Scan to view "Camshelving Configurator" online and download PDF version.

Scan to view "Camshelving Spec Book (Europe)" online and download PDF version.

Camshelving® Series Buyers Guide

All Camshelving lines offer a lifetime warranty against rust and corrosion for shelf plates, posts and traverses.

PRODUCT LINE	PREMIUM SERIES	BASICS PLUS SERIES
Shelf Depths	300, 400, 500, 600 mm	360, 460, 540, 610 mm
Shelf Lengths	610, 765, 915, 1070, 1220, 1375, 1525, 1830 mm	765, 915, 1070, 1220, 1375, 1525mm
Post Heights	Stationary: 1700, 1800, 2140 mm Mobile: 1790 mm (includes casters)	Stationary: 1630, 1830, 2140 mm
Weight-Bearing Capacity Premium (based on 680 - 1280 mm length) Basics Plus (based on 765 - 1220 mm length)	Stationary Unit: 200 kg per shelf, 800 kg per unit. Mobile Unit: 340 kg per unit. Corner Unit: 200 kg per shelf, 810 kg per unit. (2 dunnage stands required)	Stationary Unit: 190 kg per shelf, 800 kg per unit. Corner Unit: 130 kg per shelf, 590 kg per unit. (2 dunnage stands required)
Shelf Plates	Features Camguard® antimicrobial.	Not interchangeable with Premium Series. Features Camguard antimicrobial.
Mobility	Available in Mobile and High Density Storage System.	Not available.
Assembly	Quickest and easiest to assemble and adjust due to molded-in dovetails.	Simple to assemble. Contains separate dovetails that must be attached to the post.

ACCESSORIES		
Bottom Shelf Dunnage Stand	√	√
Shelf Rails	√	√
Vertical Drying and Storage Cradle (Trays / Cutting Boards / Lids)	√	√
Dome Drying and Storage Cradle	√	√
Angled Drying and Storage Cradle	√	√
Ultimate #10 Can Rack	√	
Shelf Divider Panel	√	√
Shelf Divider Bar (for Food Pans or Food Boxes)	√	
Single Shelf Sheet Pan/Tray Rack	√	√
Single Shelf Security Cage	√	√
Full Wrap Security Cage	√	

Dunnage Racks

- Keep frozen, cold or dry inventory safely off the floor and away from contaminants.
- Lifts food 30 cm above the floor, compliant with HACCP guidelines.
- One-piece construction and sturdy legs provide strength and stability.
- Ideal for walk-in coolers and freezers or dry inventory.
- Easy to clean.

CODE	DIMENSIONS	LOAD CAPACITY
Slotted Top		
DRS300	30 x 53,3 x 76 cm	680 kg
DRS360	30 x 53,3 x 91,5 cm	680 kg
DRS480	30 x 53,3 x 122 cm	1360 kg
DRS600	30 x 53,3 x 152,5 cm	1360 kg

In-Stock Colors: Speckled Gray (480).

Case Pack: 1



Camlink®

Connectors to lock racks together for greater stability. Camlink fits all sizes. One free with every Dunnage Rack.

Color: Speckled Grey (480).

DRLNK

LISTED BY NSF INTERNATIONAL

STACKABLE

SHIPPED BY PARCEL

Camshelving Universal Storage Rack - Custom Drawer System

CUSTOMIZE TO MAXIMIZE

- Modular components, rail panels + brackets = customizable storage.
- Fits Camshelving Premium Series, and Basics Plus Series.

A Unique Way to Create

VERTICAL STORAGE

HOLDS EVERYTHING

food pans, boxes, sheet pans, trays, and even pizza dough boxes.



- Each rail set holds up to 13,6 kg. Maximum weight load is 54,4 kg. per storage section.
- Seven rails per panel, double sided with 5 cm rail spacing.
- Temperature tolerance -40˚C – 177°C.

CODE	DESCRIPTION	FITS SHELVING
For Premium® Series		
CSUNVR24	Starter Kit	600 mm Deep
CSUNVRA24	Add-On Kit	600 mm Deep

CODE	DESCRIPTION	FITS SHELVING
For Basics Plus® Series		
CBUNVR21	Starter Kit	540 mm Deep
CBUNVRA21	Add-On Kit	540 mm Deep
CBUNVR24	Starter Kit	610 mm Deep
CBUNVRA24	Add-On Kit	610 mm Deep

Starter Kit: 2 Rail Panels, 8 Panel Bracket Sets, 8 Traverse Brackets, 8 Hex Head Bolts.

Add-On Kit: 1 Rail Panel, 4 Panel Bracket Sets, 4 Traverse Brackets, 4 Hex Head Bolts.

Color: Brushed Graphite (580).

CEL In-Stock

All Universal Storage Racks: (580).

LISTED BY NSF INTERNATIONAL

FOODSAFETY

CAMSHELVING

Mobile Pan Trolleys

EXPERIENCE THE ULTIMATE

Upgrade Your Kitchen with Rust-Free, Easy-to-Maneuver, and High-Performance Trolleys

Say goodbye to bent rails, rusty casters, and maneuverability challenges with our innovative range of trolleys.
Built to last and enhance your kitchen workflow, these state-of-the-art trolleys offer unparalleled durability and efficiency,
making them an essential addition to any foodservice operation.

60 X 40 CM PAN TROLLEY

- Full-size holds up to 18 each 60 x 40 cm pans
- Half-size holds up to 9 each 60 x 40 cm pans

NEW Extended Rail Slides
Hold 60 x 40 cm
Bakery Sheet Pans or
60 x 40 cm Food Pans!

GN 1/1 FOOD PAN TROLLEY

Standard Capacity

- Full-size holds up to 18 GN 1/1, 6,5 cm deep pans
- Half-size holds up to 9 GN 1/1, 6,5 cm deep pans

GN 2/1 FOOD PAN TROLLEY

High-Volume Capacity

- Full-size holds up to 36 GN 1/1, 6,5 cm deep pans
- Half-size holds up to 18 GN 1/1, 6,5 cm deep pans

Mobile Pan Trolleys

GN 1/1 FOOD PAN TROLLEYS

(STANDARD CAPACITY) 1 Food Pan per Rail Set

CODE	UGNPR11F18	UGNPR11H9
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	18 GN 1/1 Food Pans	9 GN 1/1 Food Pans
DIMENSION D x W x H	73,03 x 43,8 x 170,7 cm	73,03 x 43,8 x 101,6 cm
WEIGHT-BEARING CAPACITY 18 kg per Rail Set	340 kg	170 kg

Casters: 4 each 12.7 cm swivel casters with total locking brake.
Color: Speckled Gray (480).

GN 2/1 FOOD PAN TROLLEYS

(HIGH-VOLUME CAPACITY) 2 Food Pans per Rail Set

CODE	UGNPR21F36	UGNPR21H18
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	36 GN 1/1 Food Pans	18 GN 1/1 Food Pans
DIMENSION D x W x H	83,5 x 64,5 x 170,7 cm	83,5 x 64,5 x 101,6 cm
WEIGHT-BEARING CAPACITY 36 kg per Rail Set	340 kg	170 kg

Casters: 4 each 12,7 cm swivel casters with total locking brake.
Color: Speckled Gray (480).

PAN STOPS

UGNPRPSF480
For Full Size Trolleys
66,3 x 47,2 x 154,4 cm

UGNPRPSH480
For Half Size Trolleys
78,7 x 67,9 x 154,4 cm
Color: Speckled Gray (480).

TRANSPARENT COVERS

GBVC11F
For Full Size GN 1/1 Trolley

GBVC21F
For Full Size GN 2/1 Trolley

INSULATED COVERS

GBIC11F
For Full Size GN 1/1 Trolley

GBIC21F
For Full Size GN 2/1 Trolley

CEL In-Stock

UGNPR11F18, UGNPR11H9, UGNPR21F36, UGNPR21H18: (480).

LISTED BY NSF INTERNATIONAL

FOODSAFETY

Mobile Pan Trolleys

UPR6040XF18 UPR6040XH9

60 x 40 CM PAN TROLLEYS

CODE	UPR6040XF18	UPR6040XH9
DESCRIPTION	Full Size Trolley	Half Size Trolley
HOLDING CAPACITY	(18) 60 x 40 cm Pans	(9) 60 x 40 cm Pans
DIMENSION D x W x H	52 x 70 x 171 cm	52 x 70 x 101,5 cm
WEIGHT-BEARING CAPACITY 18 kg per Rail Set	340 kg	170 kg

Casters: 4 each 12,7 cm swivel casters with total locking brake.
Color: Speckled Gray (480).

PAN STOPS

- Locks in place to secure pans on rails, especially during transport.
- Available for full and half size trolleys. Quick and easy to install.

UGNPRPSF
For Full Size Trolleys

UGNPRPSH
For Half Size Trolleys

Color: Speckled Gray (480).

TRANSPARENT COVERS

- Protect contents held/ staged in kitchens, coolers, or freezers.

GBVC6040
For Full Size
60 x 40 cm Trolley

INSULATED COVERS

GBIC6040
For Full Size
60 x 40 cm
Trolley

CEL In-Stock

UPR6040XF18, UPR6040XH9: (480).

LISTED BY NSF INTERNATIONAL

FOODSAFETY

Camtainers® - Insulated Beverage Servers

- Heavy duty insulated server will keep drinks safely chilled or piping hot for 4+ hours without electricity.
- Sturdy latches secure lids tightly and will never rust.
- Interlock and stack units for easy transporting and maximize storage space.
- Ideal for catering and outdoor events.

500LCD

250LCD

Stack units on riser to fill large cups or save room.

Recessed Faucet

Accommodates larger cups. Allows even dispensing and eliminates drips. Two positions: One for continuous pouring and one for individual dispensing.

Molded-in Metal Backing Plates

Prevents latches from breaking away from the container.

CODE	CAPACITY	210 ML SERVINGS	DIMENSIONS D x W x H
Beverage Containers			
100LCD	3,8 L	18	29 x 26,5 x 44 cm
250LCD	9,4 L	45	42 x 23 x 46,7
500LCD	17,9 L	91	42 x 23 x 62
Soup Containers (No Spigot)			
350LCD	13,2 L	64	42 x 23 x 47

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158).

CEL In-Stock

100LCD: (401).

250LCD, 350LCD, 500LCD: (157), (401).

Ultra Camtainers®

CODE	CAPACITY	210 ML SERVINGS	DIMENSIONS D x W x H
UC250	10,4 L	50	42,5 x 30 x 50 cm
UC500	19,9 L	94	42,5 x 30 x 68
UC1000	39,7 L	192	52 x 41,5 x 65,5

UC1000 UC500 UC250

Case Pack: 1

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131),Brick Red (402), Green (519), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194).

CEL In-Stock

UC250, UC500: (110), (191), (401). UC1000: (110), (401).

LISTED BY NSF INTERNATIONAL | DISHWASHER SAFE | STACKABLE | FIT FOR FOOD | SHIPPED BY PARCEL | FOODSAFETY

Camcarrier® UPC400

- Superior performance: Camcarriers keep food hot or cold for up to 4 hours without electricity.
- Polyurethane foam insulation improves temperature maintenance and allows for a safe exterior compared to hot metal cabinets.
- Durable construction will never dent, rust, chip, or break.
- Ergonomic molded-in handles are located on top sides to provide safe and easy lifting and transporting.
- Units are stackable and can be placed on a dolly.

UPC400

TRANSPORT CAPACITY GN 1/1 FOOD PANS



6 x 6.5 cm Deep 51,0 L | 4 x 10 cm Deep 52,0 L | 3 x 15 cm Deep 58,5 L | 2 x 20 cm Deep 51,2 L

FOOD TEMPERATURE RETENTION

Hot



Cold



CODE	DESCRIPTION	CAPACITY	EXTERIOR DIMENSIONS L x W x H	INTERIOR DIMENSIONS W x D x H
UPC400	Ultra Pan Carrier	57 L	62 x 42,5 x 57 cm	34 x 53,5 x 49 cm

Case Pack: 1

Colors: Slate Blue (401), Speckled Grey (480), Dark Brown (131)

CEL In-Stock

UPC400: (480), (401).

	400DIV	HP3253	CP3253	CDC400	CD400
CODE					
DESCRIPTION	ThermoBarrier	Camwarmer	Camchiller	Camdolly	Camdolly
SIZE	54 x 33 x 3,8 cm	53 x 32,5 x 3 cm	53 x 32,5 x 3 cm	71 x 51 x 16,7 cm	71 x 53,5 x 23 cm
COLOR	Grey (180)	Fire Red (444)	Glacier Blue (443)	Hot Red (158)	Black (110).

CEL In-Stock

UPCS400: (480), (401). CP3253: (443). HP3253: (444). 400DIV: (180). CD400: (401), (110). UPC300: (110), (401).

Scan here to view Equipment Guide

LISTED BY NSF INTERNATIONAL | STACKABLE | FIT FOR FOOD | SHIPPED BY PARCEL | FOODSAFETY

Cam GoBox® Insulated Carriers - Top Loaders

GN Top Loaders

LINE YOUR CAM GOBOX
With a Cambro GN Food Pan and Seal Cover for the ultimate food safety solution. Cambro GN pans protect food and carrier to support HACCP compliance.

A BUILT-IN LABEL AREA
Keeps optional plastic menu tags in place for easy content identification or routing. StoreSafe® Labels can also be used with Cam GoBoxes.

CAM GOBOXES
Inter-stack and also stack with major competitive brands.

GN Top Loader – Large Handles

OPTIONAL INSERT KIT
For an additional cold boost, use with optional Camchiller® Insert Kit EPPCTLPKG.
Built-in cut-outs support cold transfer while protecting food from condensation.

ERGONOMIC HANDLES
Comfortable handles allow easy and safe lifting of the EPP180LH GoBox.

EASY LOADING AND UNLOADING
Interior wall recesses make loading and unloading easy for both GN 1/1 as well as GN 1/2 Food Pans. Straight interior walls allow room for stacking pans inside carrier.

EPP140 EPP160 EPP180 EPP180XS EPP180X EPP180XL EPP180XLT

CODE	DESCRIPTION	EXTERIOR DIM. (D x W x H)
Cam GoBox Top Loaders		
EPP140	EPP Top Loader for 10 cm GN pan	60 x 40 x 20,7 cm
EPP160	EPP Top Loader for 1X5 cm GN pan	60 x 40 x 25,7 cm
EPP180	EPP Top Loader for 20 cm GN pan	60 x 40 x 31,6 cm
EPP180LH	EPP Top Loader Large Handle Carrier for 20 cm GN Pan	68 x 40 x 32,1 cm
Cam GoBox Beverage GN Top Loaders		
EPP180XS	For Disposable Sealed Dishes, GN and Gelato pans (13,8 cm deep)	61 x 43 x 20,7 cm
EPP180X	For Disposable Sealed Dishes, GN and Gelato pans (20,5 cm deep)	61 x 43 x 27 cm
EPP180XL	For Disposable Sealed Dishes, GN and Gelato pans (25 cm deep)	61 x 43 x 32 cm
EPP180XLT	For Disposable Sealed Dishes, GN and Gelato pans (32 cm deep)	61 x 43 x 39 cm

Case Pack: 1

CEL In-Stock

Black (110).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · STACKABLE · FIT FOR FOOD · 100% Recyclable · FOODSAFETY

Cam GoBox® Insulated Carriers - GN Front Loaders

4-SIDED HANDLING
Thoughtfully designed built-in handles along the top of front loading models allow them to be easily carried from all four sides.

A BUILT-IN LABEL AREA
Keeps plastic menu tags (included with EPP300 and EPP400) in place for easy content identification or routing. StoreSafe® labels can also be used with Cam GoBoxes.

DRIP-RESISTANT
Built-in condensation barrier helps front loaders to remain drip-resistant.

GENTLE OPEN AND CLOSE
Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.

TEMPERATURE RETENTION
4+ hours

STACKABILITY
Cam GoBoxes inter-stack.

TEMPERATURE MAINTENANCE TOOLS
Cam GoBox front loading carriers are designed with enough room to hold GN 1/1 Food Pans along with a Camwarmer® or Camchiller®, if desired.

FULL 270˚ ACCESS
Durable hinges and latches allow the door to open 270˚ and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.

Note: Best results will be achieved by loading food pans between 82˚C to 88˚C. Loading metal food pans over 120˚C will result in damage to the carrier.

EPP300

EPP400

CODE	DESCRIPTION	EXTERIOR DIM. (D x W x H)
EPP300	Front Loader	64,5 x 44 x 47,5 cm
EPP400	Front Loader	64,5 x 44 x 62,5 cm

Case Pack: 1

CEL In-Stock

Black (110).

LISTED BY NSF INTERNATIONAL | DISHWASHER SAFE | STACKABLE | FIT FOR FOOD | 100% Recyclable | FOODSAFETY

Cam GoBox® Professional Grade Insulated Carriers

Cam GoBox Capacity Guide

EPP160 (GN 1/1)



EPP260 (GN 1/2)



EPP140 (GN 1/1)

EPP180 (GN 1/1) & EPP280 (GN 1/2)







EPP180S





Unique design allows inter-stacking, saving 30% storage space.

EPP300 (GN 1/1)



EPP400 (GN 1/1)



Foldable Cam GoBox®

- Lightweight and impact resistant.
- Foldable and stackable for efficient, space-saving storage.
- Holds four 6,35 cm deep GN Food pan or one 15,24 cm deep GN food pan.



UNI EN ISO 12571:1999



COLD TEMPERATURE HOLDING TEST

Holds Food below 4°C for 5 hours



Stackable	**Yes**
Color	**Black (110)**
Lid Color	**Black (110)**
Capacity	**34 L**
Wall Thickness	**25 mm**
Material Density	**50 g/L**
Vacuum Weight	**1,1 kg**

Weight and dimensions have a tolerance of +/-10%

Product Certifications

MOCA, regulation EU1935/2004 Black Color
REACH in compliance with REACH regulation n° 1907/2006
PFAS

CODE	DESCRIPTION	EXTERNAL DIM. L x W x H	INTERNAL DIM. L x W x H	WEIGHT	GN 1/1 FOOD PAN 15 CM DEEP
EPP160FD	Foldable Cam GoBox	600 x 400 x 225 mm (100 mm Height When Folded)	550 x 350 x 175 mm	1,1 kg	1
PALLET ITEM CODE					
EPP160FDPL	Pallet of 88 Units Folding EPP Boxes	1200 x 800 x 2205 (2355 mm Total Height with Pallet)	–	96,8	

Color: Black (110).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · STACKABLE · FIT FOR FOOD · 100% Recyclable · FOODSAFETY

Cam GoBox® Accessories

Camchiller®

CODE	CP2632	CP3253
SIZE	32,5 x 26,5 x 3,1 cm	53 x 32,5 x 3
DESCRIPTION	Camchiller® GN 1/2 cold plate	Camchiller® GN 1/1 cold plate

Camwarmer®

CODE	HP2632	HP3253
SIZE	26,5 x 32,5 x 3 cm	53 x 32,5 x 3
DESCRIPTION	Camwarmer® GN 1/2 hot plate	Camchiller® GN 1/1 hot plate

Camdolly®

CODE	CD3253EPP	CD4060EPP
SIZE	69,2 x 42,6 x 16,7 cm	71 x 51 x 16,7
DESCRIPTION	Camdolly® fits all GN 1/1 Cam GoBoxes	Camdolly® fits all EPP4060 GoBoxes

Cam GoBox® GN Extender

CODE	EPPEXT	EPP4060EXT	EPPFLID
SIZE	60 x 40 x 10 cm	68,7 x 48,7 x 10	60 x 40 x 4
DESCRIPTION	EPP Extender for all GN 1/1 Top Loaders	Extender for EPP4060 Top Loade	Flip Lid – For all EPP GN 1/1 Top Loaders

Cam GoBox® Rail Board and Divider



CODE	EPP180RB	EPP180RBD
SIZE	53,8 x 25,4 x 2,8 cm	30,6 x 25,4 x 1,9
DESCRIPTION	Railboard – for EPP180 - GN 1/1 Top Loaders	Divider – for EPP180 - GN 1/1 Top Loaders

Cam GoHeat™

CODE	CGH200WUK	CGH200WEU	CGH1W12VCAR
SIZE	49,5 x 28,5 x 1,2 cm	49,5 x 28,5 x 1,2	49,5 x 28,5 x 1,2
DESCRIPTION	Cam GoHeat 200W-230V UK	Cam GoHeat 200W-230V EU	Cam GoHeat 200W-12V-14,2V

Case Pack: 1

EPP180RB, EPP180RBD Color: Black (110).

Cam GoHeat Color: Silver (486).

CEL In-Stock

CP2632, CP3253: Glacier Blue (443). HP2632, HP3253: Fire Red (444).

CD3253EPP, CD4060EPP: Hot Red (158). EPPEXT, EPP4060EXT, EPPFLID, EPP180RB, EPP180RBD: Black (110).

CGH200WUK, CGH200WEU, CGH1W12VCAR: Silver (486).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · STACKABLE · FIT FOR FOOD · 100% Recyclable · FOODSAFETY

Cam GoBox® 4060 – Insulated Carrier

STACKABILITY
Cam GoBoxes inter-stack and also stack with major competitive brands.

EASY IDENTIFICATION
A built-in label area keeps plastic menu tags in place for easy content identification or routing. Dissolvable StoreSafe® Labels can also be used with Cam GoBoxes.

FULL 270˚ ACCESS
Durable hinges and latches allow the door to open 270˚ and remain open securely to the side of the front loader for easy access to products. Latches keep door securely closed during transport.

4-SIDED HANDLING
Thoughtfully designed, built-in handles along the top of the front loader units allow them to be easily carried from all four sides.

UNIQUE DESIGN
Compartment for cold chiller plate or hot plate is located on the inner back wall to prevent overhead condensation drips and to evenly distribute temperature throughout the carrier.

GENTLE OPEN AND CLOSE
Beveled door edges ensure door can be easily closed and latched. Durable latches for long term use.

DRIP-RESISTANT
Built-in condensation barrier helps front loaders to remain drip-resistant.

EPP4060FADJR

EPP4060FNR

EPP4060F6R

EPP4060F9R

EPP4060T200

EPP4060T300

CODE	DESCRIPTION	EXTERIOR DIM. (D x W x H)
EPP4060FADJR	Front loader with adjustable rails (EPP4060FNR + kit of 2 frames and 4 adjustable stainless steel rails)	77 x 54 x 68,7 cm
EPP4060FNR	Front loader without rail	77 x 54 x 68,7
EPP4060F6R	Front loader with 6 rails	77 x 54 x 68,7
EPP4060F9R	Front loader with 9 rails	77 x 54 x 68,7
EPP4060T200	Top loader, 20 cm deep	49 x 69 x 27
EPP4060T300	Top loader, 30 cm deep	49 x 69 x 37

Case Pack: 1 **Color:** Black (110).

CEL In-Stock

EPP4060FADJR, EPP4060FNR, EPP4060F6R, EPP4060F9R, EPP4060T200, EPP4060T300: (110).

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · STACKABLE · FIT FOR FOOD · 100% Recyclable · FOODSAFETY

Cam GoBox® Beverage Carriers & GN ½ Size Top Loaders

Designed to hold 12-750 mL. tall items such as wine bottles or 12-1,5 liter plastic bottles.

Comes with convenient, plastic carrying strap.

EPPBEVBKST EPPBEVRDST EPP280RDST EPP260 EPP280

CODE	DESCRIPTION	EXTERIOR DIM. (D x W x H)
EPPBEVBKST	EPP Beverage carrier with Black strap 35 L Capacity: 4 x GN 1/2 Food Pan (10 cm deep)	42 x 33,5 x 42 cm
EPPBEVRDST	EPP Beverage carrier with Red strap 35 L Capacity: 4 x GN 1/2 Food Pan (10 cm deep)	42 x 33,5 x 42
EPP280BKST	Top Loader for 20 cm GN 1/2 with Black strap	39 x 33 x 31,6
EPP280RDST	Top Loader for 20 cm GN 1/2 with Red strap	39 x 33 x 31,6
EPP260	Top Loader for 15 cm GN ½ pan	39 x 33 x 25,7
EPP280	Top Loader for 20 cm GN ½ pan	39 x 33 x 31,6

Case Pack: 1 **Color:** Black (110).

CEL In-Stock

EPPBEVBKST, EPPBEVRDST, EPP280BKST, EPP280RDST, EPP260, EPP280: (110).

Cam GoBox® Beverage Cup Holder

CODE	DESCRIPTION	EXTERIOR DIM. D x W x H
Cam GoBox Beverage Cup Holder		
EPPBEVH1	Single holder	11,4 x 32,5 x 12,5 cm
EPPBEVH2	Set of 2 holders	11,4 x 32,5 x 12,5
EPPBEVH5	Set of 5 holders	11,4 x 32,5 x 12,5

Case Pack: 1 **Color:** Black (110).

CEL In-Stock

EPPBEVH1, EPPBEVH2, EPPBEVH5: (110).

EPPBEVH1

LISTED BY NSF INTERNATIONAL · DISHWASHER SAFE · STACKABLE · FIT FOR FOOD · 100% Recyclable · FOODSAFETY

Camrack® 4-in-1 System

The Camrack® System will protect glassware and keep it clean until the next event, eliminating the need for rewashing.

1. Efficient Washing

Open inside compartments provide thorough circulation of water and cleaning solutions and promote quick and thorough drying. Long-lasting polypropylene Camracks are built to withstand chemicals and high temperatures up to 93°C.



2. Sanitary Storage

Closed outer walls keep fingers and contaminants out and reduce risk of breakage and injury. The Camrack cover and Camdolly make this system completely enclosed. Glassware stays clean when in storage, so operators will only have to wash items once.

3. Inventory Control

A variety of base rack colors help identify at a glance both contents and quantity per rack. Available in 10 colors.

4. Safe, Sanitary Transportation

Camracks can be transported across large campuses or to off-site locations in one single unit. Easy to grip handles and smooth overlapping sides facilitate safe handling.

Camrack Cover seals from the top and Camdolly seals from the bottom.



Camracks interstack with racks from major manufacturers.

HACCP
Products that help meet HACCP guidelines.

Store Safe
FOODSAFETY

NSF
LISTED BY NSF INTERNATIONAL

DISHWASHER SAFE

Camrack® Full Size Glass Racks For Stemware & Tumblers

Available in 7 compartment sizes and up to 12 different heights, there is a Camrack that will fit any type of stemware or tumbler.



Choose the correct Camrack:
1. Measure the maximum diameter of the glass (stemware or tumbler) to determine the number of compartments.
2. Measure the maximum height of the glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.

SPECS	CODE	MAXIMUM HEIGHT	RACK DIMENSIONS	CASE PACK
9 COMPARTMENT - MAXIMUM DIAMETER 14,9 cm				
	9S318	9,2 cm	500 x 500 x 143 mm	5
	9S434	13,3 cm	500 x 500 x 184 mm	4
	9S638	17,4 cm	500 x 500 x 225 mm	3
	9S800	21,5 cm	500 x 500 x 267 mm	2
	9S958	25,7 cm	500 x 500 x 308 mm	2
	9S1114	29,8 cm	500 x 500 x 349 mm	2
16 COMPARTMENT - MAXIMUM DIAMETER 11,11 cm				
	16S318	9,2 cm	500 x 500 x 143 mm	5
	16S418	11,4 cm	500 x 500 x 143 mm	5
	16S434	13,3 cm	500 x 500 x 184 mm	4
	16S534	15,5 cm	500 x 500 x 184 mm	4
	16S638	17,4 cm	500 x 500 x 225 mm	3
	16S738	19,6 cm	500 x 500 x 225 mm	3
	16S800	21,5 cm	500 x 500 x 267 mm	2
	16S900	23,8 cm	500 x 500 x 267 mm	2
	16S958	25,7 cm	500 x 500 x 308 mm	2
	16S1058	27,9 cm	500 x 500 x 308 mm	2
	16S1114	29,8 cm	500 x 500 x 349 mm	2
	16S1214	32 cm	500 x 500 x 349 mm	2

Base Rack In-Stock Colors:

110 Black · 119 Sherwood Green · 151 Soft Gray · 163 Red · 167 Brown · 168 Blue · 184 Beige · 186 Navy Blue · 414 Teal · 416 Cranberry

CEL In-Stock

All sizes: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416).

Camrack® Full Size Glass Racks For Stemware & Tumblers

CODE	CODE	MAXIMUM HEIGHT	RACK DIMENSIONS	CASE PACK
20 COMPARTMENT - MAXIMUM DIAMETER 9,84 cm				
	20S318	9,2 cm	500 x 500 x 143 mm	5
	20S418	11,4 cm	500 x 500 x 143 mm	5
	20S434	13,3 cm	500 x 500 x 184 mm	4
	20S534	15,5 cm	500 x 500 x 184 mm	4
	20S638	17,4 cm	500 x 500 x 225 mm	3
	20S738	19,6 cm	500 x 500 x 225 mm	3
	20S800	21,5 cm	500 x 500 x 267 mm	2
	20S900	23,8 cm	500 x 500 x 267 mm	2
	20S958	25,7 cm	500 x 500 x 308 mm	2
	20S1058	27,9 cm	500 x 500 x 308 mm	2
	20S1114	29,8 cm	500 x 500 x 349 mm	2
	20S1214	32 cm	500 x 500 x 349 mm	2
25 COMPARTMENT - MAXIMUM DIAMETER 8,7 cm				
	25S318	9,2 cm	500 x 500 x 143 mm	5
	25S418	11,4 cm	500 x 500 x 143 mm	5
	25S434	13,3 cm	500 x 500 x 184 mm	4
	25S534	15,5 cm	500 x 500 x 184 mm	4
	25S638	17,4 cm	500 x 500 x 225 mm	3
	25S738	19,6 cm	500 x 500 x 225 mm	3
	25S800	21,5 cm	500 x 500 x 267 mm	2
	25S900	23,8 cm	500 x 500 x 267 mm	2
	25S958	25,7 cm	500 x 500 x 308 mm	2
	25S1058	27,9 cm	500 x 500 x 308 mm	2
	25S1114	29,8 cm	500 x 500 x 349 mm	2
	25S1214	32 cm	500 x 500 x 349 mm	2

Base Rack In-Stock Colors:

110	119	151	163	167	168	184	186	414	414
Black	Sherwood Green	Soft Gray	Red	Brown	Blue	Beige	Navy Blue	Teal	Cranberry

CEL In-Stock

All sizes: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416).

Camrack® Full Size Glass Racks For Stemware & Tumblers

CODE	CODE	MAXIMUM HEIGHT	RACK DIMENSIONS	CASE PACK
30 COMPARTMENT - MAXIMUM DIAMETER 7,94 cm				
	30S318	9,2 cm	500 x 500 x 143 mm	5
	30S434	13,3 cm	500 x 500 x 184 mm	4
	30S638	17,4 cm	500 x 500 x 225 mm	3
	30S800	21,5 cm	500 x 500 x 267 mm	2
	30S958	25,7 cm	500 x 500 x 308 mm	2
	30S1114	29,8 cm	500 x 500 x 349 mm	2
36 COMPARTMENT - MAXIMUM DIAMETER 7,3 cm				
	36S318	9,2 cm	500 x 500 x 143 mm	5
	36S418	11,4 cm	500 x 500 x 143 mm	5
	36S434	13,3 cm	500 x 500 x 184 mm	4
	36S534	15,5 cm	500 x 500 x 184 mm	4
	36S638	17,4 cm	500 x 500 x 225 mm	3
	36S738	19,6cm	500 x 500 x 225 mm	3
	36S800	21,5 cm	500 x 500 x 267 mm	2
	36S900	23,8 cm	500 x 500 x 267 mm	2
	36S958	25,7 cm	500 x 500 x 308 mm	2
	36S1058	27,9 cm	500 x 500 x 308 mm	2
	36S1114	29,8 cm	500 x 500 x 349 mm	2
	36S1214	32 cm	500 x 500 x 349 mm	2
49 COMPARTMENT - MAXIMUM DIAMETER 6,2 cm				
	49S318	9,2 cm	500 x 500 x 143 mm	5
	49S434	13,3 cm	500 x 500 x 184 mm	4
	49S638	17,4 cm	500 x 500 x 225 mm	3
	49S800	21,5 cm	500 x 500 x 267 mm	2
	49S958	25,7 cm	500 x 500 x 308 mm	2
	49S1114	29,8 cm	500 x 500 x 349 mm	2

Base Rack In-Stock Colors:

110	119	151	163	167	168	184	186	414	414
Black	Sherwood Green	Soft Gray	Red	Brown	Blue	Beige	Navy Blue	Teal	Cranberry

CEL In-Stock

All sizes: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416).

Camrack® Base Rack

- Ideal for pots, pans, bowls and large prep service items, these base racks are available in standard size or with 1, 2 or 3 additional extenders.

BR578

CODE	DESCRIPTION	RACK DIMENSIONS	CASE PACK
Camrack® Base Rack			
BR258	FULL BASE RACK	50 x 50 x 10,1 cm	6
BR414	WITH 1 EXTENDER	50 x 50 x 14,3 cm	5
BR578	WITH 2 EXTENDERS	50 x 50 x 18,4 cm	4
BR712	WITH 3 EXTENDERS	50 x 50 x 22,5 cm	3

Base Rack In-Stock Colors:

110 Black | 119 Sherwood Green | 151 Soft Gray | 163 Red | 167 Brown | 168 Blue | 184 Beige | 186 Navy Blue | 414 Teal | 414 Cranberry

Extender In-Stock Color: Soft Gray (151).

CEL In-Stock

All sizes: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416).

Camrack® Peg Rack and Tray Rack

- The peg rack design accommodates plates, bowls, trays, plate covers, and other items of various sizes for efficient washing.
- Full Size peg racks are available in 9 x 9 and 5 x 9 row configurations with one extender.
- Open end tray racks allow for the easy placement and removal of trays of all lengths.
- 5x9 peg rack - 5 spacing configuration holds up to ten (25,4 cm) bowls, deep plates, platters or plate covers.
- 9x9 peg rack holds: Eighteen (25,4 cm) plates; Twelve (30,5 cm) plates; Twenty-seven (19 cm) plates or Nine (36 x 46 cm) trays.

	CODE	INSIDE RACK HEIGHT	OUTSIDE RACK HEIGHT	CASE PACK
9 X 9 PEG RACK	PR314	8,3 cm	10,1 cm	6
5 X 9 PEG RACK	PR59314	8,3 cm	10,1 cm	6
5 X 9 PEG RACK WITH 1 EXTENDER	PR59500	12,4 cm	14,3 cm	5
OPEN END TRAY RACK	OETR314	8,3 cm	10,1 cm	6

Color: Soft Grey (151).

CEL In-Stock

PR314, PR59314, PR59500, OETR314: (151).

Camrack® Flatware Rack and 8 Compartment Flatware Basket

- Designed to wash spoons, forks, knifes, and chopsticks.
- 8 Compartment Basket fits into a Full or Half Size Base Rack. Wire handles slide down for easy storage.
- Inside rack height of 8 Compartment Basket is 12 cm; Outside rack height is 18,4 cm.

	CODE	DESCRIPTION	RACK DIMENSIONS	CASE PACK
	FR258	FULL FLATWARE RACK	50 x 50 x 10,1 cm	6
	8FB434	8 COMPARTMENT HALF FLATWARE BASKET (With Handles)	45,7 x 19,7 x 18,4 cm	6
	8FBNH434	8 COMPARTMENT HALF FLATWARE BASKET (No Handles)	45,7 x 19,7 x 18,4 cm	6

Color: Soft Grey (151).

CEL In-Stock

FR258, 8FB434, 8FBNH434: (151).

Camrack® Extender ID Clips

- The industry's only 4-in-1 glassware management system just got even better!
- Made of ABS, these new clips are virtually unbreakable, and designed to withstand the high heat of commercial dishwashers.
- An economical and sustainable solution to discarding existing racks or labeling with markers, tape or wall placards.

CODE	DESCRIPTION
CECBE6	Beer
CECCF6	Champagne Flute
CECGO6	Goblet
CECJU6	Juice
CECMG6	Margarita
CECMT6	Martini
CECOF6	Old Fashion
CECRW6	Red Wine
CECWW6	White Wine
CECBL6	Blank ID Clip

Case Pack: 6 **Color:** (000).

CEL In-Stock

All ID Clips: (000).

Camrack® Glass Rack Component System

E1=Full Size Full Drop Extenders

E2=Full Size Half Drop Extenders

E3=Full Size Open Extender

E4=Full Size Full Drop Extender

E5=Full Size Half Drop Extender

CODE	DESCRIPTION	OVERALL DIMENSIONS
Full Size Base Racks		
BR258	Full Base Rack	500 x 500 x 101 mm
Full Size Base Cup Racks		
16C258	16-Comp. Full Cup Rack	500 x 500 x 101 mm
20C258	20-Comp. Full Cup Rack	500 x 500 x 101 mm
Full Size Drop Extenders		
9E1	9-compartment full drop extender	499 x 499 x 51 mm
16E1	16-compartment full drop extender	499 x 499 x 51 mm
20GE1	20-compartment full drop extender	499 x 499 x 51 mm
25E1	25-compartment full drop extender	499 x 499 x 51 mm
30GE1	30-compartment full drop extender	499 x 499 x 51 mm
36E1	36-compartment full drop extender	499 x 499 x 51 mm
49E1	49-compartment full drop extender	499 x 499 x 51 mm
Full Size Half Drop Extenders – E2 and GE2		
9E2	9-compartment half drop extender	499 x 499 x 51 mm
16E2	16-compartment half drop extender	499 x 499 x 51 mm
20E2	20-compartment half drop extender (for cups only)	499 x 499 x 51 mm
20GE2	20-compartment half drop extender	499 x 499 x 51 mm
25E2	25-compartment half drop extender	499 x 499 x 51 mm
30GE2	30-compartment half drop extender	499 x 499 x 51 mm
36E2	36-compartment half drop extender	499 x 499 x 51 mm
49E2	49-compartment half drop extender	499 x 499 x 51 mm
Full Size Open Extender – E3		
E3	Open extender	499 x 499 x 51 mm
Full Size Full Drop Extender – E4 and GE4		
16E4	16-compartment full drop extender	499 x 499 x 51 mm
20GE4	20-compartment full drop extender	499 x 499 x 51 mm
25E4	25-compartment full drop extender	499 x 499 x 51 mm
36E4	36-compartment full drop extender	499 x 499 x 51 mm

Base Rack Colors: Sherwood Green (119), Soft Grey (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*.

***Full Size Only. Base Cup Rack Color:** Soft Grey (151).

Extender Color: Soft Grey (151).

CEL In-Stock

E1, E2, E3, E4, E5, 16C258, 20C258: (151).
BR258: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416).

Camrack® Hold Down Grid

- Keeps lightweight smallwares in place during wash cycle. Use on full size Camrack base or Flatware rack.

CODE	GRID SIZE
CRPHDG2878	Full

Case Pack: 6

Color: Grey (000).

CEL In-Stock

CRPHDG2878: (000).

Camrack® Cover and Dolly

- Keep contaminants out and glassware and dinnerware clean by sealing the Camrack system at the top with a Camrack Cover.
- Use to transport anything from stacks of sheet pans to catering equipment.
- Reduce employee lifting and carrying, reducing the risk of possible injuries.
- Made of extremely durable plastic that will not dent, crack, rust or corrode.

DRC2020

CDR2020

CDR2020H

CODE	DESCRIPTION	DIMENSIONS
DRC2020	Full Rack Cover	50 x 50 x 2,4 cm
CDR2020	Camdolly	54,5 x 54,5 x 20,5 cm
CDR2020H	Camdolly with Handle	59,5 x 54,5 x 94 cm

Casters: 10 cm casters, 4 swivel, no brakes.

Case Pack: 1

CEL In-Stock

CDR2020, CDR2020H : Soft Grey (151).
DRC2020 : Gray (180).

Compact Adjustable Dish Caddy R-Series

- One-piece molded body made of highly durable polyethylene. Smooth surface and rounded corners are easy to keep clean.
- Four (4) each, plated casters, 2 swivel with brake and 2 rigid, with non-marking, highly durable, 3 cm polyurethane tread.
- Load bearing capacity 227 kg.

Safely store and transport plates from 11,7 to 33 cm.

† Note: Cannot be used to store square, rectangular or oval plates.

Storage Capacities

Dish stacking height 52 cm. Store up to 60 dishes per stack, based on dish type/style.

Save 20 % More Floor Space



Compared to the Cambro ADCs Model

Adjustable Towers

can accommodate almost any configuration, keeping your dishware secure during transport.

CODE	DESCRIPTION	PLATES PER COLUMN	EXTERIOR DIMENSIONS W x D x H:
Adjustable Dish Caddy R-Series			
ADCRC	4 Towers	Up to 60*	76 x 76 x 84 cm
ADCRC8PKG	8 Towers	Up to 60*	—
ADCRC12PKG	12 Towers	Up to 60*	—
ADCRCT4	4 Packages of 4 dividers		—

*Holding capacity based on plate size and style/design.
Colors: Black (110), Slate Blue (401)

CEL In-Stock

ADCRC, ADCRC8PKG, ADCRC12PKG, ADCRCT4: (110), (401).

Compact Adjustable Dish Caddy S-Series

- Hold plates up to 30,5 cm in diameter.
- The all around ergonomic handles and nonmarking swivel casters provide smooth 360° maneuvering.
- Four (4) each non-marking 12,7 cm swivel casters, all with brake.
- Choose from 4, 8 or 12 tower models based on plate size.
- One-piece construction made from smooth, highly durable, and easy-to-clean plastic.

Safely store and transport plates from 11,7 to 30,5 cm.

Vinyl Cover Included

Cover protects clean dishes and includes a 7,6 x 12,7 cm inventory/event identification label pocket.

Patented CamLever Tower

Lift lever from top to easily reposition tower, and then simply lock it in place.

Save 30% more floor space ADCSC vs. ADCS



CODE	DESCRIPTION	PLATES PER COLUMN	EXTERIOR DIMENSIONS W x D x H
ADCSC	With 4 Towers	Up to 60*	76 x 76 x 84 cm
ADCSC8PKG	With 8 Towers	Up to 60*	—
ADCSC12PKG	With 12 Towers	Up to 60*	—
ADCSCT4	4 Packages of 4 dividers		—

*Holding capacity based on plate size and style/design.

Colors: Black (110), Slate Blue (401), Speckled Grey (480), Dark Brown (131).

CEL In-Stock

ADCSC, ADCSC8PKG, ADCSC12PKG, ADCSCT4: (480).

LISTED BY NSF INTERNATIONAL

Standard Adjustable Dish Caddy

- Store one size dish or a combination of different sizes in a single caddy.
- Features easy-to-adjust column towers.
- Holding capacity: six storage columns hold 45-60 plates per stack.
- Plate sizes range from 11,7 to 33 cm.
- Easy to maneuver with ergonomic molded-in handles on both ends.

CODE	DESCRIPTION	EXTERIOR DIMENSIONS W x D x H
ADCS	With 6 Towers	73 x 96 x 81 cm

Case Pack: 1

CEL In-Stock

ADCS: (110), (480).

LISTED BY NSF INTERNATIONAL

Service Cart Pro

SC337

- Sleek, modern design with molded-in handles for compact storage.
- Durable shelves feature raised ridges to protect surface against heat.
- Raised 3,8 cm marine rail around top shelf helps to prevent items from slipping off.
- Optional accessories include a 30,3 L and 9,5 L Quick Connect Bin that securely slides and locks down onto molded-in dovetails positioned safely below the handles.

Quick-Connect Bins

QCSB **QCTB**

CODE	DESCRIPTION	TOTAL WEIGHT CAPACITY	INTERIOR SHELF DIMENSIONS L X W X H*	EXTERIOR SHELF DIMENSIONS L X W X H (WITH BOTH HANDLES)
SC337	Large Service Cart Casters: 2 Rigid, 2 swivel with brake	272 kg	87,1 x 55,1 x 25,8 cm	105,4 x 60,3 x 94,3 cm
SC337S	Large Service Cart Casters: 4 swivel with brake	272 kg	87,1 x 55,1 x 25,8 cm	105,4 x 60,3 x 94,3 cm

***Height between shelves:** 25,8 cm

CEL In-Stock

SC337: (615).

QCSB, QCTB: (110).

The items will not be airfreighted if out of stock.

KD Service Cart and KD Utility Cart

- Versatile, strong and durable.
- Lightly textured polypropylene shelves to reduce sliding.
- Camguard antimicrobial protection permanently molded into ergonomic handles to inhibit the growth of mold, fungus and bacteria.
- Stain resistant surface is easy to clean.
- Equipped with four rust-proof steel casters that swivel for easy maneuverability.
- Ships “knocked down” to minimize shipping costs.

BC340KD

BC331KD

CODE	DESCRIPTION	CASTER DIA./TYPE	OVERALL DIM. L X D X H	SHELF DIM. L X D X H	LOAD CAPACITY
BC340KD	Large Utility Cart	12,7 cm, 4 swivel, no brake	101,5 x 54 x 95 cm	80 x 52 x 29,8 cm	180 kg
BC331KD	Service Cart	10,2 cm, 4 swivel, no brake	83,5 x 41 x 96,5 cm	62 x 40 x 30 cm	136 kg

Case Pack: 1

Optional Accessories

	CODE	DESCRIPTION	DIM. W X D X H
	BC331KDTC	30 L Trash container	33 x 24 x 56 cm
	BC331KD	9,5 L Silverware holder	33 x 24 x 18,5 cm
	BC340KDP	Single Shelf Panel Set for KD Large Utility Cart 1 side, 2 ends	80,3 x 45 x 29,8 cm

Case Pack: 1

Cart And Shelf Panel Set Colors: Black (110), Speckled Grey (480).

Trash Container and Silverware Holder Color: Black (110).

CEL In-Stock

BC331KD, BC340KD, BC340KDP: (110), (480).

BC331KDTC, BC331KDSH: (110).

Versa Organizers

- Use to store non-perishable condiments, disposable ware and napkins.
- Made of seamless, one-piece polyethylene.
- Set on flat surface or wall mount each bin holds up to 4.5kg.
- Bins sold separately (5412CBP) or as combined packs.

6RS6

5412CBP

CODE	DESCRIPTION	DIMENSIONS W x D x H	CASE PACK
5412CBP	Bin only	13 x 30,5 x 11 cm	12
6RS6	Rack w/6 bins	51,1 x 48,8 x 24,1 cm	1

Bins Only Colors: Dark Brown (131), Black (110), Slate Blue (401), Speckled Grey (480).
Colors: Black (110), Speckled Grey (480).

Lugano® Tongs

BPA FREE

- Lugano Tongs offer elegant European styling and performance to meal service, with Cambro durability and design.
- Made from break and heat resistant materials with a temperature range of -40°C to 99°C.
- Lugano Tongs are recommended for use with Cambro serving bowls, market trays, and deli crocks to toss and serve hot or cold dishes.

CODE	LENGTH
Flat Grip Surface	
TG6	15 cm
TG9	23
Scalloped Grip Surface	
6TGS	15
9TGS	23
12TGS	30,5

Black (110)

White (148)

Case Pack: 12

CEL In-Stock

TG6, TG9, 6TGS, 9TGS, 12TGS: Black (110)
9TGS: White (148)

LISTED BY NSF INTERNATIONAL | DISHWASHER SAFE | SHIPPED BY PARCEL | 2 YEAR PRORATED WARRANTY

Deli Crocks & Covers

BPA FREE

- Prep, store and serve all in one with contemporary style at an economical price. Crocks and platter are made of SAN, making them impact, stain and chip resistant.
- Ideal for supermarket delis, sandwich shops, buffets and catered events.

CODE	DESCRIPTION	DIMENSIONS W x L x H	APPROX. CAPACITY
DC5	Crock	17,5 x 26 x 8 cm	2 L
DC10	Crock	26,5 x 33,5 x 8	4,6

Case Pack: 6
Colors: Clear (152), Black (110), White (148), Red (404).

CEL In-Stock

DC5, DC10: (110), (148).

Store Safe | DISHWASHER SAFE | SHIPPED BY PARCEL | STACKABLE

Access our Digital Catalog

Scan the QR code or visit
cambro.com/catalog

CAMBRO
TRUSTED DURABILITY

CAMBRO U.S.A.
TEL: 1(714) 848-1555
FAX: 1(714) 230-4375
international@cambro.com

CAMBRO EUROPE
TEL: (49) 7022 90 100 0
FAX: (49) 7022 90 100 19
cambrogermany@cambro.com

© Copyright Cambro Manufacturing Company
LITX26ESEURO

BPA FREE

EU

The Ultimate Food Storage Guide

One Source. Worldwide Manufacturing and Distribution.

CAMBRO®

TRUSTED DURABILITY

www.cambro.com

Trusted by Foodservice Professionals for Over 75 Years

Cambro leads the industry in commercial food storage innovation, offering the widest selection of BPA-free, food-safe solutions trusted worldwide. From Gastronorm (GN) Food Pans to Squares, Rounds, and Food Box containers, every Cambro product is engineered for superior safety, durability, and consistency. With global manufacturing and distribution, you can count on the same dependable Cambro quality wherever your kitchen operates. Discover your complete BPA-free food storage solution inside.

Quality and Performance

Foodservice operators all over the world believe deeply in the value of Cambro products to help them store, deliver and serve food safely to their customers.

"At Cambro, every product design decision is based upon the core principle of food safety."

Argyle Campbell – Owner & CEO,
Cambro Manufacturing

TABLE OF CONTENTS

GN Food Pan Product Reference Chart 4

Camview GN Food Pans & Lids 6-7

Translucent GN Food Pans & Lids 8-9

SafeTrak™ GN Food Pans & Color-Coded Seal Cover Multi-Pack 10-11

Seal Covers for Polypropylene GN Food Pans 12-13

H-Pan™ High Heat GN Food Pans & Colander Pan 14-15

H-Pan™ High Heat GN Food Pans with Handles & Lids 16-17

Translucent FreshPro CamSquares®, Seal Covers and Drain Shelves 18-21

Translucent FreshPro CamRouinds™, Pails with Bails, Seal Covers and Drain Shelves 22-23

Translucent FreshPro CamSquares® Mini & Seal Cover 24-25

Polyethylene Food Storage Boxes & Covers 26

Pizza Dough Boxes 27

Storage Select Materials Chart

Cambro Gastronorm (GN) Food Pans are designed to perform at every stage of foodservice, from storage rooms to prep tables, holding cabinets, and serving lines. Cambro GN Food Pans deliver consistent quality and compatibility with all standard GN systems. Whether manufactured in High Heat or Translucent materials, with in-mold-labeling or without, they are made from durable, BPA-free materials to ensure food safety, freshness, and efficiency at every step.

	Camview®	Polypropylene	H-Pan™ High Heat
USAGE	Ambient and cold	Ambient and cold	Ambient, cold and hot (microwave, oven, steam table and hot holding cabinet)
MATERIAL INFORMATION	BPA Free	BPA Free	BPA Free
TEMPERATURE RANGE	-40˚ to 90˚C	-40˚ to 85˚C	-40˚ to 190˚C
COLOR/CLARITY	Clear	Translucent	Amber
HIGH-TEMP COMMERCIAL DISHWASHER SAFE	✔	✔	✔
CHEMICAL RESISTANCE	High	High	High
IMPACT RESISTANCE	High	Moderate	High
STAIN RESISTANCE	Moderate	Moderate	High
SCRATCH RESISTANCE	Moderate	Moderate	Moderate

OTHER

NSF — Listed by NSF International, an independent, not-for-profit organization which certifies products that meet their criteria for sanitation and cleanability.

Dishwasher Safe

Stackable

Fit for Food Products

Personalization Available Non-Food Contact Areas Only.

One carton of product is within the weight and cube requirements to be shipped by parcel carrier.

GASTRONORM STANDARD EN-631

All Camview, Polypropylene and High Heat GN Food Pan are designed to CEN Gastronorm Standard EN 631-1.

GN Pan Sizes



Food Pan Depth in cm



Camview® GN Food Pans

BPA FREE

Store Safe

GASTRONORM STANDARD EN-631

Camview GN Food Pans are the BPA-free solution for clear visibility of the contents you serve. The robust, hard outer shell provides superior durability to be used in both hot and cold applications - from storage to transport and service.

Molded-in graduations in standard and metric for easy inventory management.

Uniform 1,27 cm flange ensures a smooth fit in prep tables and food bars.

Camview Food Pans are made from a BPA-Free material that provides clarity, stain-resistance, and withstands temperatures from -40˚ to 90˚C.

Won't react with food; minimizes potentially hazardous chemical or acidic reaction.

Textured bottoms resist scratching.

Non-stick smooth interior surface increases yields and promotes easy cleaning.



GN 1/1 32,5 x 53 cm

CODE	12CV	14CV	16CV	18CV	10CVD
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—
APPROX. CAPACITY	8,5 L	13 L	19,5 L	25,6 L	Drain shelf



GN 1/2 26,5 x 32,5 cm

CODE	22CV	24CV	26CV	28CV	20CVD
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—
APPROX. CAPACITY	3,9 L	5,9 L	8,9 L	11,7 L	Drain shelf



GN 1/3 17,6 x 32,5 cm

CODE	32CV	34CV	36CV	38CV	30CVD
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—
APPROX. CAPACITY	2,4 L	3,6 L	5,3 L	6,9 L	Drain shelf



GN 1/4 16,2 x 26,5 cm

CODE	42CV	44CV	46CV	40CVD
PAN DEPTH	6,5 cm	10 cm	15 cm	—
APPROX. CAPACITY	1,7 L	2,5 L	3,7 L	Drain shelf



GN 1/6 16,2 x 17,6 cm

CODE	62CV	64CV	66CV	60CVD
PAN DEPTH	6,5 cm	10 cm	15 cm	—
APPROX. CAPACITY	1 L	1,5 L	2,2 L	Drain shelf



GN 1/9 10,8 x 17,6 cm

CODE	92CV	94CV	90CVD
PAN DEPTH	6,5 cm	10 cm	—
APPROX. CAPACITY	0,57 L	0,85 L	Drain shelf

Case Pack: 6 **Colors:** Clear (135), Black (110).

CEL InStock

10CVD, 18CV, 20CVD, 28CV, 30CVD, 38CV, 40CVD, 60CVD, 90CVD, 92CV: (135).
12CV, 14CV, 16CV, 22CV, 24CV, 26CV, 32CV, 34CV, 36CV, 42CV, 44CV, 46CV, 62CV, 64CV, 66CV, 94CV: (110), (135)..

Cold Food Holding Test

Camview® VS. Stainless Steel

Side by side test results below prove that Cambro Camview Food Pans perform better than stainless steel pans. While stainless steel may feel colder to the touch, it's misleading. Stainless steel actually conducts and loses temperature while Camview plastic insulates and retains safe food holding temperatures.

Cambro CV 1/6 – 15 cm Pan • Potato Salad



Results for 1/6 CV Food Pans:

Starting Temperature ..... 1,2˚C
Ending Temperature ..... 1,5˚C
Difference ..... 0,3˚C

Stainless Steel 1/6 – 15 cm Pan • Potato Salad



Results for 1/6 Stainless Steel Food Pans:

Starting Temperature ..... 1,3˚C
Ending Temperature ..... 2,9˚C
Difference ..... 1,6˚C

Starting Food Temperature 1,7 degrees +/- 2,0 degrees

Camview GN Food Pan Lids

BPA FREE

Store Safe



Cover with Handle

Flat Cover

GN 1/1 32,5 x 53 cm

CODE	10CVCH
DESCRIPTION	Cover with handle

GN 1/2 26,5 x 32,5 cm

CODE	20CVCH
DESCRIPTION	Cover with handle

GN 1/3 17,6 x 32,5 cm

CODE	30CVCH
DESCRIPTION	Cover with handle

GN 1/4 16,2 x 26,5 cm

CODE	40CVCH
DESCRIPTION	Cover with handle

GN 1/6 16,2 x 17,6 cm

CODE	60CVCH
DESCRIPTION	Cover with handle

GN 1/9 10,8 x 17,6 cm

CODE	90CVC
DESCRIPTION	Flat cover

Case Pack: 6 **Color:** Clear (135).

CEL InStock

10CVCH, 20CVCH, 30CVCH, 40CVCH, 60CVCH, 90CVCH: (135).

Translucent GN Food Pans

Translucent GN Food Pans are made from FDA-approved, BPA-, BPS-, and PFAS-compliant materials, providing at-a-glance ingredient visibility and reliable, food-safe performance for storage, preparation, and service. An economical product solution for cold holding applications, they perform exceptionally on cold food bars and during preparation with their smooth, non-stick interior.

BPA FREE

Store Safe

GASTRONORM STANDARD EN-631



GN 1/1 32,5 x 53 cm

CODE	12PP	14PP	16PP	18PP*	10PPD
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—
APPROX. CAPACITY	8,5 L	13 L	19,5 L	25,6 L	Drain shelf



GN 1/2 26,5 x 32,5 cm

CODE	22PP	24PP	26PP	28PP*	20PPD
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—
APPROX. CAPACITY	3 L	5,9 L	8,9 L	11,7 L	Drain shelf



GN 1/3 17,6 x 32,5 cm

CODE	32PP	34PP	36PP	38PP*	30PPD
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—
APPROX. CAPACITY	2,4 L	3,6 L	5,3 L	6,9 L	Drain shelf



GN 1/4 16,2 x 26,5 cm

CODE	42PP	44PP	46PP	40PPD
PAN DEPTH	6,5 cm	10 cm	15 cm	—
APPROX. CAPACITY	1,7 L	2,5 L	3,7 L	Drain shelf



GN 1/6 16,2 x 17,6 cm

CODE	62PP	64PP	66PP	60PPD
PAN DEPTH	6,5 cm	10 cm	15 cm	—
APPROX. CAPACITY	1 L	1,5 L	2,2 L	Drain shelf



GN 1/9 10,8 x 17,6 cm

CODE	92PP	94PP	90PPD
PAN DEPTH	6,5 cm	10 cm	—
APPROX. CAPACITY	0,57 L	0,85 L	Drain shelf

Case Pack: 6 **Color:** Translucent (190).

CEL InStock

10PPD, 12PP, 14PP, 16PP, 18PP, 22PP, 24PP, 26PP, 28PP, 32PP, 34PP, 36PP, 38PP, 42PP, 44PP, 46PP, 62PP, 64PP, 66PP, 92PP, 94PP,20PPD, 30PPD, 40PPD, 60PPD, 90PPD: (190).

Cold Food Holding Test

Polypropylene VS. Stainless Steel

Side by side test results below prove that Cambro Polypropylene Food Pans perform better than stainless steel pans. While stainless steel may feel colder to the touch, it's misleading. Stainless steel actually conducts and loses temperature while polypropylene insulates and retains safe food holding temperatures.

Cambro PP 1/6 – 15 cm Pan • Potato Salad

2,3˚C	1,9˚C	1,8˚C	1,8˚C	1,9˚C
Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

Results for 1/6 PP Food Pans:

Starting Temperature ..... 2,3˚C
Ending Temperature ..... 1,9˚C
Difference ..... -0,4˚C

Stainless Steel 1/6 – 15 cm Pan • Potato Salad

1,3˚C	0,4˚C	1,2˚C	2,1˚C	2,9˚C
Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

Results for 1/6 Stainless Steel Food Pans:

Starting Temperature ..... 1,3˚C
Ending Temperature ..... 2,9˚C
Difference ..... 1,6˚C

Starting Food Temperature 1,7 degrees +/- 2,0 degrees

Translucent GN Food Pan Lids

BPA FREE

Store Safe

Flat Cover

Cover with Handle

Notched Cover with Handle

Seal Cover

GN 1/1 32,5 x 53 cm

CODE	10PPCH	10PPCWSC
DESCRIPTION	Cover w/ handle	Seal cover

GN 1/2 26,5 x 32,5 cm

CODE	20PPCH	20PPCWSC
DESCRIPTION	Cover w/ handle	Seal cover

GN 1/3 17,6 x 32,5 cm

CODE	30PPCH	30PPCHN	30PPCWSC
DESCRIPTION	Cover w/ handle	Notched cover w/ handle	Seal cover

GN 1/4 16,2 x 26,5 cm

CODE	40PPCH	40PPCWSC
DESCRIPTION	Cover w/ handle	Seal cover

GN 1/6 16,2 x 17,6 cm

CODE	60PPCH	60PPCHN	60PPCWSC
DESCRIPTION	Cover w/ handle	Notched cover w/ handle	Seal cover

GN 1/9 10,8 x 17,6 cm

CODE	90PPC	90PPCWSC
DESCRIPTION	Flat cover	Seal cover

CEL InStock

10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC: (190).

SafeTrak™ GN Food Pans

SafeTrak GN Food Pans include built-in labeling to eliminate waste, reduce risk, and simplify compliance. The GN Food Pans are accompanied by HACCP-recommended color-coded seal covers, as well as the SafeTrak pen, creating a complete, hygienic system for labeling, storing, and serving food in high-compliance operations.

BPA FREE

Store Safe

GASTRONORM
STANDARD EN-631

6 color-coded translucent seal covers help prevent cross-contamination by clearly identifying food types. No more lost color clips.

Temperature range: -40°C - 85°C.

Dish washing safe up to 93°C.

HACCP-compliant design allows you to write key traceability information straight onto the pan for safe and consistent food tracking.

Permanently molded-in label will never peel, fade, or smudge.



GN 1/1 32,5 x 53 cm

CODE	12PPT	14PPT	16PPT	18PPT	10PPCWSC	10PPCWSCT6C
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—	—
APPROX. CAPACITY	8,5 L	13 L	19,5 L	25,6 L	Seal Cover	Seal Cover Multi-Pack



GN 1/2 26,5 x 32,5 cm

CODE	22PPT	24PPT	26PPT	28PPT	20PPCWSC	20PPCWSCT6C
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—	—
APPROX. CAPACITY	3 L	5,9 L	8,9 L	11,7 L	Seal Cover	Seal Cover Multi-Pack



GN 1/3 17,6 x 32,5 cm

CODE	32PPT	34PPT	36PPT	38PPT	30PPCWSC	30PPCWSCT6C
PAN DEPTH	6,5 cm	10 cm	15 cm	20 cm	—	—
APPROX. CAPACITY	2,4 L	3,6 L	5,3 L	6,9 L	Seal Cover	Seal Cover Multi-Pack

CEL InStock

12PPT, 14PPT, 16PPT, 18PPT, 22PPT, 24PPT, 26PPT, 28PPT, 32PPT, 34PPT, 36PPT, 38PPT, 42PPT, 44PPT, 46PPT, 62PPT, 64PPT, 66PPT, 92PPT, 94PPT: (190)
10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC: (190, 544, 545, 546, 547, 548).
10PPCWSCT6C, 20PPCWSCT6C, 30PPCWSCT6C, 400PPCWSCT6C, 60PPCWSCT6C, 90PPCWSCT6C: (300).

Color-Coded Seal Cover Multi-Pack

To further support food safety, the SafeTrak system includes translucent, color-coded seal covers that help prevent cross contamination by clearly identifying food types.

Available in a convenient 6-pack containing one lid of each HACCP-recommended color.

SafeTrak Pen (STP)

- Won't smudge during use
- Comes off when washed





SafeTrak Purple (548)

SafeTrak Yellow (547)



SafeTrak Green (546)



SafeTrak Blue (545)

SafeTrak Red (544)



Translucent (190)



GN 1/4 16,2 x 26,5 cm

CODE	42PPT	44PPT	46PPT	40PPCWSC	40PPCWSCT6C
PAN DEPTH	6,5 cm	10 cm	15 cm	—	—
APPROX. CAPACITY	1,7 L	2,5 L	3,7 L	Seal Cover	Seal Cover Multi-Pack



GN 1/6 16,2 x 17,6 cm

CODE	62PPT	64PPT	66PPT	60PPCWSC	60PPCWSCT6C
PAN DEPTH	6,5 cm	10 cm	15 cm	—	—
APPROX. CAPACITY	1 L	1,5 L	2,2 L	Seal Cover	Seal Cover Multi-Pack



GN 1/9 10,8 x 17,6 cm

CODE	92PPT	94PPT	90PPCWSC	90PPCWSCT6C
PAN DEPTH	6,5 cm	10 cm	—	—
APPROX. CAPACITY	0,57 L	0,85 L	Seal Cover	Seal Cover Multi-Pack

Case Pack: 6 **Food Pan Color:** Translucent (190).
Seal Cover Colors: Translucent (190), SafeTrak Red (544), SafeTrak Blue (545), SafeTrak Green (546), SafeTrak Yellow (547), SafeTrak Purple (548).

Seal Covers for Polypropylene GN Food Pans

Food spoilage is caused by a combination of air and oxygen, moisture, light, microbial growth, and temperature. What can you do? Use Cambro Seal Covers on your storage containers to keep out air, moisture and reduce cross-contamination.

HOW MUCH IS FOOD WASTE COSTING YOU?

Your total annual food cost x 5% = Approximate Cost of Food Waste



Third party laboratory testing has shown that when used properly with a Cambro® Food Pan, Cambro Seal Covers can extend the shelf life of produce by

2 to 3 DAYS

beyond storage versus plastic film, aluminium foil or no cover at all.

Seal Covers

Seal Covers in six colors fit Safe Track PP GN, Standard PP GN and Camview GN Pans for color coding, organization, and extended shelf-life of food.

GN 1/1 32,5 x 53 cm

CODE	10PPCWSC	10PPCWSCT6C
DESCRIPTION	Seal cover	Seal Cover Multi-Pack

GN 1/2 26,5 x 32,5 cm

CODE	20PPCWSC	20PPCWSCT6C
DESCRIPTION	Seal cover	Seal Cover Multi-Pack

GN 1/3 17,6 x 32,5 cm

CODE	30PPCWSC	30PPCWSCT6C
DESCRIPTION	Seal cover	Seal Cover Multi-Pack

GN 1/4 16,2 x 26,5 cm

CODE	40PPCWSC	40PPCWSCT6C
DESCRIPTION	Seal cover	Seal Cover Multi-Pack

GN 1/6 16,2 x 17,6 cm

CODE	60PPCWSC	60PPCWSCT6C
DESCRIPTION	Seal cover	Seal Cover Multi-Pack

GN 1/9 10,8 x 17,6 cm

CODE	90PPCWSC	90PPCWSCT6C
DESCRIPTION	Seal cover	Seal Cover Multi-Pack

CEL InStock

10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC: (190).

Color-Coded Seal Cover Multi-Pack

To further support food safety, the SafeTrak system includes translucent, color-coded seal covers that help prevent cross contamination by clearly identifying food types.

Available in a convenient 6-pack containing one lid of each HACCP-recommended color.

BPA FREE

Store Safe

Seal Covers seal on inner pan radius.

Seal covers protect food quality while eliminating the expense of plastic wrap. Available for all polycarbonate and translucent food pan sizes.

H-Pan™ High Heat GN Food Pans

Go from prep to freezer to oven to service with the all-purpose Cambro High Heat H-Pan! High heat food pans are built to gastronorm specifications for efficient kitchens that employ microwaves, steam tables, and ovens.

BPA FREE

Store Safe

GASTRONORM STANDARD EN-631



Uniform 1,27 cm flange ensures a smooth fit in prep tables and food bars.

Great for flash freezing and reheating.

Non-stick smooth interior surface increases yields and promotes easy cleaning.

Made from FDA approved materials that withstand temperatures from -40˚ to 190˚C.

Pans stack neatly, without wedging or sticking.



GN 1/1 32,5 x 53 cm

CODE	12HPU	14HPU	16HPU	10HPDU	13CLRHPU	15CLRHPU
PAN DEPTH	6,5 cm	10 cm	15 cm	—	7,6 cm	12,7 cm
APPROX. CAPACITY	8,5 L	13 L	19,5 L	Drain shelf	Colander	Colander
FITS PAN DEPTH*	—	—	—	—	10 cm	15 cm



GN 1/2 Long 16,2 x 53 cm

CODE	22LPHPU	24LPHPU	20LPHPDU
PAN DEPTH	6,5 cm	10 cm	—
APPROX. CAPACITY	3 L	5 L	Drain shelf
FITS PAN DEPTH*	—	—	—



GN 1/2 26,5 x 32,5 cm

CODE	22HPU	24HPU	26HPU	20HPDU	23CLRHPU	25CLRHPU
PAN DEPTH	6,5 cm	10 cm	15 cm	—	7,6 cm	12,7 cm
APPROX. CAPACITY	3,9 L	5,9 L	8,9 L	Drain shelf	Colander	Colander
FITS PAN DEPTH*	—	—	—	—	10 cm	15 cm



GN 1/3 17,6 x 32,5 cm

CODE	32HPU	34HPU	36HPU	30HPDU	33CLRHPU	35CLRHPU
PAN DEPTH	6,5 cm	10 cm	15 cm	—	7,6 cm	12,7 cm
APPROX. CAPACITY	2,4	3,6 L	5,3 L	Drain shelf	Colander	Colander
FITS PAN DEPTH*	—	—	—	—	10 cm	15 cm

CEL InStock

14HPU, 16HPU, 10HPDU, 20HPDU, 32HPU, 34HPU, 36HPU, 30HPDU, 64HPU, 66HPU, 60HPDU: (150).
22LPHPU, 24LPHPU: (110).

H-Pan™ High Heat Colander Pan

Rinse, drain and store all in one pan. Ideal for steaming, hot holding with drainage, blanching, and thawing.



GN 1/4 16,2 x 26,5 cm

CODE	42HPU	44HPU	46HPU	40HPDU
PAN DEPTH	6,5 cm	10 cm	15 cm	—
APPROX. CAPACITY	1,7 L	2,5 L	3,7 L	Drain shelf
FITS PAN DEPTH*	—	—	—	—



GN 1/6 16,2 x 17,6 cm

CODE	62HPU	64HPU	66HPU	60HPDU	63CLRHPU	65CLRHPU
PAN DEPTH	6,5 cm	10 cm	15 cm	—	7,6 cm	12,7 cm
APPROX. CAPACITY	1 L	1,5 L	2,2 L	Drain shelf	Colander	Colander
FITS PAN DEPTH*	—	—	—	—	10 cm	15 cm



GN 1/8 16,12 x 13,17 cm

CODE	82HPU	84HPU	86HPU	80HPDU
PAN DEPTH	6,5 cm	10 cm	15 cm	—
APPROX. CAPACITY	0,7 L	1 L	1,5 L	Drain shelf
FITS PAN DEPTH*	—	—	—	—



GN 1/9 10,8 x 17,6 cm

CODE	92HPU	94HPU	96PHPU	90HPDU
PAN DEPTH	6,5 cm	10 cm	15 cm	—
APPROX. CAPACITY	0,57 L	0,85 L	1,4 L	Drain shelf
FITS PAN DEPTH*	—	—	—	—

Case Pack: 6 **Colors:** Amber (150), Black (110).
Drain Shelf Color: Amber (150).
Lids listed on page 17. * Fits this pan depth & deeper.

BPA FREE

H-Pan™ High Heat GN Food Pans with Handles

Single- and double-sided handles are cool to the touch, allowing employees to safely handle pans straight from product holding units.

1/1 32,5 x 53 cm

CODE	12HPHU	10HPDU
PAN DEPTH	6,5 cm	—
APPROX. CAPACITY	8,5 L	Drain shelf

Case Pack: 6 **Color:** Amber (150).

1/3 17,6 x 32,5 cm

CODE	32HP1HU	34HP1HU	30HPDU
DESCRIPTION	Single Handle	Single Handle	Drain shelf
PAN DEPTH	6,5 cm	10 cm	—
APPROX. CAPACITY	2,4 L	3,6 L	—

Case Pack: 6 **Colors:** Black (110), Amber (150), Green (473).

Black (110)

1/3 17,6 x 32,5 cm

CODE	32HP2HU	34HP2HU	30HPDU
DESCRIPTION	Double Handle	Double Handle	Drain shelf
PAN DEPTH	6,5 cm	10 cm	—
APPROX. CAPACITY	2,4 L	3,6 L	—

Case Pack: 6 **Colors:** Black (110), Amber (150), Green (473).

Green (473)

CEL InStock

32HP1HU, 32HP2HU: (150).

H-Pan™ High Heat GN Food Pan Lids



Flat Cover

GN 1/1 32,5 x 53 cm

CODE	10HPCU	10HPCHU	10HPCHNU
DESCRIPTION	Flat cover	Cover with handle	Notched cover with handle

Cover with Handle

GN 1/2 Long 16,2 x 53 cm

CODE	20LPHPCU
DESCRIPTION	Flat cover

GN 1/2 26,5 x 32,5 cm

CODE	20HPCU	20HPCHU	20HPCHNU	20HPLU	20HPLNU
DESCRIPTION	Flat cover	Cover with handle	Notched cover with handle	FlipLid	Notched FlipLid

Notched Cover with Handle

GN 1/3 17,6 x 32,5 cm

CODE	30HPCU	30HPCHU	30HPCHNU	30HPLU	30HPLNU
DESCRIPTION	Flat cover	Cover with handle	Notched cover with handle	FlipLid	Notched FlipLid

FlipLid®

GN 1/4 16,2 x 26,5 cm

CODE	40HPCU	40HPCHU	40HPCHNU
DESCRIPTION	Flat cover	Cover with handle	Notched cover with handle

GN 1/6 16,2 x 17,6 cm

CODE	60HPCU	60HPCHU	60HPCHNU	60HPLU	60HPLNU
DESCRIPTION	Flat cover	Cover with handle	Notched cover with handle	FlipLid	Notched FlipLid

Notched FlipLid

GN 1/8 16,12 x 13,17 cm

CODE	80HPCU	80HPCHU	80CHPCHNU
DESCRIPTION	Flat cover	Cover with handle	Notched cover with handle

CEL InStock

10HPCHU, 20HPCU, 20HPCHU, 80HPCHU, 30HPCU, 30HPCHNU, 60HPCHU, 60HPCHNU: (150).

Cambro® Food Storage

FreshPro Series Freshness Extension

Independently tested by the Ecolab Center for Culinary Science, FreshPro Series Containers paired with their respective FreshPro Seal Covers double the shelf life of stored ingredients compared to other storage methods, while increasing freshness extension and overall food quality.

Seal Cover: 2x

Prevents oxygen exposure

Lifts ingredients out of their juices

Drain Shelf: 2 Days

Cost Savings Over A 5-Day Period

FreshPro Seal Covers

Operators can expect up to 50% cost savings by reducing spoilage frequency through doubling shelf life from 5 to 10 days.

FreshPro Drain Shelves

Operators can expect up to 29% cost savings by extending shelf life from 5 to 7 days for high-moisture produce like sliced tomatoes.

By doubling freshness, operators prep less, waste less, and save MORE without compromising on quality.

Translucent FreshPro CamSquares®

FreshPro CamSquare Containers are translucent, BPA-free food storage containers built for demanding professional kitchens. A color-coded system of matching Seal Covers, drain shelves and easy-to-read graduations streamlines ingredient identification and improves operational efficiency.

Seal covers keep oxygen out and extend product shelf life by twice as long.

Peg holes on seal covers promote sanitary drying.

Curved corners and molded-in recessed handles promote safe, ergonomic handling and pouring.

Color-coded graduations are printed on the outside for quick inventory management.

Drain shelves lift ingredients out of juices, preserving freshness and quality.

FRESH PRO

CODE	2SFSPROPP
CAPACITY	1,9 L
DIMENSIONS L x W x H (CM)	19 x 19 x 10

CODE	4SFSPROPP
CAPACITY	3,8 L
DIMENSIONS L x W x H (CM)	19 x 19 x 18

CODE	6SFSPROPP
CAPACITY	5,7 L
DIMENSIONS L x W x H (CM)	23 x 23 x 18

CODE	8SFSPROPP
CAPACITY	7,6 L
DIMENSIONS L x W x H (CM)	23 x 23 x 24

CODE	12SFSPROPP
CAPACITY	11,4 L
DIMENSIONS L x W x H (CM)	29 x 29 x 22

CODE	18SFSPROPP
CAPACITY	17 L
DIMENSIONS L x W x H (CM)	29 x 29 x 33

CODE	22SFSPROPP
CAPACITY	19 L
DIMENSIONS L x W x H (CM)	29 x 29 x 41

CEL InStock

2SFSPROPP, 4SFSPROPP, 6SFSPROPP, 8SFSPROPP, 12SFSPROPP, 18SFSPROPP, 22SFSPROPP: (190).

Case Pack: 6 **Color:** Translucent (190). **Note:** All graduations are approximate.

Maximizes Freshness

Share the same seal covers as FreshPro CamSquares

3 Lids 17 Containers

FreshPro Seal Covers



CODE	SFC2FPPP
DESCRIPTION	Fits 2 & 3,8 L
COLOR	Translucent Green (265)

CODE	SFC6FPPP
DESCRIPTION	Fits 5,7 & 7,5 L
COLOR	Translucent Red (266)



CODE	SFC12FPPP
DESCRIPTION	Fits 11, 17 & 19 L
COLOR	Translucent Blue (267)

Case Pack: 6 **FreshPro Easy Seal Covers not compatible with CamSquares Classic Series Containers.**

CamSquare Drain Shelves



CODE	2SFSFPDPP
DESCRIPTION	Fits 2 & 3,8 L
COLOR	Translucent Green (265)

CODE	6SFSFPDPP
DESCRIPTION	Fits 5,7 & 7,5 L
COLOR	Translucent Red (266)



CODE	12SFSFPDPP
DESCRIPTION	Fits 11, 17 & 19 L
COLOR	Translucent Blue (267)

Case Pack: 6 **FreshPro Drain Shelves not compatible with CamSquares Classic Series Containers.**

Translucent FreshPro CamRounds™

FreshPro CamRounds are designed for effortless prep, pouring, stacking and storing. Sharing the same color-coded Seal Covers as FreshPro CamSquares, they maximize storage efficiency and simplify organization.

FRESH PRO

CODE	2RFSPROPP
CAPACITY	1,9 L
DIMENSIONS L x W x H (CM)	19,1 x 19,1 x 10,7

CODE	4RFSPROPP
CAPACITY	3,9 L
DIMENSIONS L x W x H (CM)	19,1 x 19,1 x 20,6

CODE	6RFSPROPP
CAPACITY	5,7 L
DIMENSIONS L x W x H (CM)	22,9 x 22,9 x 20,6

CODE	8RFSPROPP
CAPACITY	7,6 L
DIMENSIONS L x W x H (CM)	22,9 x 22,9 x 26,4

Translucent FreshPro CamRounds Pails With Bails

CODE	PWB12PROPP
CAPACITY	11,4 L
DIMENSIONS L x W x H (CM)	28,9 x 28,9 x 22,6

CODE	PWB18PROPP
CAPACITY	17,2 L
DIMENSIONS L x W x H (CM)	28,9 x 28,9 x 33,8

CODE	PWB22PROPP
CAPACITY	20,8 L
DIMENSIONS L x W x H (CM)	28,9 x 28,9 x 41,2

Case Pack: 6 **Color:** Translucent (190). **Note:** All graduations are approximate.

CEL InStock

All Container Sizes: (190)

CamSquares® can stack on top of CamRounds™ for maximum space-saving storage

Spill-proof seal cover

Share the same seal covers as FreshPro CamSquares



3 Lids 17 Containers

CODE	12RFSPROPP
CAPACITY	11,4 L
DIMENSIONS L x W x H (CM)	28,9 x 28,9 x 22,6

CODE	18RFSPROPP
CAPACITY	17,2 L
DIMENSIONS L x W x H (CM)	28,9 x 28,9 x 33,8

CODE	22RFSPROPP
CAPACITY	20,8 L
DIMENSIONS L x W x H (CM)	28,9 x 28,9 x 41,2



Drain Holes in Handles

CamRounds Seal Covers



CODE	SFC2FPPP
DESCRIPTION	Fits 1,9 / 3,9 L
COLOR	Translucent Green (265)

CODE	SFC6FPPP
DESCRIPTION	Fits 5,7 / 7,6 L
COLOR	Translucent Red (266)



CODE	SFC12FPPP
DESCRIPTION	Fits 11,4 / 17,2 / 20,8 L
COLOR	Translucent Blue (267)

Case Pack: 6 **FreshPro Easy Seal Covers not compatible with Classic Series Containers.**

CamRounds Drain Shelves



CODE	2RFSFPDPP
DESCRIPTION	Fits 1,9 / 3,9 L
COLOR	Translucent Green (265)

CODE	6RFSFPDPP
DESCRIPTION	Fits 5,7 / 7,6 L
COLOR	Translucent Red (266)



CODE	12RFSFPDPP
DESCRIPTION	Fits 11,4 / 17,2 / 20,8 L
COLOR	Translucent Blue (267)

Case Pack: 6 FreshPro Drain Shelves not compatible with CamRounds Classic Series Containers.

CEL InStock

2RFSFPDPP SFC2FPPP: (265). 6RFSFPDPP SFC6FPPP: (266). 12RFSFPDPP SFC12FPPP: (267).

Translucent FreshPro CamSquares® Mini

Small quantity food storage finally has a reusable alternative thanks to 0,47 & 0,9 L CamSquares FreshPro Series containers. Ideal for storing mise en place, spice blends, fresh herbs and more, 0,47 & 0,9 L CamSquares FreshPro are the durable, sustainable alternative to single use, disposable plastic containers. One Easy Seal Cover fits both container sizes to help you be more efficient in the kitchen.

FRESH PRO

CODE	HFSFSPROPP
CAPACITY	½ L
DIMENSIONS L x W x H (CM)	12 x 12 x 6,5

CODE	1SFSPROPP
CAPACITY	1 L
DIMENSIONS L x W x H (CM)	12 x 12 x 11,8

CEL InStock

HFSFSPROPP, 1SFSPROPP, SFC1FPPP: (190).

Seal Cover

CODE	SFC1FPPP
DESCRIPTION	Fits ½ & 1 L
DIMENSIONS L x W x H (CM)	12 x 12 x 11,8

Case Pack: 6 **Color:** Translucent (190).

Note: All graduations are approximate.

Case Pack: 6 **Color:** Translucent (190).

Reusable replacement for single-use containers

BPA FREE

Store Safe

Ideal for Fresh herbs
Spice blends
Condiments
Mise en place

INDUSTRY-FIRST

Commercial Grade
One Liter and Half Liter Sizes

TWO SIZES

0,47 and 0,9 L

One Seal Cover Fits Both Container Sizes

0,9 L

0,47 L

CODE	1HFPRO4PKI190	1HFPRO4PKIPL190
DESCRIPTION	8 Piece Set Retail Package	Full Pallet
DIMENSIONS L x W x H (MM)	133,4 x 133,4 x 250,8	1200 x 800 x 1150

Case Pack: 12 **Color:** Translucent (190).

Safe One-Handed Carry

Polyethylene Food Storage Boxes

Cross contamination can be costly – eliminate the hazards between receiving and kitchen with economical, impact resistant Poly Food Boxes. Upon receiving product, immediately transition items from cardboard to Poly Food Boxes to decrease the chances of contamination and critters entering your kitchen.

Polyethylene Food Storage Boxes

CODE	182615P
CAPACITY	83,3 L
DIMENSIONS L x W x H (CM)	46 x 66 x 38

Case Pack: 3

CODE	18269P
CAPACITY	49,2 L
DIMENSIONS L x W x H (CM)	46 x 66 x 23

Case Pack: 6

Color: Natural White (148).

CEL InStock

118269P, 182615P, 1826CP: (148).

Polyethylene Covers

CODE	1826CP FLAT LID
DIMENSIONS L x W x H (CM)	45,7 x 66

Case Pack: 6

Color: Natural White (148).

Pizza Dough Boxes

Cambro Pizza Dough Boxes are professional food-grade storage and proofing solutions designed to store, transport, proof, and cool pizza dough while keeping it fresh and preventing crusting. Made from durable, food-safe polypropylene, these pizza dough boxes resist impact, stains, and odors for reliable use in prep, refrigeration, and cold storage.

Polypropylene Pizza Dough Box

CODE	DB60407
OUTSIDE DIMENSIONS L x W x H (CM)	40 x 60 x 7
INSIDE DIMENSIONS L x W x H (CM)	36,5 x 56,5 x 6,5

Case Pack: 1

CODE	DB604010
OUTSIDE DIMENSIONS L x W x H (CM)	40 x 60 x 10
INSIDE DIMENSIONS L x W x H (CM)	36,5 x 56,5 x 9,5

Case Pack: 1

Color: White (148).

CEL InStock

DB60407, DB604010, DB6040C: (148).

Polypropylene Cover

CODE	DB6040C
OUTSIDE DIMENSIONS L x W x H (CM)	40 x 60
INSIDE DIMENSIONS L x W x H (CM)	—

Case Pack: 1

Color: White (148).

StoreSafe Storage Consultation

StoreSafe Solutions is a dedicated Cambro resource for operators who want to optimize their operating procedures and food storage best practices, offering free tools and efficiency analyses.

Our StoreSafe Assessment is a detailed intake of how well your team is complying with food safety regulations. Create an account to access your free assessment today!

Scan or click the QR code to visit cambro.com/storesafe

Contact your local rep for more information!

Extend food freshness, maximize food safety in the kitchen, and stay organized with Cambro's wide range of BPA-free storage solutions. For more information on our full storage product line assessment, visit the Cambro website today.

CAMBRO
TRUSTED DURABILITY
www.cambro.com

CAMBRO U.S.A.
TEL: 1(714) 848-1555
FAX: 1(714) 230-4375
international@cambro.com

CAMBRO EUROPE
TEL: (49) 7022 90 100 0
FAX: (49) 7022 90 100 19
cambroeurope@cambro.com

CAMBRO UK
FAX: 0845 280 3411
cambrouk@cambro.com

© Copyright Cambro Manufacturing Company. Printed in the U.S.A.

LITX26STOREEU

I022604